






## Welcome to Azure Container Instances!










Raspberry Pi Azure IoT Online Simulator English v




```
temperature: data.temperature C.
31
            humidity: data.humidity
32
         }), data.temperature ( > 30);
33
34 -
        .catch(function (err) {
35
          console.error('Failed to read out sensor data: ' + err);
36
37
38
    function sendMessage() {
      if (!sendingMessage) { return; }
41
42 -
      getMessage(function (content, temperatureAlert) (
43
        var message - new Message(content);
44
        message.properties.add('temperatureAlert', temperatureAlert.toString());
45
        console.log('Sending message: ' + content);
46 -
        client.sendEvent(message, function (err) {
47 -
          if (err) {
48
            console.error('Failed to send message to Azure IoT Hub');
49 -
          } else (
            blinkLED();
51
            console.log('Message sent to Azure IoT Hub');
52
53
        1);
54
      });
55
56
57 • function onStart(request, response) {
      console.log('Try to invoke method start(' + request.payload + ')');
Run
      Reset
```

Click 'Run' button to run the sample code(When sample is running, code is read-only).

Click 'Stop' button to stop the sample code running.

Click 'Reset' to reset the code. We keep your changes to the editor even you refresh the page.

**>** []



the exact distribution terms for each program are described in the individual files in /usr/share/doc/\*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by

applicable law.

To run a command as administrator (user "root"), use "sudo <command>". See "man sudo\_root" for details.

azureuser@private: ~





























































