

System Verification and Validation Plan for Image Feature Correspondences for Camera Calibration

Kiran Singh

February 23, 2025

Revision History

Date	Version	Notes
2025-02-24	1.0	Initial Release

[The intention of the VnV plan is to increase confidence in the software. However, this does not mean listing every verification and validation technique that has ever been devised. The VnV plan should also be a **feasible** plan. Execution of the plan should be possible with the time and team available. If the full plan cannot be completed during the time available, it can either be modified to “fake it”, or a better solution is to add a section describing what work has been completed and what work is still planned for the future. —SS]

[The VnV plan is typically started after the requirements stage, but before the design stage. This means that the sections related to unit testing cannot initially be completed. The sections will be filled in after the design stage is complete. the final version of the VnV plan should have all sections filled in. —SS]

Contents

1	Symbols, Abbreviations, and Acronyms	iv
2	General Information	1
2.1	Summary	1
2.2	Objectives	1
2.3	Challenge Level and Extras	2
2.4	Relevant Documentation	2
3	Plan	3
3.1	Verification and Validation Team	3
3.2	SRS Verification Plan	4
3.3	Design Verification Plan	4
3.4	Verification and Validation Plan Verification Plan	5
3.5	Implementation Verification Plan	5
3.6	Automated Testing and Verification Tools	5
3.7	Software Validation Plan	6
4	System Tests	6
4.1	Tests for Functional Requirements	6
4.1.1	Feature Detection	6
4.1.2	Feature Comparison	7
4.2	Tests for Nonfunctional Requirements	8
4.3	Traceability Between Test Cases and Requirements	9
5	Unit Test Description	9
5.1	Unit Testing Scope	10
5.2	Tests for Functional Requirements	10
5.2.1	Module 1	10
5.2.2	Module 2	11
5.3	Tests for Nonfunctional Requirements	11
5.3.1	Module ?	12
5.3.2	Module ?	12
5.4	Traceability Between Test Cases and Modules	12
6	Appendix	13
6.1	Symbolic Parameters	13

List of Tables

1	Traceability Matrix Showing the Connections Between Requirements and Instance Models	9
[Remove this section if it isn't needed —SS]		

List of Figures

[Remove this section if it isn't needed —SS]

1 Symbols, Abbreviations, and Acronyms

symbol	description
FOV	Field-of-view
$\mathcal{I}(x, y)$	2D array of pixel values for a greyscale image
i	total number of robot poses
j	total number of cameras
K	array of identified keypoints
k	number of total keypoints
m	horizontal image size
n	vertical image size
ORB	Oriented FAST and Rotated BRIEF
SRS	Software Requirements Specification
VnV	Verification and Validation
σ	standard deviation

The intent of this document is to define the verification and validation process that will be used to assess the feature correspondence software from camera imagery. Specifically, this document will be used to characterize the behaviour and performance of this software. The remaining section of this document outline a high level summary of the general system system and specific objects of the VnV process. It also defines specific strategies for the individual verification plans, an overview of anticipated system tests, and an outline of specific unit test cases.

2 General Information

2.1 Summary

Image Feature Correspondences (IFC) is a feature comparison algorithm that is intended to be used as part of a pipeline to perform extrinsic camera calibration for applications in mobile robotics. It accepts camera intrinsics and imagery data at different poses to identify common features across collected images.

2.2 Objectives

The VnV process is intended to characterize how well the for the IFC software performs in its intended capacity to identify features amongst collected imagery. This can vary significantly as it is influenced by factors such as overlap in camera fields-of-view (FOV), contrast between objects in an image, and variance in either scale or rotation. Furthermore, as there is no common baseline to compare this software to as an oracle model, the intent of the VnV for the IFC software is to characterize the performance of the integrated image processing functions against a set of selected datasets. Key objectives of this process are defined below.

- correctness of feature extraction
- correctness of feature comparison
- assessment of scale variance between features
- assessment of rotation variance between features

- benchmarking of processing time and memory usage for large image strategies
- cross-validation of system performance with accepted benchmarked datasets

Characterization of the individual functions within the OpenCV library themselves remains outside of the scope of this project, as we can assume that the library has been verified by its own implementation team.

2.3 Challenge Level and Extras

[State the challenge level (advanced, general, basic) for your project. Your challenge level should exactly match what is included in your problem statement. This should be the challenge level agreed on between you and the course instructor. You can use a pull request to update your challenge level (in TeamComposition.csv or Repos.csv) if your plan changes as a result of the VnV planning exercise. —SS]

[Summarize the extras (if any) that were tackled by this project. Extras can include usability testing, code walkthroughs, user documentation, formal proof, GenderMag personas, Design Thinking, etc. Extras should have already been approved by the course instructor as included in your problem statement. You can use a pull request to update your extras (in TeamComposition.csv or Repos.csv) if your plan changes as a result of the VnV planning exercise. —SS]

2.4 Relevant Documentation

[Reference relevant documentation. This will definitely include your SRS and your other project documents (design documents, like MG, MIS, etc). You can include these even before they are written, since by the time the project is done, they will be written. You can create BibTeX entries for your documents and within those entries include a hyperlink to the documents. —SS]

Singh (2019)

[Don't just list the other documents. You should explain why they are relevant and how they relate to your VnV efforts. —SS]

3 Plan

This section outlines how each aspect of the VnV effort will be performed. It outlines the different roles of reviewers and the methods for which feedback will be collected and addressed.

3.1 Verification and Validation Team

The VnV team consists of four members, each of whom play a distinct role in the verification process.

Name	Role	Description
Kiran Singh	Lead Developer and Test Designer	Responsibilities include identification of key business cases for integrated tests, design and implementation of module tests, unit tests, and documentation of test results
Matthew Giamou	Project Supervisor	Lead consultant on integrated performance needs and decomposition for software modules. Responsibilities include review of proposed VnV scope, approval of test cases as proposed by Kiran S., and provision of feedback as to whether the test cases need to be redefined within the scope of the full implementation of the IFC
Aliyah Jimoh	Peer Reviewer	Responsibilities include provision of feedback on proposed test cases for the scope of test cases for both the functional and non-functional requirements as an reviewer that is less familiar with the overall implementation of the system than its primary developer
Spencer Smith	Software Development Instructor	Responsibilities include provision of feedback on proposed test cases for the scope of test cases for both the functional and non-functional requirements as an reviewer that is less familiar with the application domain of the system than all other reviewers

3.2 SRS Verification Plan

The **SRS** shall be reviewed by each member of the reviewer team to form consensus that the SRS has been correctly decomposed into sufficient requirements.

- the models are deemed to be comprehensible
- the models are deemed to be correct
- the associated requirements are traced correctly with respect to the models and project scope
- the requirements are decomposed in a manner that facilitates verification

Feedback on the SRS from the Peer Reviewer and Instructor will be captured through the use of Github Issues. Specifically, both reviewers will use the **SRS Checklist**. The lead developer will respond in turn to each issue and if reserves the right to reject a proposed change as needed.

The Lead Developer will schedule a meeting with the Project Supervisor to walk through the first revision of the SRS document. In this meeting, the Project Supervisor will offer feedback and recommendations for candidate revisions to the outlined models and requirements. The Lead Developer will then prepare issues in Github to address each proposed revision.

3.3 Design Verification Plan

The Peer Reviewer and Course Instructor will review the Module Guide (**MG**) and the Module Interface Specification (**MIS**) against the **MG** and **MIS** checklists. The intent of this process is to ensure that the design of the system is:

1. unambiguous
2. adheres to best-practices of module design
3. aligns with the requirements as identified in the **SRS**

3.4 Verification and Validation Plan Verification Plan

The VnV Plan will be verified via inspection by the Peer Reviewer and the Software Development Instructor. The [VnV Plan Checklist](#) will be used as the assessment criteria for the inspection. Feedback will be provided as Github issues and will be handled in the same manner as feedback for the SRS.

Mutation testing will be performed against the test outlined in Section [5](#).

3.5 Implementation Verification Plan

The IFC software shall be verified against the test procedures outlined in Sections [4.1](#) and [4.2](#). Static verification of the IFC software will consist of a code walkthrough. This will take place during the CAS 741 final presentation, where the Peer Reviewer and Course Instructor will have the opportunity to observe the code and raise issues following the presentation via GitHub.

Dynamic verification of the IFC software will consist of system and unit tests via PyTest. System tests are outlined in Section [4](#). Unit tests will be outlined in Rev 2 of the VnV Plan in Section [5](#).

3.6 Automated Testing and Verification Tools

Several tools will be used to support automated testing and verification. They include:

- Continuous Integration (CI) will be facilitated via GitHub Actions. A pull request will be used to run automated tests.
- Pytest will be used to perform system tests, unit tests, and to assess code coverage.
- flake8 will be used as a linter to ensure adherence to PEP8 standards.
- PyLint, as an alternative linter to flake8.

3.7 Software Validation Plan

[If there is any external data that can be used for validation, you should point to it here. If there are no plans for validation, you should state that here. —SS] [You might want to use review sessions with the stakeholder to check that the requirements document captures the right requirements. Maybe task based inspection? —SS]

The IFC software will be compared against benchmark data from **[INSERT DATASET HERE]** to characterize its performance.

4 System Tests

This section outlines the general roadmap for the required integrated system tests.

4.1 Tests for Functional Requirements

This section outlines the system tests that verify the requirements outlined in Section 5 of the **SRS**.

4.1.1 Feature Detection

This test section is intended to assess that the system can accept new parameters from users and covers requirements R1 through R7 and R9 through R11, in Section 5.1 of the **SRS**.

Image Smoother

1. FT-IS-01

Control: Automated

Initial State: Uninitialized

Input: Image $I(x, y)$, a 2D array of size $m \times n$, image intensity standard deviation σ

Output: Image $I'(x, y)$, a 2D array of equivalent size to $I(x, y)$

Test Case Derivation: Source: [Gaussian Kernel](#)

How test will be performed: Automated Tools (i.e. Pytest)

Keypoint Detector

1. FT-KP-01

Control: Automatic

Initial State: Uninitialized

Input: Image $I(x, y)$, a 2D array of size $m \times n$, image intensity threshold, t

Output: K : A 2D array of size $n \times 2$, where n is the quantity of identified keypoints, with horizontal and vertical coordinates for each keypoint

Test Case Derivation: [Machine Learning for High-Speed Corner Detection](#). This publication outlines the methods for building and verifying a common keypoint detector.

How test will be performed: Automated Tools (i.e. Pytest)

Feature Definition

1. FT-FD-01

Control: Automatic

Initial State: Uninitialized

Input: Image $I(x, y)$, a 2D array of size $m \times n$, K , a 2D array of size $n \times 2$, with identified key points

Output: D_{bin} , a 1D dynamically-sized array of feature descriptors

Test Case Derivation: Source: [ORB: An efficient alternative to SIFT or SURF](#). The preceding publication outlines methods to develop and the corresponding assessment of binary feature descriptors.

How test will be performed: Automated Tools (i.e. Pytest)

4.1.2 Feature Comparison

This test section is intended to assess that the system can accept new parameters from users and covers requirements R8 and R12 through R15 in Section 5.1 of the [SRS](#).

Descriptor Comparison

1. FT-FC-01

Control: Automated

Initial State: Uninitialized

Input: For each image, a 1D dynamically-sized array of feature descriptors (D_{bin}),

Output: A dynamically-sized array of the following details for each pair of matched features:

- Binary descriptors of both features
- Corresponding image IDs for each feature
- Corresponding image coordinates (u,v)
- Matching scores between both features

Test Case Derivation: Source: N/A

How test will be performed: Automated Tools (i.e. Pytest)

4.2 Tests for Nonfunctional Requirements

The only non-functional requirement outlined in the [SRS](#) is NFR.1, which outlines that the system should be compatible with Python 3.1 libraries. This will be achieved by the walkthrough of each code module that will take place during the final CAS 703 presentation. An additional code walkthrough will be provided exclusively for the Project Supervisor their request.

4.3 Traceability Between Test Cases and Requirements

Reqt\Test	FT-IS-01	FT-KP-01	FT-FD-01	FT-FC-01
R1	X			
R2		X		
R3			X	
R4			X	
R5	X			
R6		X		
R7			X	
R8				X
R9	X			
R10		X		
R11			X	
R12				X
R13				X
R14				X
R15				X
NFR1	O	O	O	O

Table 1: Traceability Matrix Showing the Connections Between Requirements and Instance Models

- X indicates a direct method of verification
- O indicates an indirect method of verification, in tangent to a code walkthrough

5 Unit Test Description

[This section should not be filled in until after the MIS (detailed design document) has been completed. —SS]

[Reference your MIS (detailed design document) and explain your overall philosophy for test case selection. —SS]

[To save space and time, it may be an option to provide less detail in this section. For the unit tests you can potentially layout your testing strategy here. That is, you can explain how tests will be selected for each module. For instance, your test building approach could be test cases for each access program, including one test for normal behaviour and as many tests as needed for edge cases. Rather than create the details of the input and output here, you could point to the unit testing code. For this to work, your code needs to be well-documented, with meaningful names for all of the tests. —SS]

5.1 Unit Testing Scope

[What modules are outside of the scope. If there are modules that are developed by someone else, then you would say here if you aren't planning on verifying them. There may also be modules that are part of your software, but have a lower priority for verification than others. If this is the case, explain your rationale for the ranking of module importance. —SS]

5.2 Tests for Functional Requirements

[Most of the verification will be through automated unit testing. If appropriate specific modules can be verified by a non-testing based technique. That can also be documented in this section. —SS]

5.2.1 Module 1

[Include a blurb here to explain why the subsections below cover the module. References to the MIS would be good. You will want tests from a black box perspective and from a white box perspective. Explain to the reader how the tests were selected. —SS]

1. test-id1

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

2. test-id2

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

3. ...

5.2.2 Module 2

...

5.3 Tests for Nonfunctional Requirements

[If there is a module that needs to be independently assessed for performance, those test cases can go here. In some projects, planning for nonfunctional tests of units will not be that relevant. —SS]

[These tests may involve collecting performance data from previously mentioned functional tests. —SS]

5.3.1 Module ?

1. test-id1

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input/Condition:

Output/Result:

How test will be performed:

2. test-id2

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input:

Output:

How test will be performed:

5.3.2 Module ?

...

5.4 Traceability Between Test Cases and Modules

[Provide evidence that all of the modules have been considered. —SS]

References

Kiran Singh. System requirements specification. <https://github.com/...>, 2019. URL <https://github.com/KiranSingh15/CAS-741-Image-Correspondences/blob/main/docs/SRS/SRS.pdf>.

6 Appendix

This is where you can place additional information.

6.1 Symbolic Parameters

The definition of the test cases will call for `SYMBOLIC_CONSTANTS`. Their values are defined in this section for easy maintenance.

End of document.