
$\chi^2_{Pearson}(42) = 30.57$, $p = 0.90$, $\widehat{V}_{Cramer} = 0.00$, $CI_{95\%}$ [0.00, 1.00], $n_{obs} = 728$
p = 5.50e−04
p = 8.77e−03
p = 3.03e−03
p = 0.12
p = 5.63e−07
p = 0.10
p = 1.42e−04
p = 1.78e−05
p = 2.24e−04
p = 0.05
p = 5.23e−04
p = 0.04
p = 0.04
p = 3.80e−04
p = 5.88e−04
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
9%
38%
47%
6%
19%
35%
37%
9%
9%
45%
36%
9%
19%
28%
41%
12%
11%
34%
45%
9%
21%
36%
33%
9%
15%
35%
41%
9%
15%
32%
44%
9%
15%
31%
45%
10%
39%
27%
27%
6%
11%
32%
48%
9%
16%
34%
41%
9%
19%
36%
34%
11%
15%
38%
40%
6%
3%
45%
42%
10%
(n = 34)
(n = 54)
(n = 33)
(n = 32)
(n = 87)
(n = 33)
(n = 74)
(n = 80)
(n = 62)
(n = 33)
(n = 44)
(n = 32)
(n = 47)
(n = 52)
(n = 31)
Constipation
Dependency on feeding tube
Disturbance in sleep behavior
Dysphagia
Epilepsy
Feeding difficulty
Gastroesophageal reflux disease (GERD)
Global developmental delay
Hypotonia
Infantile spasms
Irritability
Plagiocephaly
Poor visual tracking
Sialorrhea
Tremor
clinical_diagnosis
initial_seizure_type
infantile
focal
bilateral_tc
absence
$\log_e(BF_{01}) = 32.02$, $\widehat{V}^{posterior}_{Cramer} = 0.09$, $CI^{ETI}_{95\%}$ [0.00, 0.15], $a_{Gunel-Dickey} = 1.00$


$\chi^2_{Pearson}(85) = 51.24$, $p = 1.00$, $\widehat{V}_{Cramer} = 0.00$, $CI_{95\%}$ [0.00, 1.00], $n_{obs} = 450$
p = 0.03
p = 0.11
p = 0.50
p = 0.15
p = 0.26
p = 0.05
p = 0.21
p = 0.16
p = 0.02
p = 0.04
p = 0.10
p = 0.09
p = 0.85
p = 0.57
p = 0.11
p = 0.12
p = 0.09
p = 0.25
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
6%
35%
35%
18%
6%
9%
4%
22%
35%
22%
9%
22%
15%
22%
22%
15%
4%
6%
12%
29%
35%
6%
12%
19%
25%
19%
6%
31%
12%
10%
22%
28%
22%
6%
5%
11%
21%
26%
32%
5%
12%
12%
22%
28%
20%
5%
12%
8%
16%
30%
26%
8%
11%
8%
18%
34%
21%
8%
11%
11%
15%
30%
30%
4%
18%
24%
29%
29%
19%
19%
12%
19%
25%
6%
17%
13%
22%
26%
17%
4%
15%
12%
35%
23%
12%
4%
23%
23%
15%
38%
6%
12%
24%
41%
12%
6%
21%
7%
14%
36%
21%
(n = 17)
(n = 23)
(n = 27)
(n = 17)
(n = 16)
(n = 50)
(n = 19)
(n = 40)
(n = 50)
(n = 38)
(n = 27)
(n = 17)
(n = 16)
(n = 23)
(n = 26)
(n = 13)
(n = 17)
(n = 14)
Apnea
Constipation
Dependency on feeding tube
Disturbance in sleep behavior
Dysphagia
Epilepsy
Feeding difficulty
Gastroesophageal reflux disease (GERD)
Global developmental delay
Hypotonia
Irritability
Muscle weakness
Plagiocephaly
Poor visual tracking
Sialorrhea
Slow weight gain
Tremor
Vomiting
clinical_diagnosis
unique_types
4
5
3
2
1
0
$\log_e(BF_{01}) = 38.84$, $\widehat{V}^{posterior}_{Cramer} = 0.06$, $CI^{ETI}_{95\%}$ [0.00, 0.13], $a_{Gunel-Dickey} = 1.00$

$\chi^2_{\text{Pearson}}(17) = 9.89$, $p = 0.91$, $\widehat{V}_{\text{Cramer}} = 0.00$, $\text{CI}_{95\%}$ [0.00, 1.00], $n_{\text{obs}} = 463$



$\log_e(\text{BF}_{01}) = 4.29$, $\widehat{V}^{\text{posterior}}_{\text{Cramer}} = 0.11$, $\text{CI}^{\text{ETI}}_{95\%}$ [0.00, 0.25], $a_{\text{Gunel–Dickey}} = 1.00$


$\chi^2_{Pearson}(68) = 46.97, p = 0.98, \widehat{V}_{Cramer} = 0.00, CI_{95\%}\ [0.00, 1.00], n_{obs} = 470$
p = 0.09
p = 0.20
p = 0.03
p = 0.09
p = 0.14
p = 7.06e−03
p = 0.56
p = 0.02
p = 0.34
p = 0.41
p = 0.10
p = 0.14
p = 0.01
p = 3.41e−03
p = 7.86e−04
p = 0.32
p = 5.94e−03
p = 0.71
100%
90%
80%
70%
60%
50%
40%
30%
20%
10%
0%
Onset_group
12+ Months
Neonatal
7−12 Months
4−7 Months
1−4 Months
(n = 17) (n = 24) (n = 28) (n = 17) (n = 18) (n = 53) (n = 20) (n = 43) (n = 55) (n = 37) (n = 29) (n = 18) (n = 15) (n = 22) (n = 26) (n = 15) (n = 17) (n = 16)
Apnea
Constipation
Dependency on feeding tube
Disturbance in sleep behavior
Dysphagia
Epilepsy
Feeding difficulty
Gastroesophageal reflux disease (GERD)
Global developmental delay
Hypotonia
Irritability
Muscle weakness
Plagiocephaly
Poor visual tracking
Sialorrhea
Slow weight gain
Tremor
Vomiting
clinical_diagnosis
$\log_e(BF_{01}) = 32.67, \widehat{V}^{posterior}_{Cramer} = 0.08, CI^{ETI}_{95\%}\ [0.00, 0.15], a_{Gunel-Dickey} = 1.00$