Duration: 12.246 s Start: Jul 13, 12:24:35.815 PM End: Jul 13, 12:24:48.061 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login with Valid Credentials	12.246 s	1	0	1	0	5	0	0	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login with Valid Credentials	Successful Login with Valid Credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@regression	1	0	1	0	1	0	1	0
@sanity	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	0	1	0	12.246 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	Successful Login with Valid Credentials	5	0	0	5	12.239 s

DETAILED SECTION -- 7 --

Login with Valid Credentials

FAILED DURATION - 12.246 s	Scenarios		Steps	
	Total - 1		Total - 5	
/ 12:24:35.815 PM // 12:24:48.061 PM /	Pass - 0	1	Pass - 0	5
	Fail - 1		Fail - 0	
	Skip - 0		Skip - 5	

Successful Login with Valid Credentials



#	Step / Hook Details	Status	Duration
	BEFORE - ApplicationHooks.Hooks.launchBrowser()	FAILED	12.195 s
	org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e4d1edb92e7b1b7a11fb65a216731a46, get {url=http://localhost/opencart/upload}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.79, ms:edgeOptions: {debuggerAddress: localhost:63273}, msedge: {msedgedriverVersion: 114.0.1823.79 (c0c722a9579e, userDataDir: C:\Users\kpkmt942\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63273/devtoo, se:cdpVersion: 114.0.1823.79, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e4d1edb92e7b1b7a11fb65a216731a46		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:558) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:295) at com.DriverFactory.DriverFactory.init_driver(DriverFactory.java:60) at ApplicationHooks.Hooks.launchBrowser(Hooks.java:41) Caused by: java.io.UncheckedIOException: java.io.IOException: An existing connection was forcibly closed by the remote host at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:73) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:48)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:97)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:295)		
	at com.DriverFactory.DriverFactory.init_driver(DriverFactory.java:60)		
	at ApplicationHooks.Hooks.launchBrowser(Hooks.java:41)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 129)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	$at\ org. testng. internal. TestMethodWithDataProviderMethodWorker. call (TestMethodWithDataProviderMethodWorker. java: 77)$		
	$at\ org. testng. internal. TestMethodWithDataProviderMethodWorker. call (TestMethodWithDataProviderMethodWorker. java: 15)$		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628)		
	at java.base/java.lang.Thread.run(Thread.java:834)		
	Caused by: java.io.IOException: An existing connection was forcibly closed by the remote host		
	at java.base/sun.nio.ch.SocketDispatcher.read0(Native Method)		
	at java.base/sun.nio.ch.SocketDispatcher.read(SocketDispatcher.java:43)		
	at java.base/sun.nio.ch.IOUtil.readIntoNativeBuffer(IOUtil.java:276)		
	at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:233)		
	at java.base/sun.nio.ch.IOUtil.read(IOUtil.java:223)		
	at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:358)		
	at io.netty.buffer.PooledByteBuf.setBytes(PooledByteBuf.java:256)		
	at io.netty.buffer.AbstractByteBuf.writeBytes(AbstractByteBuf.java:1132)		
	at io.netty.channel.socket.nio.NioSocketChannel.doReadBytes(NioSocketChannel.java:357)		
	at io.netty.channel.nio.AbstractNioByteChannel\$NioByteUnsafe.read(AbstractNioByteChannel.java:151)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:788)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:724)		
	at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:650)		
	at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:562)		
	at io.netty.util.concurrent.SingleThreadEventExecutor\$4.run(SingleThreadEventExecutor.java:997)		
	at io.netty.util.internal.ThreadExecutorMap\$2.run(ThreadExecutorMap.java:74)		
	at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30)		
1	When User navigate to MyAccount menu	SKIPPED	0.002 s
2	And click on Login	SKIPPED	0.000 s
3	And User enters Email as "admin@gmail.com" and Password as "Kiran\$178"	SKIPPED	0.001 s
4	And Click on Login button	SKIPPED	0.000 s
5	Then User navigates to MyAccount Page	SKIPPED	0.000 s
	AFTER - ApplicationHooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException		
	at ApplicationHooks.Hooks.tearDown(Hooks.java:57)		
	AFTER - ApplicationHooks.Hooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException		
	at ApplicationHooks.Hooks.quitBrowser(Hooks.java:47)		