

Cucumber Report

Jul 31, 2023, 10:52:05 AM

Start : Jul 31, 10:51:49.228 AM

End : Jul 31, 10:52:04.389 AM

Duration : 15.161 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login with Valid Credentials</u>	15.161 s	1	0	1	0	7	4	1	2

#	Feature Name	Scenario Name
1	<u>Login with Valid Credentials</u>	<u>User sueccessfully performe the product checkout</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login with Valid Credentials	1	0	1	0	15.161 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login with Valid Credentials	User sueccessfully performe the product checkout	7	4	1	2	15.153 s

Login with Valid Credentials

FAILED	DURATION - 15.161 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 10:51:49.228 AM // 10:52:04.389 AM /					

User successfully performe the product checkout

<div>FAILED</div> <div>DURATION - 15.153 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:51:49.236 AM // 10:52:04.389 AM /</div>			
<div>Login with Valid Credentials</div>			
<div>@sanity</div>			

#	Step / Hook Details							Status	Duration
1	When User is on checkout page							PASSED	5.734 s
2	And User is verify redio button for adress both should be working fine							PASSED	0.171 s
3	And User enters the following address details with coloumns							PASSED	3.194 s
	First Name	Last Name	Company Name	Address 1	Address 2	City	Postcode		
	Kiran k	kpk	micro	kumbar galii	bengaluru	bengalru	5600011		
4	And click on countinue							PASSED	0.002 s
5	And User verify the product qty and price of the product							FAILED	0.159 s
	<div>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertTrue(Assert.java:45) at org.testng.Assert.assertTrue(Assert.java:55) at stepDefinitions.CheckOutPage_Step.user_verify_the_product_qty_and_price_of_the_product(CheckOutPage_Step.java:109) at ?.User verify the product qty and price of the product(file:///C:/Users/kpkmt942/eclipse-workspace/EndToEnd_OpenCart_CucumberProject/src/main/java/Features/OpenCartAllScenario.feature:60) * Not displayable characters are replaced by '?'. </div>								

#	Step / Hook Details	Status	Duration
6	And product price should be same according to added product	SKIPPED	0.002 s
7	Then Click in confirm the order	SKIPPED	0.001 s
	AFTER - ApplicationHooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.918 s
	User sueccessfully performe the product checkout		
	