

# Rajalakshmi Engineering College

Name: Kirithick R  
Email: 240701627@rajalakshmi.edu.in  
Roll no: 2116240701627  
Phone: 9952595005  
Branch: REC  
Department: CSE - Section 6  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : COD**

##### **1. Problem Statement**

Priya is analyzing encrypted messages in a research project. She wants to analyze the frequency of each character in a given paragraph. The characters should be stored in a TreeMap so that the output is sorted in ascending order of characters automatically.

You are required to build a Java program that:

Uses a TreeMap<Character, Integer> to count how many times each character appears in the message. Ignores spaces and considers only alphabets (case-sensitive). Outputs the frequencies of characters in sorted order.

You must use a TreeMap in the class named MessageAnalyzer.

#### ***Input Format***

The first line of input contains an integer n, the number of lines in the message.

The next n lines each contain a string (the encrypted message line).

### **Output Format**

The first line of output prints: "Character Frequency:"

Then print each character and its frequency in the format: "<character>: <count>"

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 2

Hello World

Java

Output: Character Frequency:

H: 1

J: 1

W: 1

a: 2

d: 1

e: 1

l: 3

o: 2

r: 1

v: 1

### **Answer**

```
import java.util.*;

class MessageAnalyzer {
    TreeMap<Character, Integer> charFrequency;

    public MessageAnalyzer() {
        charFrequency = new TreeMap<>();
    }

    public void analyzeMessage(String message) {
        for (char c : message.toCharArray()) {
```

```
        if (c != ' ' && Character.isLetter(c)) {
            charFrequency.put(c, charFrequency.getOrDefault(c, 0) + 1);
        }
    }

public void displayFrequency() {
    System.out.println("Character Frequency:");
    for (Map.Entry<Character, Integer> entry : charFrequency.entrySet()) {
        System.out.println(entry.getKey() + ": " + entry.getValue());
    }
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        sc.nextLine();

        MessageAnalyzer analyzer = new MessageAnalyzer();

        for (int i = 0; i < n; i++) {
            String line = sc.nextLine();
            analyzer.analyzeMessage(line);
        }

        analyzer.displayFrequency();
        sc.close();
    }
}
```

**Status :** Correct

**Marks :** 10/10