# ${\bf BlogPostSystem}$

**POST** create

<b>AUTHORIZATION</b> Bearer To	ken	
Token	<token></token>	
User		
AUTHORIZATION Bearer To	ken	
This folder is using Bearer Token	from collection BlogPostSystem	
GET get		Ð
http://127.0.0.1:8000/api/admin/	user/get	
AUTHORIZATION Bearer To	ken	
This request is using Bearer Toke	n from collection BlogPostSystem	
HEADERS		
Accept	application/json	
X-localization	en	
Post		
AUTHORIZATION Bearer To	ken	
This folder is using Bearer Token	from collection BlogPostSystem	

ldot

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection BlogPostSystem

## **HEADERS**

Accept application/json

**Body** formdata

**title** Post

required || string || min:3 || max:150

content Minima rem distinctio rhoncus architecto labore ante aliquid varius pharetra,

delectus ratione mollitia parturient occaecati? Modi, donec consequat! Lacinia lacus. Dis arcu integer, lorem expedita, ipsa, pede voluptate dignissim mi, iusto

sunt enim cras. Platea molestie hic consectetur. Soluta! Officiis.

required || string || min:5

image nullable || image || mimes:jpeg,bmp,png,webp,svg,gif,tiff,jpg

# **POST** update

 $\Theta$ 

http://127.0.0.1:8000/api/admin/post/update

#### **AUTHORIZATION** Bearer Token

This request is using Bearer Token from collection BlogPostSystem

#### **HEADERS**

Accept application/json

**Body** formdata

title post edit

required || string || min:3 || max:150

Antant Minima ram diatinatia rhanava arabitaata lahara anta aliavid variva aharatr

lacus. Dis arcu integer, forem expedita, [psa, pede voluptate dignissim mil, justo sunt enim cras. Platea molestie hic consectetur. Solutal Officiis. required    string    min:5	content	minima rem distinctio moncus architecto labore ante aliquiu varius priaretra, delectus ratione mollitia parturient occaecati? Modi, donec consequat! Lacinia	
id 5  GET all http://127.0.0.1:8000/api/admin/post/all?is_paginate=10  AUTHORIZATION Bearer Token This request is using Bearer Token from collection BlogPostSystem  HEADERS  Accept application/json X-localization en  PARAMS  is_paginate 10		sunt enim cras. Platea molestie hic consectetur. Soluta! Officiis.	
GET all  http://127.0.0.1:8000/api/admin/post/all?is_paginate=10  AUTHORIZATION Bearer Token  This request is using Bearer Token from collection BlogPostSystem  HEADERS  Accept application/json  X-localization en  PARAMS  is_paginate 10 optinal  GET get	image	nullable    image    mimes:jpeg,bmp,png,webp,svg,gif,tiff,jpg	
http://127.0.01:8000/api/admin/post/all?is_paginate=10  AUTHORIZATION Bearer Token  This request is using Bearer Token from collection BlogPostSystem  HEADERS  Accept application/json  X-localization en  PARAMS  is_paginate 10 optinal  GET get  http://127.0.01:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	id	5	
AUTHORIZATION Bearer Token  This request is using Bearer Token from collection BlogPostSystem  HEADERS  Accept application/json  X-localization en  PARAMS  is_paginate 10 optinal  GET get	GET all	<del>C</del>	
This request is using Bearer Token from collection BlogPostSystem  HEADERS  Accept application/json  X-localization en  PARAMS  is_paginate 10 optinal  GET get http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	http://127.0.0.1:8000/api/a	dmin/post/all?is_paginate=10	
Accept application/json X-localization en  PARAMS  is_paginate 10 optinal  GET get http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	AUTHORIZATION Bear	er Token	
Accept X-localization en  PARAMS  is_paginate  10 optinal  GET get  http://127.0.01:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	This request is using Beare	Token from collection BlogPostSystem	
Nationalization en  PARAMS  is_paginate 10 optinal  GET get	HEADERS		
PARAMS  is_paginate 10 optinal  GET get http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	Accept	application/json	
is_paginate 10 optinal  GET get http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	X-localization	en	
optinal  GET get  http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	PARAMS		
optinal  GET get  http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token			
GET get  http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token	is_paginate		
http://127.0.0.1:8000/api/admin/post/get?id=5  AUTHORIZATION Bearer Token		Optinal	
AUTHORIZATION Bearer Token	GET get	<del>C</del>	
	http://127.0.0.1:8000/api/a	dmin/post/get?id=5	
This request is using Bearer Token from collection BlogPostSystem	AUTHORIZATION Bear	er Token	
	This request is using Beare	Token from collection BlogPostSystem	
HEADERS	HEADERS		

Accept	application/json	
X-localization	en	
PARAMS		
id	5	
POST resotre Deleted		₾
http://127.0.0.1:8000/api/admin/post/re	estore?id=1	
ALITHODIZATION Decrey Telegr		
AUTHORIZATION Bearer Token		
This request is using Bearer Token from	collection BiogPostSystem	
HEADERS		
Accept	application/json	
X-localization	en	
X-localization	en	
X-localization PARAMS	en	
PARAMS		
	en 1	
PARAMS		
PARAMS		<b>⊕</b>
PARAMS	1	<b>a</b>
PARAMS  id  GET get Delete	1	₫.
PARAMS  id  GET get Delete  http://127.0.0.1:8000/api/admin/post/get	1 et-delete-soft	₫.
params  id  GET get Delete  http://127.0.0.1:8000/api/admin/post/g	1 et-delete-soft	₾
id  GET get Delete  http://127.0.0.1:8000/api/admin/post/ge  AUTHORIZATION Bearer Token  This request is using Bearer Token from	1 et-delete-soft	<b>⊕</b>
id  GET get Delete  http://127.0.0.1:8000/api/admin/post/ge  AUTHORIZATION Bearer Token  This request is using Bearer Token from	1 et-delete-soft	<b>⊕</b>

DELETE delete		ð		
http://127.0.0.1:8000/api/admin/post/delete?id=1				
AUTHORIZATION Bearer Token				
This request is using Bearer Token from o	collection BlogPostSystem			
HEADERS				
Accept	application/json			
X-localization	en			
PARAMS				
id	1			
Auth				
AUTHORIZATION Bearer Token				
Token	<token></token>			
POST Register		<u>-</u>		
http://127.0.0.1:8000/api/auth/register				
AUTHORIZATION Bearer Token				
This request is using Bearer Token from folder Auth				
HEADERS				
Accept	application/json			

Rady formdata

name kirolous

required|| string || min:1 || max:60

**phone** 01204825686

required | digits:11 | uniqe

email kirolous.felemon95@gmail.com

required|| uniqe

**password** 12345678

required|| min:8

password\_confirmation 12345678

required | Same Password

image nullable || image || mimes:jpeg,bmp,png,webp,svg,gif,tiff,jpg

# **POST** Login

⇧

http://127.0.0.1:8000/api/auth/login

## **AUTHORIZATION** Bearer Token

This request is using Bearer Token from folder Auth

## **HEADERS**

Accept application/json

## **Body** formdata

email kirolous.felemon95@gmail.com

Required | Email

**password** 12345678

Required