
### Getting and Cleaning Data

Biostatistics 140.776

### Getting and Cleaning Data

- Getting data: APIs and web scraping
- Cleaning data: Tidy data
- Transforming data: Regular expressions


## Getting Data




#### Where Am I?

- The working directory is the place where R will look when reading or writing files
- getwd() returns the current working directory
- setwd() sets the working directory
- RStudio has menu options

### Working Directory



## Working Directory



### Working Directory

- When you download files/data, move them to your working directory
- Upon opening R, set your working directory to match whatever project you are working on
- Check with getwd()
- You might want to copy the working directory path into your source files

### The readr Package

- The functions in the **readr** package can be used to read tabular data from text files
- read\_csv, read\_table are the core functions
- All functions are very fast and can read directly from compressed files
- You should try to never decompress files that are compressed (not much to be gained)

### Flat Files

#### **Particulates**

Year	PM2.5 FRM/FEM Mass	PM2.5 non FRM/FEM Mass	PM10 Mass	PM2.5
	(88101)	(88502)	(81102)	Speciation
2016	daily_88101_2016.zip	daily_88502_2016.zip	daily_81102_2016.zip	daily_SPEC_2016.zip
	77,865 Rows	53,685 Rows	30,980 Rows	92,441 Rows
	932 KB	649 KB	251 KB	824 KB
	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17
2015	daily_88101_2015.zip	daily_88502_2015.zip	daily_81102_2015.zip	daily_SPEC_2015.zip
	390,090 Rows	311,901 Rows	167,829 Rows	1,690,870 Rows
	4,213 KB	3,454 KB	1,216 KB	13,061 KB
	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17
2014	daily_88101_2014.zip	daily_88502_2014.zip	daily_81102_2014.zip	daily_SPEC_2014.zip
	369,476 Rows	333,364 Rows	167,191 Rows	2,108,467 Rows
	3,979 KB	3,675 KB	1,221 KB	16,717 KB
	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17	As of 2016-06-17

http://aqsdrl.epa.gov/aqsweb/aqstmp/airdata/download\_files.html

#### Flat Files

```
Protocol
                                      URL
download.file("http://aqsdrl.epa.gov/aqsweb/aqstmp/airdata/
daily_88101_2016.zip", "PM2.5_2016.zip")
                                                     Local file name
PM2.5_trying URL 'http://aqsdrl.epa.gov/aqsweb/aqstmp/airdata/
daily 88101 2016.zip'
Content type 'application/zip' length 954069 bytes (931 KB)
downloaded 931 KB
```

#### Flat Files

```
## Look inside the zip file (without decompressing it)
unzip("PM2.5 2016.zip", list = TRUE)
                   Name Length
                                                   Date
1 daily 88101 2016.csv 27720545 2016-07-07 19:35:00
## Read the file (again without decompressing)
library(readr)
d <- read_csv(unz("PM2.5 2016.zip", "daily 88101 2016.csv"))</pre>
          Create connection
                                               File name within
                             Name of zip file
          to zip archive file
                                                 zip archive
```

### Web Sites

-00 -00	Liquor Licenses (No description provided)							,	ind in this Dataset	
						☆ Manage	More Views Y Filter	✓ Visualize	Discuss () E	Embed ( About
	LicenseClass	SubClass		LicenseDate	LicenseEndDate	LicenseYear	LicenseFee	CertificateNumber	LicenseStatus	LicenseeFirstN
2 :≣	LBD7	BWL	243	05/01/2015	04/30/2016	2015	\$1,320.00	656	Renewed	SALLY
3 ;≣	LBD7	BWL	341	05/01/2015	04/30/2016	2015	\$1,320.00	924	Renewed	JASON
4	LBD7	BWL	81	05/01/2015	04/30/2016	2015	\$1,320.00	224	Renewed	WAYNE
5 ;≣	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00	1077	Renewed	EARLE A.
6	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00	1077	Renewed	JAMES A.
7 :≣	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00	1077	Renewed	JOHN C.
8 ;≣	LBD7	BWL	304	05/01/2015	04/30/2016	2015	\$1,327,00	827	Renewed	FRED A.
9 ;≣	LBD7	BWL	304	05/01/2015	04/30/2016	2015	Look for	this 827	Renewed	SHIRLEY O.
10 ;≣	LBD7	BWL	242	05/01/2015	04/30/2016	2015	2001(101	655	Renewed	ADRIENNE M.
11 :≣	LBD7	BWL	242	05/01/2015	04/30/2016	2015	\$1,320.00	655	Renewed	TONYA M.
12 ;≣	AE	AE	16	07/01/2015	06/30/2016	2015	\$1,000.00	1286	Renewed	ADRIENNE M.
13 ;≣	AE	AE	16	07/01/2015	06/30/2016	2015	\$1,000.00	1286	Renewed	TONYA M.
14 :≣	WD	BW	17	05/01/2015	04/30/2016	2015	\$165.00	429	Renewed	ANNE
15 ;≣	WD	BW	17	05/01/2015	04/30/2016	2015	\$165.00	429	Renewed	MILTON J.
16 ;≣	LA	BWL	88	05/01/2015	04/30/2016	2015	\$858.00	356	Renewed	JONG WOONG
17 ;≣	LA	BWL	88	05/01/2015	04/30/2016	2015	\$858.00	356	Renewed	YONG JIN
18 :≣	LBD7	BWL	140	05/01/2015	04/30/2016	2015	\$1,320.00	386	Renewed	MILTON W.

### Web Sites




						☼ Manage	More Views   Filter	∐ M Vis	sualize Export	Discuss () En	bed [	About
	LicenseClass	SubClass		LicenseDate	LicenseEndDate	LicenseYear	LicenseFee		Export			×
2 ;≣	LBD7	BWL	243	05/01/2015	04/30/2016	2015	\$1,320.00		SODA API			•
3	LBD7	BWL	341	05/01/2015	04/30/2016	2015	\$1,320.00		OData			-
4	LBD7	BWL	81	05/01/2015	04/30/2016	2015	\$1,320.00					
5	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00		Print			•
6 ;≣	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00		Download			*
7 ;≣	LC	BWL	51	05/01/2015	04/30/2016	2015	\$550.00		Download a copy of this dataset in a static format			
8 ;≣	LBD7	BWL	304	05/01/2015	04/30/2016	2015	\$1,320.00		Torritat			
9 ;≣	LBD7	BWL	304	05/01/2015	04/30/2016	2015	\$1,320.00		Download As			
10 ;≣	LBD7	BWL	242	05/01/2015	04/30/2016	2015	\$1,320.00		CSV			
11 ;≡	LBD7	BWL	242	05/01/2015	04/30/2016	2015	\$1,320.00		CSV for Excel			
12 ;≣	AE	AE	16	07/01/2015	06/30/2016	2015	\$1,000.00		JSON			
13 ;≣	AE	AE	16	07/01/2015	06/30/2016	2015	\$1,000.00		RDF			
14	WD	BW	17	05/01/2015	04/30/2016	2015	\$165.00		RSS			
15 ;≣	WD	BW	17	05/01/2015	04/30/2016	2015	\$165.00		XML			
16 ;≣	LA	BWL	88	05/01/2015	04/30/2016	2015	\$858.00					
17 ;≣	LA	BWL	88	05/01/2015	04/30/2016	2015	\$858.00					
18 ;≣	LBD7	BWL	140	05/01/2015	04/30/2016	2015	\$1,320.00					
						Facility of the second						





#### Web Sites



#### Read a File from Web

```
library(readr)

## Read directly off the web site
liquor <- read_csv("https://data.baltimorecity.gov/api/views/xv8d-bwgi/
rows.csv?accessType=DOWNLOAD")

## Note the date/time data were downloaded
Sys.time()</pre>
```

### Reading Remote Data

- Functions in the readr package (read\_csv, read\_table, etc.) can all read directly off the web
- Whether to retain static file or read dynamically off the web depends on application
- Truly "dynamic" applications (continuously updated) should probably read directly off web
- When you need a snapshot (e.g. for reproducibility), better to download a static file and read locally

### Reading Other Files

- The **readxl** package can be used to read Microsoft Excel files (via the read\_excel function)
- The xlsx can also be used (via read.xlsx function) but requires Java and sometimes doesn't install
- The haven package can read files from other stats packages (read\_dta, read\_sas, read\_spss)
- Also, the foreign package can read from a few other systems

### There's a Package for That

- 9114 packages on CRAN
- googlesheets: Reading Google Sheets table data
- jpeg, png: Reading bitmap image data
- rgdal, raster, shapefiles: GIS data
- tuneR, seewave: Music/Sound data
- RMySQL, SQLite: Relational databases

### When in Doubt...

The read\_lines function just reads lines of text

```
library(readr)

## Read lines from a text file (commit logs)
logs <- read_lines("commit_logs_nomerge.txt")

## See the first few lines of text
head(logs)
[1] "commit 7f6ef08e80191712a5eb0d75c42931466e7bbe73"
[2] "Author: XXXXXXXXXX"
[3] "Date: Wed Oct 1 16:55:12 2014 -0400"
[4] ""
[5] " date changes to pages/tickets"
[6] ""</pre>
```

#### Raw Text Data

- Useful for taking a peek at data because no processing is done on read-in
- Use text processing tools (regular expressions) to convert to tidy data
- Lots of back and forth between examining the structure of text data and manipulating that structure
- Structured data, like XML, has its own packages for reading and processing

### Goal: Tidy Data

- Allows for easy manipulation, transformation, and summary of data
- Required format for most modeling functions (1m, g1m, etc.)
- Makes plotting data in various layouts/formats easier (i.e. with ggplot2 package)
- Everything is easier!

### Tidy Data

- Each variable forms a column.
- Each observation forms a row.
- Each type of observational unit forms a table.

# Tidy Data

Rui	ral Male Rura	l Female Urbar	n Male Urba	n Female
50-54	11.7	8.7	15.4	8.4
55-59	18.1	11.7	24.3	13.6
60-64	26.9	20.3	37.0	19.3
65-69	41.0	30.9	54.6	35.1
70-74	66.0	54.3	71.1	50.0

VADeaths dataset

# Tidy Data

	age	urban	gender	death_rate
	<fctr></fctr>	<fctr></fctr>	<fctr></fctr>	<dbl></dbl>
1	50-54	Rural	Male	11.7
2	55-59	Rural	Male	18.1
3	60-64	Rural	Male	26.9
4	65-69	Rural	Male	41.0
5	70-74	Rural	Male	66.0
6	50-54	Rural	Female	8.7
7	55-59	Rural	Female	11.7

### Tidyverse

- A series of packages that allow one to easily work with or create tidy data
- The tidyr package has tools for manipulating "wide" and "long" format data
- Many other packages in tidyverse depend on tidy data format: dplyr, ggplot2

### Summary

- Identify data locations and tools for reading
- Download files to working directory
- Read data directly off the web (sometimes)
- Get data into tidy format