Steps to follow

Hey! Thanks for purchasing the source code. there are a few things you need to do first. If you skip these steps, you won't be able to see the site in action. Let's get started!


Running the Travel Story App Project

Backend (Express.js)


- 1. Navigate to the `backend` folder in your terminal.
- 2. Run the following command to install the required dependencies:

npm install


- 3. Once the dependencies are installed, Let's connect MongoDB
- 4. Go to https://www.mongodb.com/
- 5. Login or Create an Account
- 6. Now let's create a project by clicking on the "New Project" button




7. Now, Enter the project name and Click "Next"




8. Add Member If needed. Then click on "Create Project"




9. Now click on "Database" side menu and Click on "Build a Database" button




10. Now Select a free tier and give a cluster name




11. Select a server provider, select a region that's near you, and click on "Create Deployment"




- 12. Now we will be directed to the connection steps page.
- 13. Here we need to add a connection IP address. I usually select `Allow Access from Where` option and create a database user. And click on the "Choose a connection method" button



14. In the Next step, Select `Drivers` option to access the atlas database using our Node.js project



15. Now Copy the connection string



16. Paste the connection string inside `config.json` file:

Before:

```
EXPLORER

TRAVEL-STORY

RAVIL-STORY

RAVIL-
```

After:



17. Now replace `<password>` in the connection string with the user's password that we have created in Step 13



That's it we are done.

18. Now start the server by running:

```
npm start
```

Frontend (Express.js)

- 1. Navigate to the `frontend/travel-story-app` folder.
- 2. Run the following command to install the required dependencies:

```
npm install
```

3. After the installation is complete, start the React development server by running:

```
npm run dev
```

This will start the frontend server and open the app in your default web browser.