B. KIRTHANAA
192324244

CO2 - AT3

SHORT ANSWER TEST

Course Name: Internet programming

Course Code: CSA43

① **Responsive Web Design:**

To create a webpage that adjusts automatically to mobile, tablet & desktop screens.

→ CODE:

```
<!DOCTYPE html>
<html>
<head>
<title> Responsive Website </title>
<meta name = "viewport" content = "width = device-width, initial-scale = 1.0">
<style>
body {
    font-family: Arial;
    margin: 0;
    text-align: center;
}
header {
    background: navy;
    color: white;
    padding: 20px;
}
nav {
  background: lightblue;
  padding: 15px;
}
.container {
    display: flex;
    flex-wrap: wrap;
}
.box {
  background: lightgrey;
  padding: 30 px;
  margin: 10px;
  flex: 1; }
```

```
@media (max-width : 600px) {
    .container {
        flex-direction: column;
    }
}
</style>
</head>
<body>
<header>
   <h1> My website </h1>
</header>
<nav> Home | About | Contact </nav>
<div class="container">
      <div class="box"> Mobile </div>
      <div class="box"> Tablet </div>
      <div class="box"> Desktop </div>
</div>
</body>
</html>
```

② **Client-side Form Validation :**

To validate user details using Javascript before submitting the form.

⇒ CODE :

```
<html>
<body>
<h2>Registration </h2>

<form onsubmit = "return check()">
<input id = "name" placeholder = "Name"> <br> <br>
<input id = "email" placeholder = "Email"> <br> <br>
<button> Submit </button>

</form>

<script>
function check() {
```

```
let n = document.getElementById("name").value;
let e = document.getElementById("email").value;

if(n=="" || !e.includes("@")){
 alert("Enter valid details");
 return false;
}
alert("Success");
return false;
}
</script>
</body>
</html>
```

③ CSS Box Model & Layout:

To create a responsive webpage using the CSS box model, positioning & media queries.

⇒ CODE:

```
<html>
<head>
<style>
* { box-sizing: border-box; }
.container {
   display: flex;
}
.box {
padding: 20px;
margin: 10 px;
border: 2px solid black;
background: lightblue;
 flex: 1;
}
```

```
@media (max-width : 600px) {
 .container { flex-direction : column; }
}
</style>
</head>
<body>
<h2> My Website </h2>
<div class = "container">
<div class = "box"> Sidebar </div>
<div class = "box"> Content </div>
</div>
</body>
</html>
```

④ **DOM & Dynamic Content Updates:**

To add and remove webpage content dynamically using JavaScript DOM methods.

→ CODE:

```
<html>
<body>
<h2> Shopping List </h2>

<input id = "item" placeholder = "Enter Item">
<button onclick = "add()" > Add </button>

<ul id = "list"> </ul>

<script>
function add() {

 let v = document.getElementById("item").value;
```

```
if (v == "") return;

let li = document.createElement("li");
li.textContent = v;

let b = document.createElement("button");
b.textContent = "Delete";
b.onclick = function() { li.remove(); };

li.appendChild(b);
document.getElementById("list").appendChild(li);

document.getElementById("item").value = "";
};
</script>
</body>
</html>
```