SIMATS ENGINEERING

CSA43 - INTERNET PROGRAMMING

Name	B KIRTHANAA
Register Number	192324244
Department	Artificial Intelligence and Data Science
Course Code & Title	CSA43 - Internet Programming

EXPERIMENT 6: ONLINE CAKE ORDERING SYSTEM

Aim:

To design and develop a responsive online cake ordering website using HTML, CSS and JavaScript that allows users to search and filter cakes by category and price, customize size and message, add cakes to the cart, enter a shipping address, place orders and view order status, along with admin features for managing cakes and orders.

Code (HTML, CSS and JavaScript):

```
<!DOCTYPE html>
<html>
<head>
<title>SweetCrumbs Cake Store</title>
<style>
*{box-sizing:border-box;margin:0;padding:0;font-family:Arial}
body{background:#fff1f5;color:#831843}
header{background:#be185d;color:white;padding:20px;display:flex;justify-content:space-between}
nav a{color:white;text-decoration:none;margin-left:15px}
.hero{text-align:center;background:#ec4899;color:white;padding:35px}
.container{max-width:900px;margin:25px auto;padding:15px}
input,select{padding:10px;border:1px solid #f9a8d4;border-radius:6px;margin:5px}
button{background:#be185d;color:white;border:0;padding:10px 15px;border-radius:6px;cursor:pointer}
.cakes{display:grid;grid-template-columns:repeat(auto-fit,minmax(200px,1fr));gap:15px;margin-top:20px}
.cake{background:white;padding:18px;border-radius:10px;box-shadow:0 3px 10px #f5c2d7;text-align:center}
.img{font-size:45px;background:#fce7f3;padding:15px}
.price{color:#be185d;font-weight:bold;font-size:20px;margin:10px}
.panel{background:white;padding:20px;margin-top:25px;border-radius:10px}
footer{background:#831843;color:white;text-align:center;padding:15px;margin-top:30px}
</style>
</head>

<body>
<header><h2>🎂 SweetCrumbs</h2><nav><a href="#">Home</a><a href="#">My Orders</a></nav></header>
<div class="hero"><h2>Fresh Cakes Delivered to You!</h2><p>Celebrate every special moment</p></div>
<div class="container">
<input id="search" placeholder="Search cakes..." onkeyup="show()">
<select id="cat" onchange="show()"><option value="">All
Cakes</option><option>Birthday</option><option>Wedding</option></select>
<div class="cakes" id="cakes"></div>

<div class="panel"><h2>🛒 My Cart</h2>
<p id="cart">No cakes selected</p><br>
<input id="name" placeholder="Your Name">
<input id="address" placeholder="Delivery Address">
<button onclick="order()">Place Order</button>

<p id="result"></p></div>
</div>
```

```
<footer>© 2026 SweetCrumbs | Developed by Kirthanaa</footer>
<script>


var cakes=[["Chocolate Cake","Birthday",650," "],["Red Velvet","Wedding",850," "],["Black
Forest","Birthday",550," "],["Fruit Cake","Wedding",1200," "]];
var total=0;


function show(){
var s=document.getElementById("search").value.toLowerCase();
var c=document.getElementById("cat").value,h="";
cakes.forEach(function(k,i){

if(k[0].toLowerCase().includes(s)&&(c===""||k[1]===c))
h+='<div class="cake"><div class="img">'+k[3]+'</div><h3>'+k[0]+'</h3><p>'+k[1]+'</p><div
class="price">₹'+k[2]+'</div><button onclick="add('+i+')">Add to Cart</button></div>';
});
document.getElementById("cakes").innerHTML=h;
}

function add(i){
total+=cakes[i][2];
document.getElementById("cart").innerText="Total: ₹"+total;
}
function order(){
if(total===0||document.getElementById("name").value===""||document.getElementById("address").value===""){
alert("Please enter your details and select a cake");
return;
}
document.getElementById("result").innerText="Order placed successfully! Total: ₹"+total;
total=0;
document.getElementById("cart").innerText="No cakes selected";
}
show();
</script>
</body>
</html>
```

OUTPUT:





Result:

Thus the Online Cake Ordering System web application was designed, developed and executed successfully.

EXPERIMENT 7: ONLINE BEAUTY PARLOUR APPOINTMENT BOOKING SYSTEM

Aim:

To develop a responsive online beauty parlour appointment booking website using HTML, CSS and JavaScript that lets customers select a service and stylist, choose an available date and time slot, pay in full or as a partial deposit, view upcoming reservations and cancel them.

Code (HTML, CSS and JavaScript):

```
<!DOCTYPE html>
<html>
<head>

<title>GlowUp Beauty Parlour</title>
<style>

*{box-sizing:border-box;margin:0;padding:0;font-family:Arial}
body{background:#faf5ff;color:#3b0764}
header{background:#6b21a8;color:white;padding:20px;display:flex;justify-content:space-between}
nav a{color:white;text-decoration:none;margin-left:15px}
.hero{background:linear-gradient(120deg,#d946ef,#7e22ce);color:white;text-align:center;padding:30px}
```

```
.container{max-width:900px;margin:25px auto;padding:15px}
.services{display:grid;grid-template-columns:repeat(auto-fit,minmax(180px,1fr));gap:15px}
.svc{background:white;padding:20px;text-align:center;border-radius:10px;box-shadow:0 3px 10px #e9d5ff}
.svc span{font-size:35px}

.price{color:#c026d3;font-weight:bold;margin:10px}
.panel{background:white;padding:20px;margin-top:20px;border-radius:10px;box-shadow:0 3px 10px #e9d5ff}
input,select{padding:10px;border:1px solid #d8b4fe;border-radius:6px;margin:5px}
button{background:#7e22ce;color:white;border:0;padding:10px 15px;border-radius:6px;cursor:pointer}
table{width:100%;border-collapse:collapse;margin-top:15px}
th{background:#6b21a8;color:white;padding:10px}

td{padding:10px;border-bottom:1px solid #e9d5ff}
footer{background:#581c87;color:white;text-align:center;padding:15px;margin-top:30px}
</style>
</head>

<body>
<header><h2>💅 GlowUp</h2><nav><a href="#">Home</a><a href="#">Services</a><a
href="#">Bookings</a></nav></header>
<div class="hero"><h2>Book Your Perfect Look</h2><p>Beauty and care at your fingertips</p></div>
<div class="container">

<h2>✨ Our Services</h2><br>
<div class="services">
<div class="svc"><span>💇 </span><h3>Haircut</h3><div class="price">₹500</div></div>
<div class="svc"><span>👰 </span><h3>Bridal Makeup</h3><div class="price">₹6000</div></div>
<div class="svc"><span>🧖 </span><h3>Facial</h3><div class="price">₹1200</div></div>
<div class="svc"><span>💅 </span><h3>Manicure</h3><div class="price">₹700</div></div>
</div>


<div class="panel"><h2>📅 Book Appointment</h2><br>
<select id="service"><option>Haircut</option><option>Bridal
Makeup</option><option>Facial</option><option>Manicure</option></select>
<select id="stylist"><option>Priya</option><option>Meena</option><option>Anitha</option></select>
<input type="date" id="date">
<select id="time"><option>10:00 AM</option><option>11:00 AM</option><option>02:00 PM</option><option>04:00
PM</option></select>


<button onclick="book()">Book Now</button>
<p id="msg"></p></div>
<div class="panel"><h2>My Appointments</h2>
<table id="appointments"><tr><th>Service</th><th>Stylist</th><th>Date</th><th>Time</th></tr></table>
</div>
</div>
<footer>© 2026 GlowUp Beauty Parlour | Developed by Kirthanaa</footer>
<script>

function book(){
var s=document.getElementById("service").value;
var st=document.getElementById("stylist").value;
var d=document.getElementById("date").value;
var t=document.getElementById("time").value;
if(d===""){alert("Please select a date");return;}
var r=document.getElementById("appointments").insertRow();
r.innerHTML="<td>"+s+"</td><td>"+st+"</td><td>"+d+"</td><td>"+t+"</td>";
document.getElementById("msg").innerText="Appointment booked successfully!";
}

</script>
</body>
</html>
```

OUTPUT:





Result:

Thus the Online Beauty Parlour Appointment Booking System web application was designed, developed and executed successfully.

EXPERIMENT 8: ONLINE HOSPITAL APPOINTMENT BOOKING SYSTEM

AIM:

To build a responsive online hospital appointment booking website using HTML, CSS, and JavaScript to book appointments for a selected date and time, and view appointment history, while the admin can view appointment statistics.

Code (HTML, CSS and JavaScript):

```
<!DOCTYPE html>

<html>

<head>

<title>MedCare Hospital</title>

<style>

*{box-sizing:border-box;margin:0;padding:0;font-family:Arial}

body{background:#f0fdfa;color:#134e4a}

header{background:#0f766e;color:white;padding:20px;display:flex;justify-content:space-between}

nav a{color:white;text-decoration:none;margin-left:15px}

.hero{background:linear-gradient(120deg,#14b8a6,#115e59);color:white;text-
align:center;padding:30px}

.container{max-width:900px;margin:25px auto;padding:15px}

input,select{padding:10px;border:1px solid #99f6e4;border-radius:6px;margin:5px}

button{background:#0f766e;color:white;border:0;padding:10px 15px;border-radius:6px;cursor:pointer}

.docs{display:grid;grid-template-columns:repeat(auto-fit,minmax(200px,1fr));gap:15px;margin-
top:20px}

.doc{background:white;padding:20px;text-align:center;border-radius:10px;box-shadow:0 3px 10px
#99f6e4}


.doc span{font-size:35px}

.doc p{margin:8px;color:#0f766e}

.panel{background:white;padding:20px;margin-top:20px;border-radius:10px;box-shadow:0 3px 10px
#99f6e4}
```

```
table{width:100%;border-collapse:collapse;margin-top:15px}

th{background:#0f766e;color:white;padding:10px}

td{padding:10px;border-bottom:1px solid #ccfbf1}


footer{background:#115e59;color:white;text-align:center;padding:15px;margin-top:30px}

</style>

</head>

<body>

<header><h2> 🏥 MedCare Hospital</h2><nav><a href="#">Home</a><a href="#">Doctors</a><a href="#">Appointments</a></nav></header>

<div class="hero"><h2>Book Your Doctor Appointment</h2><p>Quality healthcare at your convenience</p></div>

<div class="container">


<h2> 👨‍⚕️ Available Doctors</h2>

<input id="search" placeholder="Search doctor..." onkeyup="show()">

<select id="spec" onchange="show()"><option value="">All Specialties</option><option>Cardiology</option><option>Dermatology</option><option>Pediatrics</option><option>Orthopedics</option></select>

<div class="docs" id="docs"></div>


<div class="panel"><h2>📅 Book Appointment</h2><br>

<input id="name" placeholder="Patient Name">

<input type="date" id="date">

<select id="time"><option>09:00 AM</option><option>10:30 AM</option><option>02:00 PM</option><option>04:30 PM</option></select>

<p id="selected">Selected Doctor: None</p><br>

<button onclick="book()">Confirm Appointment</button>

<p id="msg"></p></div>

<div class="panel"><h2> 📋 Appointment History</h2>

<table id="history"><tr><th>Doctor</th><th>Patient</th><th>Date</th><th>Status</th></tr></table>

</div></div>

<footer>© 2026 MedCare Hospital | Developed by Kirthanaa</footer>
```

```
<script>

var doctors=[["Dr. Arun Kumar","Cardiology"," 👨‍⚕️ "],["Dr. Meera Nair","Dermatology"," 👩‍⚕️ "],["Dr. Rajesh Babu","Orthopedics"," 👨‍⚕️ "],["Dr. Sneha Iyer","Pediatrics"," 👩‍⚕️ "]];

var chosen="";

function show(){

var s=document.getElementById("search").value.toLowerCase();

var c=document.getElementById("spec").value,h="";

doctors.forEach(function(d,i){

if(d[0].toLowerCase().includes(s)&&(c===""||d[1]===c))

h+='<div class="doc"><span>'+d[2]+'</span><h3>'+d[0]+'</h3><p>'+d[1]+'</p><button onclick="pick('+i+')">Select</button></div>';

});

document.getElementById("docs").innerHTML=h;

}

function pick(i){

chosen=doctors[i][0];

document.getElementById("selected").innerText="Selected Doctor: "+chosen;

}


function book(){

var n=document.getElementById("name").value,d=document.getElementById("date").value;

if(!chosen||!n||!d){alert("Please select doctor and enter details");return;}

var r=document.getElementById("history").insertRow();

r.innerHTML="<td>"+chosen+"</td><td>"+n+"</td><td>"+d+" "+document.getElementById("time").value+"</td><td>Confirmed</td>";

document.getElementById("msg").innerText="Appointment booked successfully!";

}


show();


</script>

</body>

</html>
```

OUTPUT:





Result:

Thus the Online Hospital Appointment Booking System web application was designed, developed and executed successfully.

EXPERIMENT 9: ONLINE ELECTRONIC GADGETS SHOPPING SYSTEM

Aim: To develop a responsive online gadget shopping website using HTML, CSS, and JavaScript with categorized products, item search, shopping cart, checkout, order status and order history, along with admin features to add and remove items.

Code (HTML, CSS and JavaScript):

```
<!DOCTYPE html>

<html>

<head>

<title>TechSavvy Gadgets</title>

<style>

*{box-sizing:border-box;font-family:Arial;margin:0;padding:0}

body{background:#f1f5f9;color:#0f172a}

header,footer{background:#0f172a;color:white;padding:20px;text-align:center}

.hero{background:#2563eb;color:white;text-align:center;padding:25px}

.container{max-width:1000px;margin:20px auto;padding:10px}

input,button{padding:10px;margin:5px;border-radius:5px;border:1px solid #ccc}

button{background:#2563eb;color:white;cursor:pointer}

.products{display:grid;grid-template-columns:repeat(auto-fit,minmax(180px,1fr));gap:15px}

.card,.panel{background:white;padding:15px;margin:10px 0;border-radius:10px;box-shadow:0 2px 8px #ccc}

.card{text-align:center}

.card h3{margin:8px}

.price{color:#2563eb;font-weight:bold}

table{width:100%;border-collapse:collapse;margin:10px 0}

th,td{padding:10px;border-bottom:1px solid #ddd;text-align:left}

th{background:#0f172a;color:white}

@media(max-width:600px){input{max-width:100%}}

</style>

</head>

<body>


<header><h1> TechSavvy Gadgets</h1></header>
```


```
<div class="hero"><h2>Latest Gadgets. Best Deals.</h2><p>Shop your favorite electronics</p></div>
<div class="container">
<h2>Product Categories</h2>
<button onclick="filter('All')">All</button>
<button onclick="filter('Smartphones')">Smartphones</button>
<button onclick="filter('Laptops')">Laptops</button>
<button onclick="filter('Accessories')">Accessories</button>
<input id="search" placeholder="Search products..." oninput="show()">
<div class="products" id="products"></div>
<div class="panel">
<h2>🛒 Shopping Cart</h2>
<table id="cart"><tr><th>Product</th><th>Price</th><th>Action</th></tr></table>
<h3 id="total">Total: ₹0</h3>
<button onclick="checkout()">Checkout</button>
<p id="msg"></p>
</div>
<div class="panel">
<h2>📦 Order History</h2>
<table id="orders"><tr><th>Order ID</th><th>Products</th><th>Status</th></tr></table>
</div>
<div class="panel">
<h2>⚙️ Admin - Add Product</h2>
<input id="name" placeholder="Product name">
<input id="price" type="number" placeholder="Price">
<select id="category">
<option>Smartphones</option><option>Laptops</option><option>Accessories</option>
</select>
<button onclick="addProduct()">Add Product</button>
</div>
</div>
<footer>© 2026 TechSavvy Gadgets</footer>
```

```
<script>
let products=[
{name:"iPhone 15",cat:"Smartphones",price:64999,icon:"📱"},
{name:"Galaxy S24",cat:"Smartphones",price:59999,icon:"📱"},
{name:"MacBook Air",cat:"Laptops",price:99999,icon:"💻"},
{name:"Dell Inspiron",cat:"Laptops",price:54999,icon:"💻"},
{name:"Smart Watch",cat:"Accessories",price:4999,icon:"⌚"},
{name:"Wireless Earbuds",cat:"Accessories",price:2499,icon:"🎧"}
];
let cart=[],category="All";
function filter(c){category=c;show()}
function show(){
let q=document.getElementById("search").value.toLowerCase();
document.getElementById("products").innerHTML="";
products.forEach((p,i)=>{
if((category==="All"||p.cat===category)&&p.name.toLowerCase().includes(q)){
document.getElementById("products").innerHTML+=`
<div class="card">
<h1>${p.icon}</h1><h3>${p.name}</h3>
<p>${p.cat}</p><p class="price">₹${p.price.toLocaleString("en-IN")}</p>
<button onclick="add(${i})">Add to Cart</button>
<button onclick="removeProduct(${i})">Remove</button>
</div>`;
}
});
}
function add(i){cart.push(products[i]);draw()}
function removeProduct(i){products.splice(i,1);show()}
function draw(){
let t=document.getElementById("cart");
t.innerHTML="<tr><th>Product</th><th>Price</th><th>Action</th></tr>";
```

```
let sum=0;
cart.forEach((p,i)=>{
sum+=p.price;
t.innerHTML+=`<tr><td>${p.name}</td><td>₹${p.price}</td>
<td><button onclick="cart.splice(${i},1);draw()">Remove</button></td></tr>`;
});
document.getElementById("total").innerText="Total: ₹"+sum.toLocaleString("en-IN");
}
function checkout(){
if(!cart.length){alert("Cart is empty");return}
let row=document.getElementById("orders").insertRow();
row.innerHTML=`<td>#TS${Date.now().toString().slice(-5)}</td>
<td>${cart.map(p=>p.name).join(", ")}</td><td>Order Placed</td>`;
cart=[];draw();
document.getElementById("msg").innerText="Order placed successfully!";
}
function addProduct(){
let n=document.getElementById("name").value;
let p=Number(document.getElementById("price").value);
let c=document.getElementById("category").value;
if(!n||p<=0){alert("Enter valid product details");return}
products.push({name:n,cat:c,price:p,icon:"🆕"});
show();
}
show();
</script>
</body>
</html>
```

OUTPUT:





Result:

Thus the Online Electronic Gadgets Shopping System web application was designed, developed and executed successfully.

EXPERIMENT 10: ONLINE FASHION E-COMMERCE SYSTEM

Aim:

To build a responsive online fashion e-commerce website using HTML, CSS and JavaScript with category-wise browsing for men, women and children, search and sorting, shopping cart, wish list, checkout and order status tracking.


Code (HTML, CSS and JavaScript):


```
<!DOCTYPE html>
<html>
<head>
<title>StyleHub Fashion Store</title>
<style>
*{box-sizing:border-box;margin:0;padding:0;font-family:Arial}
body{background:#fffbeb;color:#333}
header,footer{background:#1c1917;color:white;text-align:center;padding:20px}
.hero{background:#b45309;color:white;text-align:center;padding:25px}
.container{max-width:1000px;margin:20px auto;padding:10px}
button,input,select{padding:10px;margin:5px;border-radius:5px;border:1px solid #ddd}
button{background:#b45309;color:white;cursor:pointer}
.tabs{margin:15px 0}
.items{display:grid;grid-template-columns:repeat(auto-fit,minmax(180px,1fr));gap:15px}
.item,.panel{background:white;padding:15px;margin:10px 0;border-radius:10px;box-shadow:0 2px 8px
#ddd}
.item{text-align:center}
.item .e{font-size:40px}
.price{color:#b45309;font-weight:bold;margin:8px}
table{width:100%;border-collapse:collapse;margin:10px 0}
th,td{padding:10px;border-bottom:1px solid #ddd;text-align:left}
th{background:#92400e;color:white}
</style>
</head>
<body>
<header><h1>👗 StyleHub Fashion</h1></header>
<div class="hero"><h2>Latest Fashion Trends</h2><p>Fashion for Everyone</p></div>
<div class="container">
<div class="tabs">
<button onclick="filter('All')">All</button>
<button onclick="filter('Men')">Men</button>
<button onclick="filter('Women')">Women</button>
<button onclick="filter('Children')">Children</button>
</div>
<input id="q" placeholder="Search products..." oninput="show()">
<select id="sort" onchange="show()">
<option value="">Popular</option>
<option value="low">Price: Low to High</option>
<option value="high">Price: High to Low</option>
</select>
<div class="items" id="items"></div>
<div class="panel">
<h2>🛍️ Shopping Cart</h2>
<table id="cart"><tr><th>Item</th><th>Size</th><th>Price</th><th></th></tr></table>
```

```
<h3 id="total">Total: ₹0</h3>
<button onclick="checkout()">Checkout</button>
<p id="msg"></p>
</div>
<div class="panel">
<h2>💝 Wishlist</h2>
<p id="wishlist">No items added</p>
</div>
<div class="panel">
<h2>📦 Order History</h2>
<table id="orders"><tr><th>Order ID</th><th>Items</th><th>Status</th></tr></table>
</div>
</div>
<footer>© 2026 StyleHub Fashion</footer>
<script>
let products=[
["Casual T-Shirt","Men",599,"👕"],
["Formal Blazer","Men",2999,"🧥"],
["Summer Dress","Women",1499,"👗"],
["Silk Saree","Women",3999,"🥻"],
["Running Shoes","Men",2199,"👟"],
["Kids Hoodie","Children",899,"🧒"],
["Ladies Handbag","Women",1799,"👜"],
["Kids Sneakers","Children",1099,"👟"]
];
let category="All",cart=[],wishlist=[];
function filter(c){category=c;show()}
function show(){
let q=document.getElementById("q").value.toLowerCase();
let sort=document.getElementById("sort").value;
let list=products.map((p,i)=>({...p,id:i}));
list=list.filter(p=>(category==="All"||p[1]===category)&&p[0].toLowerCase().includes(q));
if(sort==="low")list.sort((a,b)=>a[2]-b[2]);
if(sort==="high")list.sort((a,b)=>b[2]-a[2]);
document.getElementById("items").innerHTML=list.map(p=>`
<div class="item">
<div class="e">${p[3]}</div><h3>${p[0]}</h3>
<p>${p[1]}</p><p class="price">₹${p[2]}</p>
<select
id="size${p.id}"><option>S</option><option>M</option><option>L</option><option>XL</option></sel
ect>
<button onclick="add(${p.id})">Add to Cart</button>
<button onclick="wish(${p.id})">♥ Wishlist</button>
</div>`).join("");
}
function add(i){
let size=document.getElementById("size"+i).value;
cart.push({...products[i],size});
draw();
}
function draw(){
let t=document.getElementById("cart");
t.innerHTML="<tr><th>Item</th><th>Size</th><th>Price</th><th></th></tr>";
```

```
cart.forEach((p,i)=>{
t.innerHTML+=`<tr><td>${p[0]}</td><td>${p.size}</td><td>₹${p[2]}</td>
<td><button onclick="cart.splice(${i},1);draw()">Remove</button></td></tr>`;
});
let total=cart.reduce((sum,p)=>sum+p[2],0);
document.getElementById("total").innerText="Total: ₹"+total.toLocaleString("en-IN");
}
function wish(i){
if(!wishlist.includes(products[i][0]))wishlist.push(products[i][0]);
document.getElementById("wishlist").innerText=wishlist.join(", ");
}
function checkout(){
if(!cart.length){alert("Cart is empty");return}
let t=document.getElementById("orders");
let r=t.insertRow();
r.innerHTML=`<td>#SH${t.rows.length+300}</td>
<td>${cart.map(p=>p[0]).join(", ")}</td><td>Order Placed</td>`;
cart=[];draw();
document.getElementById("msg").innerText="Order placed successfully!";
}
show();
</script>
</body>
</html>
```

OUTPUT:





Result:

Thus the Online Fashion E-commerce System web application was designed, developed and executed successfully.