

DSA0502 – QUERY PROCESSING FOR DATA SCIENCE

LAB PROGRAMS (13-14)

NAME: B KIRTHANAA

REG. NO - 192324244

13. Write a Pandas program to detect missing values in a given DataFrame and display the result as True or False.

Aim

To identify and display missing values in a DataFrame using the `isnull()` function in Pandas.


Code

```
import pandas as pd
import numpy as np

# Create DataFrame
df = pd.DataFrame({
    "A": [1, 2, np.nan, 4],
    "B": [5, np.nan, 7, 8]
})

# Display True/False for missing values
print(df.isnull())
```

OUTPUT



The screenshot shows a Jupyter Notebook interface. The top part contains the Python code for creating a DataFrame with missing values and checking for them. The bottom part shows the output of the `df.isnull()` function, which is a DataFrame with two columns, 'A' and 'B', and four rows. The output shows 'True' for missing values and 'False' for non-missing values.

```
#Q13
import pandas as pd
import numpy as np

# Create DataFrame
df = pd.DataFrame({
    "A": [1, 2, np.nan, 4],
    "B": [5, np.nan, 7, 8]
})

# Display True/False for missing values
print(df.isnull())
```

	A	B
0	False	False
1	False	True
2	True	False
3	False	False

14. Write a Pandas program to find and replace the missing values in a given DataFrame that do not contain any valuable information.

Aim

To identify missing values in a DataFrame and replace them with appropriate values using Pandas.

Code


```
import pandas as pd
import numpy as np

# Create DataFrame
df = pd.DataFrame({
    "A": [1, 2, np.nan, 4],
    "B": [5, np.nan, 7, 8]
})

# Replace NaN with 0
df.fillna(0, inplace=True)

print(df)
```

OUTPUT



The screenshot shows a Jupyter Notebook interface. The code cell contains the following Python code:

```
#Q14
import pandas as pd
import numpy as np

# Create DataFrame
df = pd.DataFrame({
    "A": [1, 2, np.nan, 4],
    "B": [5, np.nan, 7, 8]
})

# Replace NaN with 0
df.fillna(0, inplace=True)

print(df)
```

The output cell displays the resulting DataFrame:

	A	B
0	1.0	5.0
1	2.0	0.0
2	0.0	7.0
3	4.0	8.0