

SQL QUERIES OUTPUT

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'e-commerce_analysis' database schema, with the 'orders' table selected. The central pane shows the following SQL query:

```
12 TrackingNumber VARCHAR(100),
13 ItemsInCart VARCHAR(50),
14 CouponCode VARCHAR(50),
15 ReferralSource VARCHAR(50),
16 TotalPrice VARCHAR(50)
17
18 );orders
19
20 USE e-commerce_analysis;
21
22 SELECT *
23 FROM orders;
```

The right pane displays the 'SQL Additions' section, which includes a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

The bottom pane shows the 'Result Grid' with the following data:

OrderID	Date	CustomerID	Product	Quantity	UnitPrice	ShippingAddress	PaymentMethod	OrderStatus	TrackingNumber	ItemsInCart	CouponCode	ReferralSource
ORD200000	2023-01-04	C72649	Monitor	5	570.62	928 Main St	Debit Card	Shipped	TRK37947903	7	Save10	Instagram
ORD200001	2024-08-23	C75739	Phone	2	151.35	823 Main St	Online	Shipped	TRK91186779	3	Save10	Referral
ORD200002	2024-02-27	C81728	Tablet	5	550.68	512 Main St	Credit Card	Cancelled	TRK43903982	8	FreeShip	Email
ORD200003	2023-10-15	C33540	Chair	1	273.19	275 Main St	Debit Card	Returned	TRK62788070	5	Save10	Facebook
ORD200004	2025-05-08	C81840	Printer	4	626.01	668 Main St	Online	Delivered	TRK29241424	8	Save10	Email
ORD200005	2023-10-23	C37249	Phone	2	245.86	934 Main St	Credit Card	Shipped	TRK72976927	4	Save10	Instagram
ORD200006	2025-06-17	C83492	Lantern	1	664.42	086 Main St	Gift Card	Returned	TRK96417362	6	Save10	Facebook

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'e-commerce_analysis' database schema, with the 'orders' table selected. The central pane shows the following SQL query:

```
16 TotalPrice VARCHAR(50)
17
18 );orders
19
20 USE e-commerce_analysis;
21
22 SELECT *
23 FROM orders;
24
25 SELECT
26 COUNT(OrderID) AS Total_Orders
27 FROM orders;
```

The right pane displays the 'SQL Additions' section, which includes a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

The bottom pane shows the 'Result Grid' with the following data:

Total_Orders
1200

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'e-commerce_analysis' database schema, with the 'orders' table selected. The central pane shows the following SQL query:

```
20 SELECT *
21 FROM orders;
22
23 SELECT
24 COUNT(OrderID) AS Total_Orders
25 FROM orders;
26
27 SELECT
28 SUM(TotalPrice) AS Total_Revenue
29 FROM orders;
```

The right pane displays the 'SQL Additions' section, which includes a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

The bottom pane shows the 'Result Grid' with the following data:

Total_Revenue
1264761.9600000004

Navigator

SCHMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration

Schemas

Information

project_3

Limit to 1000 rows

```
24 COUNT(OrderID) AS Total_Orders
25 FROM orders;
26
27 • SELECT
28 SUM(TotalPrice) AS Total_Revenue
29 FROM orders;
30
31 • SELECT
32 AVG(TotalPrice) AS Average_Order_Value
33 FROM orders;
```

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Average_Order_Value
1053.9683000000005

Result Grid

Form Editor

Navigator

SCHMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration

Schemas

Information

Table: orders

project_3

Limit to 1000 rows

```
26
27 • SELECT
28 SUM(TotalPrice) AS Total_Revenue
29 FROM orders;
30
31 • SELECT
32 AVG(TotalPrice) AS Average_Order_Value
33 FROM orders;
34
35 • SELECT
```

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Minimum_Order
1000.58

Result Grid

Form Editor

Navigator

SCHMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration

Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)

project_3

Limit to 1000 rows

```
32 AVG(TotalPrice) AS Average_Order_Value
33 FROM orders;
34
35 • SELECT
36 MIN(TotalPrice) AS Minimum_Order
37 FROM orders;
38
39 • SELECT
40 MAX(TotalPrice) AS Maximum_Order
41 FROM orders;
```

Result Grid

Filter Rows:

Exports

Wrap Cell Contents

Maximum_Order
996.28

Result Grid

Form Editor

SQLAdditions

Automatic disabled. Use manually current car toggle at

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

- Foreign Keys
- Triggers

Views

Administration

Schemas

Information

Table: orders

project_3

Limit to 1000 rows

```

38
39 • SELECT
40   MAX(TotalPrice) AS Maximum_Order
41   FROM orders;
42
43 • SELECT
44   Product,
45   SUM(Quantity) AS Total_Sold
46   FROM orders
47   GROUP BY Product;

```

Result Grid

Product	Total_Sold
Monitor	480
Phone	411
Tablet	497
Chair	562
Printer	542
Laptop	535
Desk	508

Result 7 x

Read Only

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

- Foreign Keys
- Triggers

Views

Administration

Schemas

Information

Table: orders

project_3

Limit to 1000 rows

```

45   SUM(Quantity) AS Total_Sold
46   FROM orders
47   GROUP BY Product;
48
49 • SELECT
50   Product,
51   SUM(Quantity) AS Total_Sold
52   FROM orders
53   GROUP BY Product
54   ORDER BY Total_Sold DESC;

```

Result Grid

Product	Total_Sold
Chair	562
Printer	542
Laptop	535
Desk	508
Tablet	497
Monitor	480
Phone	411

Result 8 x

Read Only

Context

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

- Foreign Keys
- Triggers

Views

Administration

Schemas

Information

Table: orders

project_3

Limit to 1000 rows

```

52   FROM orders
53   GROUP BY Product
54   ORDER BY Total_Sold DESC;
55
56 • SELECT
57   Product,
58   SUM(TotalPrice) AS Revenue
59   FROM orders
60   GROUP BY Product
61   ORDER BY Revenue DESC;

```

Result Grid

Product	Revenue
Chair	195620.11000000002
Printer	195612.60999999996
Laptop	192126.55999999994
Tablet	186568.95000000007
Monitor	175651.40999999997
Desk	167459.93
Phone	151722.39

Result 9 x

Read Only

Output

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration

Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)
- CustomerID varchar(50)
- Product varchar(100)
- Quantity varchar(50)
- UnitPrice varchar(50)
- ShippingAddress varchar(200)
- PaymentMethod varchar(50)
- OrderStatus varchar(50)
- TrackingNumber varchar(100)

project_3

Limit to 1000 rows

```

55
56 • SELECT
57   Product,
58   SUM(TotalPrice) AS Revenue
59 FROM orders
60 GROUP BY Product
61 ORDER BY Revenue DESC;
62
63 • SELECT
64   CustomerID,
65   COUNT(OrderID) AS Number_of_Orders
66 FROM orders
67 GROUP BY CustomerID
68 ORDER BY Number_of_Orders DESC;

```

Result Grid

CustomerID	Number_of_Orders
C77736	1
C71570	1
C73587	1
C62740	1
C58808	1
C50422	1
C23334	1
C48965	1
C38669	1
C35091	1
C82313	1
C99589	1
C70566	1

Result 10 x

Read On

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration

Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)
- CustomerID varchar(50)
- Product varchar(100)

project_3

Limit to 1000 rows

```

62
63 • SELECT
64   CustomerID,
65   COUNT(OrderID) AS Number_of_Orders
66 FROM orders
67 GROUP BY CustomerID
68 ORDER BY Number_of_Orders DESC;
69
70 • SELECT
71   PaymentMethod,
72   COUNT(OrderID) AS Total_Orders
73 FROM orders
74 GROUP BY PaymentMethod
75 ORDER BY Total_Orders DESC;

```

Result Grid

PaymentMethod	Total_Orders
Online	258
Cash	246
Credit Card	234
Debit Card	232
Gift Card	230

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)

project_3

Limit to 1000 rows

```
69
70 • SELECT
71   PaymentMethod,
72   COUNT(OrderID) AS Total_Orders
73 FROM orders
74 GROUP BY PaymentMethod
75 ORDER BY Total_Orders DESC;
76
77 • SELECT
78   OrderStatus,
79   COUNT(OrderID) AS Orders
80 FROM orders
81 GROUP BY OrderStatus;
```

Result Grid

OrderStatus	Orders
Shipped	235
Cancelled	250
Returned	247
Delivered	231
Pending	237

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)
- CustomerID varchar(50)
- Product varchar(100)
- Quantity varchar(50)
- UnitPrice varchar(50)
- ShippingAddress varchar(200)
- PaymentMethod varchar(50)

project_3

Limit to 1000 rows

```
87
88
89
90
91
92
93
94
95
96
97 • SELECT *
98 FROM orders
99 ORDER BY TotalPrice DESC
100 LIMIT 10;
```

Result Grid

OrderID	Date	CustomerID	Product	Quantity	UnitPrice	ShippingAddress	PaymentMethod	OrderStatus	TrackingNumber	ItemsInCart	CouponCode	ReferralSource
ORD200262	2023-01-10	C69476	Phone	4	249.07	642 Main St	Credit Card	Returned	TRK65869386	5	Winter15	Referral
ORD200938	2023-07-12	C39017	Chair	3	331.46	696 Main St	Credit Card	Cancelled	TRK91155214	6	Winter15	Referral
ORD201053	2024-09-15	C32798	Phone	2	496.62	679 Main St	Online	Pending	TRK37375451	2	Save10	Instagram
ORD200022	2023-01-29	C34416	Monitor	2	49.62	633 Main St	Online	Pending	TRK75937350	2	Save10	Google
ORD200561	2023-01-31	C96822	Printer	2	494.78	198 Main St	Online	Shipped	TRK89180077	2	No Coupon	Google
ORD200297	2023-02-22	C68078	Desk	2	493.88	252 Main St	Credit Card	Returned	TRK64862812	7	Save10	Instagram
ORD201004	2025-06-09	C87529	Chair	4	246.91	296 Main St	Online	Pending	TRK15739505	8	Save10	Referral
ORD200778	2023-04-28	C85059	Laptop	4	246.85	316 Main St	Credit Card	Shipped	TRK56503740	8	Winter15	Google
ORD200782	2024-08-11	C58063	Monitor	2	493.63	167 Main St	Online	Returned	TRK50548869	6	Save10	Referral
ORD200554	2025-05-30	C61943	Laptop	2	492.9	610 Main St	Cash	Returned	TRK66126496	5	Freeship	Instagram

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)
- CustomerID varchar(50)
- Product varchar(100)

project_3

Limit to 1000 rows

```
99 ORDER BY TotalPrice DESC
100 LIMIT 10;
101
102 SELECT
103 MONTH(Date) AS Month,
104 SUM(TotalPrice) AS Monthly_Sales
105 FROM orders
106 GROUP BY MONTH(Date)
107 ORDER BY Month;
```

Result Grid

Month	Monthly_Sales
1	124313.23000000005
2	112344.77999999998
3	123840.92999999995
4	109186.05
5	135142.59
6	170616.13000000006
7	85784.63999999997
8	86343.21000000004
9	69321.65000000002
10	89834.82000000002
11	75493.43000000001
12	82540.5

Navigator

SCHEMAS

Filter objects

ecommerce_analysis

Tables

orders

Columns

- OrderID
- Date
- CustomerID
- Product
- Quantity
- UnitPrice
- ShippingAddress
- PaymentMethod
- OrderStatus
- TrackingNumber
- ItemsInCart
- CouponCode
- ReferralSource
- TotalPrice

Indexes

Foreign Keys

Triggers

Views

Administration Schemas

Information

Table: orders

Columns:

- OrderID varchar(50)
- Date varchar(50)
- CustomerID varchar(50)
- Product varchar(100)

project_3

Limit to 1000 rows

```
110 SELECT
111 COUNT(OrderID) AS Total_Orders,
112 SUM(TotalPrice) AS Total_Revenue,
113 AVG(TotalPrice) AS Average_Order_Value
114 FROM orders;
```

Result Grid

Total_Orders	Total_Revenue	Average_Order_Value
1200	1264761.9600000004	1053.9683000000005

Result Grid

Form Editor

Field Types

Query Stats