# What Does an Observation Identify? A Synthesis with Supporting Notes

Kirtus Justus

Theoretical Physicist

Port Coquitlam, British Columbia, Canada

Baseline edition, 12 November 2026

### Scope

The synthesis states, with examples, which properties of a specified model are fixed by a specified family of observations. The supporting notes that follow it give the detailed arguments for individual examples: source, gain and detector ambiguity, graph and scale observations, predictive dimension and history-dependent readout, and constraints on phase contrast, purity and paired-input data for conditional operations. Each note is restricted to its stated state space, observation menu and calibration premises.

### Contents


| Part | Title | Page |
|---|---|---|
| 1 | From Prephysical Hypotheses to Physical Models — synthesis | 4 |
| 2 | Spin fluctuation and microscopic ambiguity | 31 |
| 3 | Source and gain ambiguity | 35 |
| 4 | Source range | 37 |
| 5 | Scale POVM | 38 |
| 6 | Output access and ambiguity | 42 |
| 7 | Full readout design | 45 |
| 8 | Realizable graph moment witness | 47 |
| 9 | Detector transfer ambiguity | 50 |
| 10 | Sharp two-coupling event region | 53 |
| 11 | Incomplete detector calibration | 56 |
| 12 | Separable-reference detector tests | 58 |
| 13 | Unitary scaling rigidity | 61 |
| 14 | Predictive dimension and observation | 64 |
| 15 | Freshness versus reporting error | 68 |
| 16 | History-dependent readout tree | 71 |
| 17 | Readout Compatibility and Calibration Decisions | 74 |
| 18 | One Reference Bound for Conditional Readout | 76 |
| 19 | Full Interval for Phase Reversed Readout | 78 |
| 20 | Four-phase response | 80 |
| 21 | Angular contrast and rounding | 83 |
| 22 | Angle moments and variance | 86 |
| 23 | Channel Constraints on Phase and Purity | 90 |
| 24 | Trace Distance and Balanced Phase Readout | 94 |
| 25 | Purity After an Additional Readout | 98 |

| Part | Title | Page |
|---|---|---|
| 26 | Three-axis purity certificate | 102 |
| 27 | Endpoint Constraints in Three Axis Channel Tomography | 105 |
| 28 | Channel Purity from a Single Prepared Input | 109 |
| 29 | Purity Bounds from Local Output Measurements | 114 |
| 30 | Local Choi Population and Qubit Flip Probability | 118 |
| 31 | Paired Input Constraints on Quantum Channels | 120 |
| 32 | Selected-branch convention | 123 |
| 33 | Paired Preparations and Conditional Output Fidelity | 127 |


## Formal statements

Identifiers are those of the program theorem registry. Page numbers refer to this file.


| Identifier | Statement | Page |
|---|---|---|
| B1-01-01 | Proposition 1.1 (Stability of an identified property) | 6 |
| B1-01-02 | Theorem 2.1 (Invariant selection) | 7 |
| B1-01-03 | Theorem 3.1 (Pair reconstruction) | 8 |
| B1-01-04 | Proposition 5.1 (Wilson comparison and its analytic inputs) | 13 |
| B1-01-05 | Theorem 7.1 (Purity interval from one input) | 16 |
| B1-01-06 | Theorem 8.1 (Local weight from four output marginals) | 18 |
| B1-01-07 | Corollary 8.2 (Complete interval of local weights) | 19 |
| B1-01-08 | Corollary 8.3 (Success totals and resolved outcomes) | 20 |
| B1-01-09 | Corollary 9.1 (Four preparations with a calibrated binary effect) | 21 |
| B1-01-10 | Theorem 10.1 (Sequential test for four outcome laws) | 23 |
| B1-02-01 | Spin fluctuation and microscopic ambiguity | 31 |
| B1-03-01 | Source and gain ambiguity | 35 |
| B1-04-01 | Source range | 37 |
| B1-05-01 | Lemma 1 | 38 |
| B1-05-02 | Theorem 2 (phase-contrast ratio) | 39 |
| B1-05-03 | Corollary 3 (electrical resistance and full reconstruction) | 39 |
| B1-05-04 | Lemma 4 (uniform moment-loss bound) | 39 |
| B1-05-05 | Corollary 5 | 40 |
| B1-05-06 | Theorem 6 (ratio stability) | 40 |
| B1-05-07 | Proposition 7 (one-bit sufficiency for the single-shot optimal classical decision) | 41 |
| B1-06-01 | Output access and ambiguity | 42 |
| B1-07-01 | Theorem 1 | 45 |
| B1-08-01 | Realizable graph moment witness | 47 |
| B1-09-01 | Detector transfer ambiguity | 50 |
| B1-10-01 | Sharp two-coupling event region | 53 |
| B1-11-01 | Incomplete detector calibration | 56 |
| B1-12-01 | Separable-reference detector tests | 58 |
| B1-13-01 | Theorem 1 | 61 |
| B1-13-02 | Theorem 2 (explicit conditional counterexample) | 62 |
| B1-14-01 | Predictive dimension and observation | 64 |
| B1-15-01 | Theorem 1 (error-freshness tradeoff) | 68 |
| B1-15-02 | Theorem 2 (closed form) | 69 |
| B1-16-01 | History-dependent readout tree | 71 |
| B1-17-01 | Readout Compatibility and Calibration Decisions | 74 |
| B1-18-01 | One Reference Bound for Conditional Readout | 76 |
| B1-19-01 | Full Interval for Phase Reversed Readout | 78 |
| B1-20-01 | Proposition (sharp four-phase feasibility) | 81 |
| B1-20-02 | Corollary (sharp phase-contrast ceiling) | 81 |
| B1-21-01 | Angular contrast and rounding | 83 |
| B1-22-01 | Proposition (purity projection identity) | 87 |
| B1-22-02 | Corollary (an additional product-input probability) | 87 |
| B1-23-01 | Channel Constraints on Phase and Purity | 90 |
| B1-24-01 | Trace Distance and Balanced Phase Readout | 94 |
| B1-25-01 | Purity After an Additional Readout | 98 |
| B1-26-01 | Theorem (three-axis locally sharp purity certificate) | 102 |

| Identifier | Statement | Page |
|---|---|---|
| B1-27-01 | Endpoint Constraints in Three Axis Channel Tomography | 105 |
| B1-28-01 | Channel Purity from a Single Prepared Input | 109 |
| B1-29-01 | Purity Bounds from Local Output Measurements | 114 |
| B1-30-01 | Local Choi Population and Qubit Flip Probability | 118 |
| B1-31-01 | Paired Input Constraints on Quantum Channels | 120 |
| B1-32-01 | Theorem 1 | 123 |
| B1-32-02 | Theorem 2 | 124 |
| B1-33-01 | Paired Preparations and Conditional Output Fidelity | 127 |


## Acknowledgments and contributions


Kirtus Justus directed the research questions, the selection of mathematical models and the publication standards, is the sole named author, and is responsible for the claims presented here. ChatGPT (OpenAI) assisted with derivations, critical checks and manuscript preparation. Claude (Anthropic), Gemini (Google), Grok (SpaceXAI) and DeepSeek (High-Flyer) contributed to the wider research process; attribution of particular arguments is limited to traceable records. Editorial preparation of this edition: Claude (Anthropic). Assistance does not imply provider endorsement, external peer review or institutional endorsement.