Kiru0310 / Python-for-machine-learning

Code Issues Pull requests Actions Projects Wiki Security and quality Insights Settings

Python-for-machine-learning / 240901068_DataVisualization_1.ipynb

Kiru0310 Add files via upload 9cc2675 · 1 minute ago

239 lines (239 loc) · 128 KB

Preview Code Blame Raw

In [1]:
```
import matplotlib.pyplot as plt
import numpy as np
xpoints = np.array([0,10])
ypoints = np.array([20,100])
print(plt.plot(xpoints,ypoints))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7dd8e8aff980>]
```




```
None
```

In [2]:
```
x = np.array([0,5])
y = np.array([0,25])
print(plt.plot(x,y,marker='p'))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7dd8e8070260>]
```




```
None
```

In [3]:
```
xpoints = np.array([1,2,6,8])
ypoints = np.array([3,8,1,10])
print(plt.plot(xpoints,ypoints))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7dd8e81002c0>]
```






```
None
```

In [4]:

```
ypoints = np.array([5,7,1,0,3])
print(plt.plot(ypoints))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7dd8e81a3950>]
```




```
None
```

In [5]:

```
xpoints= np.array([3,8,1,4,9])
ypoints = np.array([5,7,1,0,3])
print(plt.plot(xpoints,ypoints))
print(plt.show())
```

```
[<matplotlib.lines.Line2D object at 0x7dd8e8100b30>]
```




```
None
```