Login.jsx:

```
import React, { useState } from 'react';
import './App.css'
const LoginForm = () => {
 const [email, setEmail] = useState('');
 const [password, setPassword] = useState('');
 const handleLogin = () => {
   console.log('Login clicked');
 const handleForgotPassword = () => {
   console.log('Forgot Password clicked');
 const handleLoginWithGoogle = () => {
   console.log('Login with Google clicked');
     <h2>Login</h2>
       <div className="form-group">
         <label>Email:</label>
           type="email"
           value={email}
           onChange={ (e) => setEmail(e.target.value) }
            required
       <div className="form-group">
         <label>Password:
            type="password"
```

```
onChange={ (e) => setPassword(e.target.value) }
            required
       <button type="button" onClick={handleLogin}>
         Login
         <a href="#" onClick={handleForgotPassword}>
           Forgot Password?
       <button type="button" onClick={handleLoginWithGoogle}>
         Login with Google
         Already have an account? <a href="/sign">Sign up</a>
};
export default LoginForm;
```

Login.css:

```
/* App.css (or create a new CSS file and import it) */
.pod {
  background-color: #f4f4f4;
  background-image:
url('https://images.pexels.com/photos/1037996/pexels-photo-1037996.jpeg?au
to=compress&cs=tinysrgb&w=1260&h=750&dpr=1');
  font-family: 'Arial', sans-serif;
  display: flex;
  align-items: center;
```

```
justify-content: center;
 height: 100vh;
 margin: 0;
 position: fixed;
 margin-top: -.6cm;
 margin-left: -.3cm;
 margin-right: -.2cm;
.login-container {
 max-width: 400px;
 margin: 50px auto;
 padding: 40px;
 border-radius: 8px;
 box-shadow: white;
 background: linear-gradient(45deg, #447de0, #c6c4fa);
 text-align: center;
 overflow: hidden;
.login-container:hover {
 background: linear-gradient(45deg, #a18cd1, #233a8e);
h2 {
 color: #fff;
 font-size: 24px;
 margin-bottom: 20px;
form {
 display: flex;
 flex-direction: column;
 margin-bottom: 20px;
 text-align: left;
```

```
label {
 display: block;
 margin-bottom: 8px;
 font-weight: bold;
 color: #fff;
input {
 width: 100%;
 padding: 10px;
 margin-bottom: 10px;
 border: 1px solid #ddd;
 border-radius: 4px;
 transition: border-color 0.3s ease-in-out;
input:focus {
button {
 padding: 10px;
 border-radius: 4px;
 transition: background-color 0.3s ease-in-out;
button:hover {
 background-color: #c272f0;
a {
```

```
a:hover {
  text-decoration: underline;
}
```