

Certificate of Analysis

ISSUED TO:	
Company: AGROSLINK PVT. LTD	Report No : KNL/CHEM/26/08/22/01
Contact : +91 98765 43210	Customer Ref no : MR Satya MVV
GST Number:36AAWCA6575D1Z7	Receipt date : 04/08/2026
Address: Plot 27, Nandi Hills,	Date of Analysis : 05/08/26 - 18/08/26
Rd No. 51, BN Reddy Colony,	Issued Date : 22/08/26
Jubilee Hills, Hyderabad,	
Telangana 500033	
Phone: +91 7386727007	
Email:info@kisanlink.in	

Sample particulars:			
Sample Code	: KN/CHEM/1351/26-08-04378	Registration No	: C-26-07-1500
Sample Name	: Moring leaf powder	Mfg. Date	: 25/07/26
Batch/Lot No	: M011	Expiry Date	: 24/07/27
Batch Size	: NA	Sample quantity	: 500g
Supplied by	: NA	Storage condition	: Ambient Condition
Manufacturer by	: AGROSLINK PVT. LTD		
Test Required	: NA	Sample packing	: Sealed aluminum Pack
Test Protocol	: FSSAI	Sample Appearance	: Green Color Powder

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ	Limits
Biological							
1	E1MI577	<i>Sulphite Reducing Clostridia</i>	ISO15213-1:2023	<10	cfu/g	-	1x10 ²
2	E1MI606	<i>Bacillus cereus</i>	ISO7932:2004,Amd.-1:2020	<10	cfu/g	-	1x10 ³
3	E1MI58	Yeast and Mold	ISO21527(Part2):2008	2.8x10 ²	cfu/g	-	1x 10 ⁴
4	E1MI935	<i>Salmonella spp</i>	ISO6579(Part01):2017 Amd.-1:2020	Absent	/25g	-	Absent
5	E1MI1143	<i>Staphylococcus Aureus</i>	ISO6888(Part01):2021/AMD-1:2023	<10	cfu/g	-	1x10 ²
6	E1MI12	<i>Enterobacteriaceae</i>	ISO21528-2:2017	8.0x10 ¹	cfu/g	-	1x10 ²
7	E1MI826	<i>Aerobic Plate Count</i>	ISO4833(Part01):2013, Amd.-1:2022	6.0x10 ⁴	cfu/g	-	1x10 ⁶
Chemical							
8	E1NI9964	Sorbates	EKA-CHE-SOP-77	<10.0	mg/kg	10	Max 1,000
9	E1NI10268	Propyl Gallate	EKA-CHE-SOP-37	<10.0	mg/kg	10	Max 200
10	E1NI4686	sulfites SO2	AOAC990.28	<10.0	mg/kg	10	Max 150
11	E1NI7694	EDTA Content	EKA-CHE-SOP-174	<10.0	mg/kg	10	Max 70
12	E1NI9112	Neotame	EKA-CHE-SOP-78	<10.0	mg/kg	10	Max 32
13	E1NI2298	TBHQ (tert-Butylhydroquinone)	EKA-CHE-SOP-37	<10.0	mg/kg	10	Max 200

Certificate of Analysis

Sr.No.	Test Code	Test Parameter	TestMethod	Result	Unit	LOQ	Limits
14	E1NI2314	BHT(butylated hydroxytoluene)	EKA-CHE-SOP-37	<10.0	mg/kg	10	Max 200
15	E1NI2313	BHA(butylated hydroxyanisole)	EKA-CHE-SOP-37	<10.0	mg/kg	10	Max 200
16	E1NI7379	Acesulfame K	EKA-CHE-SOP-78	<10.0	mg/kg	10	Max 2,000
Inorganic							
17	E1II3429	Lead as Pb	EKA-CHE-SOP-47	0.301	mg/kg	0.05	Max 10
18	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01	Max 1.0
19	E1II198	Methyl mercury	EKA-CHE-SOP-102	BLQ	mg/kg	0.05	Max 0.25
20	E1II200	Tin as Sn	EKA-CHE-SOP-47	BLQ	mg/kg	0.1	Max 250
21	E1II3426	Cadmium as Cd	EKA-CHE-SOP-47	0.020	mg/kg	0.01	Max 1.5
22	E1II3425	Arsenic as As	EKA-CHE-SOP-47	0.114	mg/kg	0.05	Max 5.0
23	E1II197	Copper as Cu	EKA-CHE-SOP-47	6.113	mg/kg	0.5	Max 30
Other Contaminants							
24	E1OCI02	Melamine	EKA-CHE-SOP-58	BLQ	mg/kg	0.1	Max 2.5

K. N. Laboratory

Certificate of Analysis

PESTICIDE

Test Results

Sr. No.	TestParameter	Test Method	Result	Unit	LOQ	Limits
1	Copper Oxychloride (Copper Determined as Elemental Copper)	EKA-CHE-SOP-47	6.113	mg/kg	0.5	Max 30
2	Copper Hydroxide (Copper determined as elemental copper)	EKA-CHE-SOP-47	6.113	mg/kg	0.5	Max 30
3	Copper Sulphate (Copper determined as elemental copper)	EKA-CHE-SOP-47	6.113	mg/kg	0.5	Max 30
4	Cuprous Oxide (Copper determine das elemental copper)	EKA-CHE-SOP-47	6.113	mg/kg	0.5	Max 30
5	Fosetyl-Al	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
6	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
7	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
8	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
9	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01	-
10	DithiocarbamatesCS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01	-
11	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
12	Glufosinate-ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01	-
13	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01	-
14	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01	-
15	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01	-
16	Hydrogen Cyanamide	EKA-CHE-SOP-155	BLQ	µg/kg	10.0	-
17	Chlorantraniliprole	EKA-CHE-SOP-63	0.013	mg/kg	0.01	Max 0.01
18	Flubendiamide	EKA-CHE-SOP-63	0.016	mg/kg	0.01	Max 0.01
19	Chlorpyrifos	EKA-CHE-SOP-63	0.107	mg/kg	0.01	Max 0.01
20	Other analysis pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	0.01	-

Certificate of Analysis

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)					
SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01

Certificate of Analysis

33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone Copper Hydroxide (Copper determined as elemental copper)	0.01	157	Pyriothiolac Sodium	0.01
41	Copper Oxychloride (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Sulphate (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as Elemental Copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01

Certificate of Analysis

71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
				Flupyradifurone and its metabolites	
				Difluoroacetic	
88	Flufenacet	0.01	205	Acid and Difluoroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Oxadiazon	0.01
91	Forchlorfenuron	0.01	208	Cinmethylen	0.01
92	Fosetyl-Al	0.01	209	Milbemectin	0.01
93	Glufosinate Ammonium	0.01	210	Sodium Acefloufen	0.01
94	Glyphosate	0.01	211	Sodium Para Nitro Phenolate	0.01
95	Halosulfuron methyl	0.01	212	Triacantanol	0.01
96	Hexaconazole	0.01	213	Hydrogen Cyanamide	10.0
97	Hexazinone	1.01		Banned pesticides	
98	Hexythiazox	0.01	214	Aldicarb	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldrin, dieldrin	0.01
100	Imazethapyr	0.01	216	Chlordane	0.01
101	Imidacloprid	0.01	217	Heptachlor	0.01
102	Indoxacarb	0.01	218	Lindane Gamma-HCH	0.01
103	Iprobenfos	0.01	219	Endosulfan	0.01
104	Iprodione	0.01	220	Carbofuran	0.01
105	Isoprothiolane	0.01	221	Methomyl	0.01

Certificate of Analysis

106	Isoproturon	0.01	222	Phosphamidon	0.01
107	Kasugamycin	0.01	223	Captafol 8	0.01
108	Kresoxim Methyl	0.01	224	Formothion	0.01
109	Lambda cyhalothrin	0.01	225	Simazine	0.01
110	Linuron	0.01	226	Diazinon	0.01
111	Lufenuron	0.01	227	D.D.T	0.01
112	Malathion	0.01	228	Fenitrothion	0.01
113	Mandipropamid	0.01	229	Fenthion	0.01
114	Mepiquat Chloride	0.01	230	Methyl Parathion	0.01
115	Mesosulfuron Methyl	0.01	231	Ethyl Parathion	0.01
116	Metaflumizone	0.01	232	Monocrotophos	0.01
117	Metaxyl	0.01	233	Ferbam as CS2	0.01

Sample conclusion:

The above sample is not in accordance to Food Safety and Standards (Food Products Standards and Food Additives) and (Contaminants, toxins and Residues) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Conclusion is provided with reference to tested analyses only.

Report: The above batch complies as per Specifications with respect to above tests.

Note: 1) Results related to the sample submitted only.
 2) Reports should not be reproduce in full or part without permission of lab authority.

Prepared by 

Authorized Signatory 

(END OF THE REPORT)
 ** NABL-Accredited and ISO-Certified Laboratory**