

```
>> dynare mcmc.mod
Starting Dynare (version 6.4).
Calling Dynare with arguments: none
Starting preprocessing of the model file ...
Substitution of exo leads: added 1 auxiliary variables and equations.
Found 23 equation(s).
Evaluating expressions...
Computing static model derivatives (order 2).
Computing static model derivatives w.r.t. parameters (order 2).
Normalizing the static model...
Finding the optimal block decomposition of the static model...
6 block(s) found:
  4 recursive block(s) and 2 simultaneous block(s).
  the largest simultaneous block has 15 equation(s)
                                and 15 feedback variable(s).
Computing dynamic model derivatives (order 2).
Computing dynamic model derivatives w.r.t. parameters (order 2).
Normalizing the dynamic model...
Finding the optimal block decomposition of the dynamic model...
7 block(s) found:
  5 recursive block(s) and 2 simultaneous block(s).
  the largest simultaneous block has 15 equation(s)
                                and 15 feedback variable(s).

Preprocessing completed.
Preprocessing time: 0h00m00s.
```

STEADY-STATE RESULTS:

q	32.8507
k	4.41224
R	1.01351
b	143.013
x	0.0406367
varphi	0.0303425
mu	0.00686924
kp	2.20776
chi	1.02177
nu	0.00432944
eta	1.28813
zeta	1.02177
N	41.8193
phi	3.41978
Ne	41.5333
Nn	0.286025
xp	6.22046
bp	-101.193
Y	3.45318
eb	0
b_obs	0
Y_obs	0

EIGENVALUES:

Modulus	Real	Imaginary
0	0	0
1.575e-17	1.575e-17	0
4.238e-15	4.238e-15	0
1.456e-14	-1.456e-14	0
1.977e-08	-1.977e-08	0

1.977e-08	1.977e-08	0
0.0001304	0.0001304	0
0.9835	0.9835	0
1.012	1.012	0
1.02	1.02	0
1.022	1.022	0
1.024	1.024	0
15.54	-15.54	0
1.261e+20	-1.261e+20	0
6.248e+22	-6.248e+22	0
Inf	-Inf	0

There are 8 eigenvalue(s) larger than 1 in modulus for 8 forward-looking variable(s)
The rank condition is verified.

===== Identification Analysis =====

Testing prior mean

Note that differences in the criteria could be due to numerical settings,
numerical errors or the method used to find problematic parameter sets.

Settings:

Derivation mode for Jacobians:	Analytic using sylvester equations
Method to find problematic parameters:	Nullspace and multicorrelation
coefficients	
Normalize Jacobians:	Yes
Tolerance level for rank computations:	robust
Tolerance level for selecting nonzero columns:	1e-08
Tolerance level for selecting nonzero singular values:	1e-03

REDUCED-FORM:

All parameters are identified in the Jacobian of steady state and reduced-form solution matrices (rank(Tau) is full with tol = robust).

MINIMAL SYSTEM (KOMUNJER AND NG, 2011):

All parameters are identified in the Jacobian of steady state and minimal system (rank(Deltabar) is full with tol = robust).

SPECTRUM (QU AND TKACHENKO, 2012):

!!!WARNING!!!

The rank of Gbar (Jacobian of mean and spectrum) is deficient!

gamma_q is not identified!

MOMENTS (ISKREV, 2010):

All parameters are identified in the Jacobian of first two moments (rank(J) is full with tol = robust).

==== Identification analysis completed =====

You did not declare endogenous variables after the estimation/calib_smoother command.
Initial value of the log posterior (or likelihood): -16370.8026

f at the beginning of new iteration, 16370.8025857158
Predicted improvement: 375677045.182750762
lambda = 1; f = 16371.1009083

```

lambda = 0.33333; f = 24193.3885638
lambda = 0.11111; f = 17130.8890540
lambda = 0.037037; f = 16425.6952764
lambda = 0.012346; f = 16371.5618736
lambda = 0.0041152; f = -29.4894806
lambda = 0.0013717; f = -116.8449452
lambda = 0.00045725; f = 4.8689336
lambda = 0.00015242; f = 983.6343422
lambda = 5.0805e-05; f = 3920.8550006
Norm of dx 274.11
----
Improvement on iteration 1 = 16487.647530957
-----
f at the beginning of new iteration, -116.8449452408
Predicted improvement: 28.610543131
lambda = 1; f = -11.7300220
lambda = 0.33333; f = -110.0712809
lambda = 0.11111; f = -117.7278800
lambda = 0.037037; f = -118.0309855
Norm of dx 0.075644
----
Improvement on iteration 2 = 1.186040299
-----
f at the beginning of new iteration, -118.0309855402
Predicted improvement: 0.329664676
lambda = 1; f = -118.4323799
Norm of dx 0.0072419
----
Improvement on iteration 3 = 0.401394382
-----
f at the beginning of new iteration, -118.4323799225
Predicted improvement: 0.061078832
lambda = 1; f = -118.5180860
lambda = 1.9332; f = -118.5426504
Norm of dx 0.0022195
----
Improvement on iteration 4 = 0.110270444
-----
f at the beginning of new iteration, -118.5426503661
Predicted improvement: 0.005642700
lambda = 1; f = -118.5509819
lambda = 1.9332; f = -118.5533753
Norm of dx 0.00064538
----
Improvement on iteration 5 = 0.010724907
-----
f at the beginning of new iteration, -118.5533752728
Predicted improvement: 0.000891542
lambda = 1; f = -118.5551333
lambda = 1.9332; f = -118.5567288
lambda = 3.7372; f = -118.5596910
lambda = 7.2247; f = -118.5649653
lambda = 13.967; f = -118.5735075
lambda = 27; f = -118.5840890
Norm of dx 0.00010043
----
Improvement on iteration 6 = 0.030713737
-----

```

```

f at the beginning of new iteration,      -118.5840890098
Predicted improvement:      0.027880102
lambda =      1; f =      -118.6364032
lambda =      1.9332; f =      -118.6794183
lambda =      3.7372; f =      -118.7485759
lambda =      7.2247; f =      -118.8392218
Norm of dx  0.0020423
----
Improvement on iteration 7 =      0.255132839
-----
f at the beginning of new iteration,      -118.8392218483
Predicted improvement:      0.182163374
lambda =      1; f =      -119.1642597
lambda =      1.9332; f =      -119.4020091
lambda =      3.7372; f =      -119.6983500
Norm of dx  0.013815
----
Improvement on iteration 8 =      0.859128199
-----
f at the beginning of new iteration,      -119.6983500477
Predicted improvement:      0.266563647
lambda =      1; f =      -120.1253916
lambda =      1.9332; f =      -120.3352862
Norm of dx  0.023336
----
Improvement on iteration 9 =      0.636936179
-----
f at the beginning of new iteration,      -120.3352862263
Predicted improvement:      0.307699672
lambda =      1; f =      -120.8703054
lambda =      1.9332; f =      -121.2031558
lambda =      3.7372; f =      -121.2449956
Norm of dx  0.012051
----
Improvement on iteration 10 =      0.909709353
-----
f at the beginning of new iteration,      -121.2449955797
Predicted improvement:      0.554039128
lambda =      1; f =      -122.0951200
lambda =      1.9332; f =      -122.4607478
Norm of dx  0.0091317
----
Improvement on iteration 11 =      1.215752211
-----
f at the beginning of new iteration,      -122.4607477902
Predicted improvement:      0.418030254
lambda =      1; f =      -122.7622244
Norm of dx  0.010408
----
Improvement on iteration 12 =      0.301476603
-----
f at the beginning of new iteration,      -122.7622243937
Predicted improvement:      0.601399011
lambda =      1; f =      -123.5713084
Norm of dx  0.029152
----
Improvement on iteration 13 =      0.809084014
-----

```

```

f at the beginning of new iteration,      -123.5713084076
Predicted improvement:      0.804977949
lambda =      1; f =      -124.9669695
lambda =      1.9332; f =      -125.7915255
lambda =      3.7372; f =      -125.2402333
lambda =      2.5164; f =      -125.9893900
Norm of dx      0.021021
----
Improvement on iteration 14 =      2.418081555
-----
f at the beginning of new iteration,      -125.9893899630
Predicted improvement:      1.893677390
lambda =      1; f =      -128.3759925
Norm of dx      0.074143
----
Improvement on iteration 15 =      2.386602585
-----
f at the beginning of new iteration,      -128.3759925476
Predicted improvement:      0.590621042
lambda =      1; f =      -129.1384446
Norm of dx      0.03187
----
Improvement on iteration 16 =      0.762452071
-----
f at the beginning of new iteration,      -129.1384446189
Predicted improvement:      0.414063034
lambda =      1; f =      -129.7627506
lambda =      1.9332; f =      -129.8323883
Norm of dx      0.021307
----
Improvement on iteration 17 =      0.693943723
-----
f at the beginning of new iteration,      -129.8323883421
Predicted improvement:      0.298920869
lambda =      1; f =      -130.0746581
Norm of dx      0.0083246
----
Improvement on iteration 18 =      0.242269799
-----
f at the beginning of new iteration,      -130.0746581406
Predicted improvement:      0.029728167
lambda =      1; f =      -130.0762028
lambda =      0.33333; f =      -130.0874191
Norm of dx      0.0046792
----
Improvement on iteration 19 =      0.012760963
-----
f at the beginning of new iteration,      -130.0874191039
Predicted improvement:      0.010332981
lambda =      1; f =      -130.1014478
Norm of dx      0.0029522
----
Improvement on iteration 20 =      0.014028708
-----
f at the beginning of new iteration,      -130.1014478123
Predicted improvement:      0.009388786
lambda =      1; f =      -130.1170971
lambda =      1.9332; f =      -130.1261093

```

```

Norm of dx  0.0027481
-----
Improvement on iteration 21 =          0.024661497
-----
f at the beginning of new iteration,      -130.1261093092
Predicted improvement:          0.016813472
lambda =          1; f =          -130.1519607
lambda =       1.9332; f =          -130.1621637
Norm of dx  0.0056405
-----
Improvement on iteration 22 =          0.036054365
-----
f at the beginning of new iteration,      -130.1621636739
Predicted improvement:          0.007975861
lambda =          1; f =          -130.1727351
Norm of dx  0.0024131
-----
Improvement on iteration 23 =          0.010571469
-----
f at the beginning of new iteration,      -130.1727351427
Predicted improvement:          0.001558841
lambda =          1; f =          -130.1742530
Norm of dx  0.001282
-----
Improvement on iteration 24 =          0.001517863
-----
f at the beginning of new iteration,      -130.1742530056
Predicted improvement:          0.000015010
lambda =          1; f =          -130.1742646
Norm of dx  0.0002094
-----
Improvement on iteration 25 =          0.000011583
-----
f at the beginning of new iteration,      -130.1742645886
Predicted improvement:          0.000000665
lambda =          1; f =          -130.1742653
Norm of dx  2.4874e-05
-----
Improvement on iteration 26 =          0.000000743
-----
f at the beginning of new iteration,      -130.1742653318
Predicted improvement:          0.000000003
lambda =          1; f =          -130.1742653
lambda =       1.9332; f =          -130.1742653
lambda =       3.7372; f =          -130.1742653
lambda =       2.5164; f =          -130.1742653
Norm of dx  1.0858e-06
-----
Improvement on iteration 27 =          0.000000007
improvement < crit termination

Final value of minus the log posterior (or likelihood):-130.174265

MODE CHECK

Fval obtained by the optimization routine: -130.174265

RESULTS FROM POSTERIOR ESTIMATION

```

parameters	prior mean	mode	s.d.	prior	pstdev
gamma_q	-0.1000	-0.1141	0.0489	norm	0.0500
gamma_N	0.1000	0.1020	0.0372	norm	0.0500
gamma_b	-0.1000	-0.1023	0.0367	norm	0.0500

standard deviation of shocks	prior mean	mode	s.d.	prior	pstdev
eN	0.0100	0.1121	0.0147	inv	0.0050
eY	0.0100	0.2172	0.0205	inv	0.0050

Log data density [Laplace approximation] is 114.857170.

```

Estimation::mcmc: Multiple chains mode.
Estimation::mcmc: Old mh-files successfully erased!
Estimation::mcmc: Old metropolis.log file successfully erased!
Estimation::mcmc: Creation of a new metropolis.log file.
Estimation::mcmc: Searching for initial values...
Estimation::mcmc: Initial values found!

Estimation::mcmc: Write details about the MCMC... Ok!
Estimation::mcmc: Details about the MCMC are available in mcmc/metropolis\mcmc_mh_history_0.mat

```

```

Estimation::mcmc: Number of mh files: 1 per block.
Estimation::mcmc: Total number of generated files: 2.
Estimation::mcmc: Total number of iterations: 125000.
Estimation::mcmc: Current acceptance ratio per chain:
                                Chain 1: 48.3048%
                                Chain 2: 43.52%

Estimation::mcmc: Total number of MH draws per chain: 125000.
Estimation::mcmc: Total number of generated MH files: 1.
Estimation::mcmc: I'll use mh-files 1 to 1.
Estimation::mcmc: In MH-file number 1 I'll start at line 25001.
Estimation::mcmc: Finally I keep 100000 draws per chain.

```

MCMC Inefficiency factors per block	Block 1	Block 2
Parameter		
SE_eN	406.914	486.716
SE_eY	35.991	37.358
gamma_q	41.917	60.430
gamma_N	91.339	125.250
gamma_b	100.021	117.370

Convergence diagnostics results for chain 1.

Geweke (1992) Convergence Tests, based on means of draws 25000 to 45000 vs 75000 to 125000 for chain 1.
p-values are for Chi2-test for equality of means.

Parameter	Post. Mean	Post. Std	p-val No Taper	p-val 4% Taper	p-val 8% Taper
p-val 15% Taper					

SE_eN	0.119	0.029	0.000	0.001
0.010	0.034			
SE_eY	0.222	0.022	0.101	0.761
0.750	0.717			
gamma_q	-0.104	0.047	0.000	0.166
0.209	0.230			
gamma_N	0.107	0.036	0.000	0.024
0.046	0.078			
gamma_b	-0.110	0.034	0.000	0.040
0.066	0.110			

Convergence diagnostics results for chain 2.

Geweke (1992) Convergence Tests, based on means of draws 25000 to 45000 vs 75000 to 125000 for chain 2.

p-values are for Chi2-test for equality of means.

Parameter	Post. Mean	Post. Std	p-val No Taper	p-val 4% Taper	p-val 8% Taper
p-val 15% Taper					
SE_eN	0.107	0.030	0.000	0.000	
0.000	0.000				
SE_eY	0.223	0.022	0.000	0.024	
0.011	0.006				
gamma_q	-0.102	0.048	0.000	0.000	
0.000	0.000				
gamma_N	0.113	0.039	0.000	0.000	
0.000	0.000				
gamma_b	-0.104	0.033	0.000	0.000	
0.000	0.000				

Univariate convergence diagnostic, Brooks and Gelman (1998):

Parameter 1... Done!

Parameter 2... Done!

Parameter 3... Done!

Parameter 4... Done!

Parameter 5... Done!

marginal density: I'm computing the posterior mean and covariance... Done!

marginal density: I'm computing the posterior log marginal density (modified harmonic mean)... Done!

ESTIMATION RESULTS

Log data density (Modified Harmonic Mean) is 115.697660.

parameters

	prior mean	post. mean	90% HPD interval		prior	pstdev
gamma_q	-0.100	-0.1024	-0.1790	-0.0216	norm	0.0500
gamma_N	0.100	0.1091	0.0436	0.1660	norm	0.0500
gamma_b	-0.100	-0.1064	-0.1618	-0.0513	norm	0.0500

standard deviation of shocks

	prior mean	post. mean	90% HPD interval		prior	pstdev
eN	0.010	0.1135	0.0647	0.1512	inv	0.0050
eY	0.010	0.2227	0.1863	0.2564	inv	0.0050

MODEL SUMMARY

Number of variables: 23
 Number of stochastic shocks: 2
 Number of state variables: 8
 Number of jumpers: 8
 Number of static variables: 8

MATRIX OF COVARIANCE OF EXOGENOUS SHOCKS

Variables	eN	eY
eN	0.012878	0.000000
eY	0.000000	0.049574

POLICY AND TRANSITION FUNCTIONS

b	x	varphi	mu	kp	chi
nu	eta	zeta	N	phi	Ne
Nn	xp	bp	Y		
Constant		32.850699	4.412239	1.013513	143.012575
0.040637	0.030342	0.006869	2.207761	1.021770	0.004329
1.288129	1.021770	41.819288	3.419775	41.533263	0.286025
6.220463	-101.193287	3.453179			
k(-1)		2.987807	1.040842	0.141202	21.097301
0.009210	-13.945362	-13.741774	-1.040842	0.283803	0.002215
-0.422142	0.612646	19.628205	-1.100611	19.628205	0
32.723277	-1.469096	0.447210			
b(-1)		-0.101620	-0.032308	0.042332	
6.006154	0	3.980438	3.950549	0.032308	-0.173652
-0.001355	0.014433	-0.181424	5.886467	0.026013	5.884467
0.002000	-1.155025	-0.119687	0		
kp(-1)		0	0	0	
0	0	0	0	0	0
0	0	0	0	0	0
0	33.182524	0	0.331825		
N(-1)		0.102827	0.032648	-0.050658	
-6.172205	0	-4.073466	-4.042899	-0.032648	
0.178024	0.001389	-0.014605	0.185841	-6.048706	-0.026161
-6.048706	0	1.196013	0.123498	0	
phi(-1)		0.012808	0.004462	-0.000393	
0.090436	0	-0.059271	-0.058399	-0.004462	-0.297566
0.000009	-0.001810	0.002626	0.084139	-0.004718	
0.084139	0	0.140273	-0.006297	0	
bp(-1)		0	0	0	
0	0	0	0	0	0
0	0	0	0	0	0
0	-1.010101	0	0		
q(-1)		-0.010428	-0.000657	0.044877	
6.396360	0	3.422503	3.399694	0.000657	-0.158801
-0.001239	0.001546	-0.156666	6.238236	-0.007148	
6.238236	0	-0.179702	-0.158124	0	
eN		-3.835178	-1.336034	0.117535	
-27.080699	0	17.748519	17.487192	1.336034	
-0.364292	-0.002843	0.541866	-0.786399	-25.194953	1.412754
-25.194953	0	-42.003914	1.885746	0	
eY		0	0	0	
0	0	-1.030968	-1.017222	0	0

0	0	0	0	0	0
0	0	0	-1.973197		

THEORETICAL MOMENTS

VARIABLE	MEAN	STD. DEV.	VARIANCE
q	32.8507	2.3959	5.7405
k	4.4122	0.8440	0.7123
R	1.0135	0.0295	0.0009
b	143.0126	37.4272	1400.7987
x	0.0406	0.0078	0.0001
varphi	0.0303	2.0293	4.1179
μ	0.0069	1.9974	3.9895
kp	2.2078	0.8440	0.7123
chi	1.0218	0.0418	0.0018
ν	0.0043	0.0022	0.0000
eta	1.2881	0.3383	0.1144
zeta	1.0218	0.0898	0.0081
N	41.8193	35.7355	1277.0295
φ	3.4198	0.9171	0.8411
Ne	41.5333	35.6613	1271.7292
Nn	0.2860	0.0749	0.0056
xp	6.2205	4.7758	22.8087
bp	-101.1933	1.6935	2.8678
Y	3.4532	0.4500	0.2025

VARIANCE DECOMPOSITION (in percent)

	eN	eY
q	100.00	-0.00
k	100.00	-0.00
R	100.00	0.00
b	100.00	-0.00
x	100.00	-0.00
varphi	98.72	1.28
μ	98.71	1.29
kp	100.00	-0.00
chi	100.00	-0.00
ν	100.00	-0.00
eta	100.00	-0.00
zeta	100.00	-0.00
N	100.00	-0.00
φ	100.00	-0.00
Ne	100.00	-0.00
Nn	100.00	-0.00
xp	100.00	0.00
bp	100.00	-0.00
Y	4.68	95.32

MATRIX OF CORRELATIONS

Variables	q	k	R	b	x	varphi	μ	kp		
chi	ν	eta	zeta	N	φ	Ne	Nn	xp	bp	Y
q	1.0000	1.0000	0.0064	0.9950	0.9834	-0.2250	-0.1816	-1.0000	0.0333	
-0.9463	-1.0000	0.0662	0.9947	-1.0000	0.9948	0.9784	0.2359	-0.9984	0.2128	
k	1.0000	1.0000	0.0074	0.9952	0.9837	-0.2230	-0.1796	-1.0000	0.0312	

```

-0.9470 -1.0000 0.0642 0.9950 -1.0000 0.9950 0.9788 0.2339 -0.9985 0.2129
R      0.0064 0.0074 1.0000 0.0526 0.0881 0.4386 0.4429 -0.0074 -0.5007
-0.1550 -0.0064 -0.4593 0.0536 -0.0096 0.0537 0.0005 -0.4709 -0.0322 0.0191
b      0.9950 0.9952 0.0526 1.0000 0.9966 -0.1268 -0.0827 -0.9952 -0.0670
-0.9740 -0.9949 -0.0342 1.0000 -0.9956 1.0000 0.9916 0.1373 -0.9990 0.2157
x      0.9834 0.9837 0.0881 0.9966 1.0000 -0.0455 -0.0011 -0.9837 -0.1485
-0.9893 -0.9833 -0.1161 0.9968 -0.9846 0.9968 0.9952 0.0556 -0.9920 0.2164
varphi -0.2250 -0.2230 0.4386 -0.1268 -0.0455 1.0000 0.9990 0.2230 -0.9734
-0.0999 0.2251 -0.9805 -0.1247 0.2183 -0.1249 -0.0446 -0.9929 0.1705 0.1006
mu     -0.1816 -0.1796 0.4429 -0.0827 -0.0011 0.9990 1.0000 0.1796 -0.9809
-0.1439 0.1817 -0.9867 -0.0806 0.1748 -0.0808 -0.0005 -0.9915 0.1267 0.1105
kp     -1.0000 -1.0000 -0.0074 -0.9952 -0.9837 0.2230 0.1796 1.0000 -0.0312
0.9470 1.0000 -0.0642 -0.9950 1.0000 -0.9950 -0.9788 -0.2339 0.9985 -0.2129
chi    0.0333 0.0312 -0.5007 -0.0670 -0.1485 -0.9734 -0.9809 -0.0312 1.0000
0.2912 -0.0334 0.9984 -0.0691 -0.0263 -0.0690 -0.1432 0.9789 0.0226 -0.0321
nu     -0.9463 -0.9470 -0.1550 -0.9740 -0.9893 -0.0999 -0.1439 0.9470 0.2912
1.0000 0.9463 0.2598 -0.9744 0.9485 -0.9744 -0.9843 0.0907 0.9629 -0.2141
eta    -1.0000 -1.0000 -0.0064 -0.9949 -0.9833 0.2251 0.1817 1.0000 -0.0334
0.9463 1.0000 -0.0664 -0.9947 1.0000 -0.9947 -0.9784 -0.2360 0.9984 -0.2128
zeta   0.0662 0.0642 -0.4593 -0.0342 -0.1161 -0.9805 -0.9867 -0.0642 0.9984
0.2598 -0.0664 1.0000 -0.0363 -0.0593 -0.0361 -0.1155 0.9849 -0.0103 -0.0251
N      0.9947 0.9950 0.0536 1.0000 0.9968 -0.1247 -0.0806 -0.9950 -0.0691
-0.9744 -0.9947 -0.0363 1.0000 -0.9954 1.0000 0.9918 0.1352 -0.9989 0.2157
phi    -1.0000 -1.0000 -0.0096 -0.9956 -0.9846 0.2183 0.1748 1.0000 -0.0263
0.9485 1.0000 -0.0593 -0.9954 1.0000 -0.9954 -0.9796 -0.2291 0.9988 -0.2131
Ne     0.9948 0.9950 0.0537 1.0000 0.9968 -0.1249 -0.0808 -0.9950 -0.0690
-0.9744 -0.9947 -0.0361 1.0000 -0.9954 1.0000 0.9917 0.1354 -0.9989 0.2157
Nn     0.9784 0.9788 0.0005 0.9916 0.9952 -0.0446 -0.0005 -0.9788 -0.1432
-0.9843 -0.9784 -0.1155 0.9918 -0.9796 0.9917 1.0000 0.0581 -0.9870 0.2154
xp     0.2359 0.2339 -0.4709 0.1373 0.0556 -0.9929 -0.9915 -0.2339 0.9789
0.0907 -0.2360 0.9849 0.1352 -0.2291 0.1354 0.0581 1.0000 -0.1812 0.0120
bp     -0.9984 -0.9985 -0.0322 -0.9990 -0.9920 0.1705 0.1267 0.9985 0.0226
0.9629 0.9984 -0.0103 -0.9989 0.9988 -0.9989 -0.9870 -0.1812 1.0000 -0.2147
Y      0.2128 0.2129 0.0191 0.2157 0.2164 0.1006 0.1105 -0.2129 -0.0321
-0.2141 -0.2128 -0.0251 0.2157 -0.2131 0.2157 0.2154 0.0120 -0.2147 1.0000
Total computing time : 0h10m05s
Note: warning(s) encountered in MATLAB/Octave code
>>

```