

Experiment 9

Name : Kishor Kumar Purushothaman

Roll No : 240701272

AIM:

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js.

PROCEDURE:

Step 1:

Setting Up the HTML Form – Start by creating an HTML form with input fields for the email and phone number.

```
<> login.html > html
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Form Validation</title>
7      <link rel="stylesheet" href="style.css">
8  </head>
9  <body>
10     <div class="container">
11         <form id="myForm">
12             <label for="email">Email:</label>
13             <input type="email" id="email" name="email" placeholder="Enter email">
14             <span id="emailError" class="error"></span>
15
16             <label for="phone">Phone Number:</label>
17             <input type="text" id="phone" name="phone" placeholder="Enter phone number">
18             <span id="phoneError" class="error"></span>
19
20             <button type="submit">Submit</button>
21         </form>
22     </div>
23     <script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/dist/validator.min.js"></script>
24     <script src="script.js"></script>
25 </body>
26 </html>
27
```

login.html – HTML structure with email, phone input fields and Validator.js script

```
Welcome login.html X # style.css JS script.js
login.html > ...
1  ml>
2  en">
3
4  arset="UTF-8">
5  me="viewport" content="width=device-width, initial-scale=1.0">
6  orm Validation</title>
7  l="stylesheet" href="style.css">
8
9
10 ss="container">
11 m id="myForm">
12 <label for="email">Email:</label>
13 <input type="email" id="email" name="email" placeholder="Enter your email" required>
14 <span id="emailError" class="error"></span>
15
16 <label for="phone">Phone Number:</label>
17 <input type="text" id="phone" name="phone" placeholder="Enter your phone number" required>
18 <span id="phoneError" class="error"></span>
19
20 <button type="submit">Submit</button>
21 rm>
22
23 src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>
24 src="script.js"></script>
25
26
```

login.html – Full file view showing complete HTML form structure

Step 2:

Styling the Form with CSS – Add styling to make the form visually appealing with a centered layout, white card container, styled inputs, green submit button, and red error text.


```
Welcome login.html # style.css X JS script.js
# style.css > ...
1  body {
2      font-family: Arial, sans-serif;
3      background-color: #f4f4f4;
4      display: flex;
5      justify-content: center;
6      align-items: center;
7      height: 100vh;
8      margin: 0;
9  }
10
11  .container {
12      background-color: white;
13      padding: 20px;
14      border-radius: 5px;
15      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
16  }
17
18  form {
19      display: flex;
20      flex-direction: column;
21  }
22
23  label {
24      margin-bottom: 5px;
25      font-weight: bold;
26  }
27
28  input {
29      margin-bottom: 10px;
30      padding: 10px;
31      border: 1px solid #ccc;
32      border-radius: 3px;
33      font-size: 14px;
34      width: 300px;
35  }
36
```

style.css – Body, container, form, label and input styling

```
Welcome login.html # style.css X JS script.js
# style.css > ...
37  button {
38      padding: 10px;
39      background-color: #28a745;
40      color: white;
41      border: none;
42      border-radius: 3px;
43      cursor: pointer;
44      font-size: 15px;
45  }
46
47  button:hover {
48      background-color: #218838;
49  }
50
51  .error {
52      color: red;
53      font-size: 0.875em;
54      margin-top: -8px;
55      margin-bottom: 8px;
56  }
57
```

Step 3:

Adding JavaScript for Validation – Add JavaScript to validate the input fields using Validator.js and display error messages for invalid email or phone number inputs.

A screenshot of a code editor with a dark theme. The editor has four tabs at the top: 'Welcome', 'login.html', 'style.css', and 'script.js'. The 'script.js' tab is active, showing JavaScript code for form validation. The code uses the Validator.js library to validate email and phone number inputs. It includes event listeners for the 'submit' event, checks for valid email and mobile phone formats, and displays error messages in specific textContent properties. If both inputs are valid, it logs the values to the console and shows a success alert.

```
JS script.js > ...
1  document.getElementById('myForm').addEventListener('submit', function (e) {
2
3
4      let email = document.getElementById('email').value;
5      let phone = document.getElementById('phone').value;
6      let emailError = document.getElementById('emailError');
7      let phoneError = document.getElementById('phoneError');
8
9      // Clear previous error messages
10     emailError.textContent = '';
11     phoneError.textContent = '';
12
13     // Validate email
14     if (!validator.isEmail(email)) {
15         emailError.textContent = 'Please enter a valid email address.';
16     }
17
18     // Validate phone number
19     if (!validator.isMobilePhone(phone, 'any')) {
20         phoneError.textContent = 'Please enter a valid phone number.';
21     }
22
23     // If no errors, submit the form
24     if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
25         console.log('Email:', email);
26         console.log('Phone:', phone);
27         alert('Form submitted successfully!');
28     }
29 });
30
```

script.js – Form submit event listener with email and phone validation logic

OUTPUT

How the Output Works:

When the user submits the form, the JavaScript validates both fields using Validator.js. If the email format is incorrect (e.g., missing domain like *kishor@gmail*), a red error message 'Please enter a valid email address.' is shown below the email field. If the phone number contains non-numeric characters or is in an invalid format (e.g., *84abc1234*), the message 'Please enter a valid phone number.' appears. If both inputs are valid, the form submits successfully and logs the values to the console with an alert confirmation.

Validation Scenarios:

- **Valid email & phone:** Form submits with a success alert — no error messages shown.
- **Invalid email:** 'Please enter a valid email address.' displayed in red below the email field.
- **Invalid phone number:** 'Please enter a valid phone number.' displayed in red below the phone field.

Result: Thus, an input form that validates email and phone number fields and displays appropriate error messages was successfully designed using HTML, CSS, and JavaScript with Validator.js.