Script-Controlled ACL

Milestone 1: Creation of Users and Roles

Action 1, Action 2 & Action 3 — Step-by-Step Guide

Objective

Create the users and roles required for a Script-Controlled ACL project. These roles will later be used by the ACL script to restrict record access according to the user's role.

Prerequisites

• Log in to the ServiceNow instance with an administrator account.

• Make sure you can open the User Administration and Roles modules.

• Use a development or personal ServiceNow instance for project work.

Action 1 — Create the Required Roles

Step 1: Open the Roles module

1. In the ServiceNow left navigation filter, search for **Roles**.

2. Open **User Administration** → **Roles**.

3. Click **New** to create a role.

Step 2: Create the first role

1. Enter a clear role name, for example: **ACL Manager**.

2. Add a short description: *Role used to manage and test Script-Controlled ACL access.*

3. Click **Submit**.

Step 3: Create the second role

1. Click **New** again.

2. Enter another role, for example: **ACL User**.

3. Add a description: *Standard role for testing restricted record access.*

4. Click **Submit**.

Expected Result — Action 1

The required project roles are available in the Roles list and can be assigned to users for ACL testing.

Action 2 — Create the Users

Step 1: Open Users

1. In the left navigation filter, search for **Users**.

2. Open **User Administration** → **Users**.

3. Click **New**.

Step 2: Create the ACL Manager user

• Enter a first name, for example **ACL Manager**.

• Enter a unique User ID, for example **acl.manager**.

• Complete the required fields and save/submit the user.

Step 3: Create the ACL User

• Click **New** again.

• Enter a first name, for example **ACL User**.

• Enter a unique User ID, for example **acl.user**.

• Complete the required fields and save/submit the user.

Expected Result — Action 2

Two separate test users have been created and can now be given different roles for Script-Controlled ACL testing.

Action 3 — Assign Roles to the Users

Step 1: Open the ACL Manager user

1. Open **User Administration** → **Users**.

2. Search for **ACL Manager** / **acl.manager**.

3. Open the user record.

Step 2: Add the ACL Manager role

1. Find the **Roles** related list.

2. Click **Edit** or **Add**, depending on the instance UI.

3. Select **ACL Manager**.

4. Add the role and save the user record.

Step 3: Assign the ACL User role

1. Open the **ACL User** / **acl.user** record.

2. In the Roles related list, click **Edit** or **Add**.

3. Select and add **ACL User**.

4. Save the user record.

Step 4: Verify the role assignments

Check that each test user has the intended role. Keep the test users separated so their access can be compared during later milestones.

Expected Result — Action 3

Test User	User ID	Assigned Role
ACL Manager	acl.manager	ACL Manager
ACL User	acl.user	ACL User

Milestone 1 Completion Checklist

■ Roles created successfully.

■ ACL Manager test user created.

■ ACL User test user created.

■ Roles assigned to the correct users.

■ User records saved successfully.

■ Users are ready for the next Script-Controlled ACL milestone.

Next Step

After Milestone 1 is complete, proceed to the next milestone where the ACL, script condition, or record-level access logic is configured and tested using the users and roles created here.

Note: Menu names and related-list labels can vary slightly by ServiceNow release, application scope, and UI configuration. Use the equivalent User Administration → Users/Roles options in your instance.