Script-Controlled ACL

Milestone 7: Conclusion — Activities 1, 2 & 3

Step-by-step completion guide prepared from the supplied milestone screenshot. Use this as the final checklist after creating and testing the Script-Controlled ACL.

Milestone 7 Overview

Milestone	Milestone 7 – Conclusion
Purpose	Verify the Script-Controlled ACL, confirm record access behavior, and finish the project.
Activities	Activity 1, Activity 2, Activity 3
Final result	ACL is tested successfully and the project/update set is ready for completion.

Activity 1: Verify the Script-Controlled ACL

1. Sign in to the ServiceNow instance using an account that has permission to test the ACL.
2. Open the application/module where the ACL was created.
3. Open the table or records protected by the Script-Controlled ACL.
4. Select a test record that should be accessible to the authorized user.
5. Confirm that the user can open/read the record as expected.
6. Check the fields or record conditions used by the ACL script.
7. Test with a user who should NOT satisfy the ACL condition.
8. Confirm that the restricted user cannot access the protected record/operation.
9. If the result is incorrect, review the ACL script, conditions, role requirements, and table/field configuration, then test again.

Activity 1 – Expected Result

The Script-Controlled ACL correctly allows authorized access and prevents unauthorized access. The behavior matches the requirement defined in the project.

Activity 2: Validate the Complete ACL Implementation

1. Open the ACL configuration and verify that the correct table, operation, and access type are selected.
2. Verify that the required role/condition settings are present.
3. Review the script logic and make sure it returns the intended allow/deny result.
4. Test the ACL using an authorized user.
5. Test the same protected operation using an unauthorized user.
6. Verify that normal records and permitted operations are not unnecessarily blocked.
7. Confirm that the ACL works after refreshing/reopening the record and does not depend only on a previously cached result.
8. Record the successful test result as evidence for the milestone.

Activity 2 – Expected Result

The ACL implementation is consistent, repeatable, and provides the intended record-access restriction.

Activity 3: Complete the Project / Conclusion

1. Confirm that Activities 1 and 2 have been completed successfully.
2. Review the Script-Controlled ACL and make sure there are no unfinished changes.
3. If the project uses an Update Set, open the relevant Update Set and verify that the required changes are captured.
4. Review the Update Set for the ACL and related configuration records.
5. Make sure all required testing has been completed before marking the work complete.
6. Set the Update Set/project state to the required final or Complete state according to the project instructions.
7. Add a short completion note describing that the ACL was created, tested, and validated.
8. Save the final state and verify that the project shows the conclusion/completion status.

Activity 3 – Expected Result

The Script-Controlled ACL project is successfully concluded. The configuration has been tested, the required changes are recorded, and the final project/update-set state is complete.

Final Verification Checklist

✓	ACL created and configured correctly
✓	Authorized user access tested
✓	Unauthorized user restriction tested
✓	ACL script/conditions reviewed
✓	Required changes captured in the Update Set
✓	Update Set/project moved to the required final state
✓	Milestone 7 Activities 1, 2 and 3 completed

Conclusion: The Script-Controlled ACL has been implemented and validated. After confirming the expected access behavior and completing the required project/update-set steps, Milestone 7 can be marked complete.

Reference: User-supplied screenshot titled “Milestone-7: Conclusion” showing Complexity: Medium, Duration: 10m, Progress: 90%, Stories: 1.