

Install Terraform

<https://developer.hashicorp.com/terraform/tutorials/aws-get-started/install-cli>

Manual Installation

Retrieve the terraform binary by downloading a pre-compiled binary or compiling it from source.

To compile the Terraform binary from source, clone the [HashiCorp Terraform repository](https://github.com/hashicorp/terraform).

git clone <https://github.com/hashicorp/terraform>

Navigate to the new directory.

cd terraform

Then, compile the binary. This command will compile the binary and store it in
\$GOPATH/bin/terraform.

go install

Finally, make sure that the terraform binary is available on your PATH. This process will differ depending on your operating system.

Linux Installation

HashiCorp officially maintains and signs packages for the following Linux distributions.

Ubuntu/Debian

Ensure that your system is up to date and you have installed the gnupg, software-properties-common, and curl packages installed. You will use these packages to verify HashiCorp's GPG signature and install HashiCorp's Debian package repository.

sudo apt-get update && sudo apt-get install -y gnupg software-properties-common

Install the HashiCorp [GPG key](#).

**wget -O- <https://apt.releases.hashicorp.com/gpg> | **

```
gpg --dearmor | \
```

```
sudo tee /usr/share/keyrings/hashicorp-archive-keyring.gpg > /dev/null
```

Verify the key's fingerprint.

```
gpg --no-default-keyring \
```

```
--keyring /usr/share/keyrings/hashicorp-archive-keyring.gpg \
```

```
--fingerprint
```

The gpg command will report the key fingerprint:

```
/usr/share/keyrings/hashicorp-archive-keyring.gpg
```

```
-----  
pub  rsa4096 XXXX-XX-XX [SC]
```

```
AAAA AAAA AAAA AAAA
```

```
uid      [ unknown] HashiCorp Security (HashiCorp Package Signing)
```

```
<security+packaging@hashicorp.com>
```

```
sub  rsa4096 XXXX-XX-XX [E]
```

Add the official HashiCorp repository to your system. The `lsb_release -cs` command finds the distribution release codename for your current system, such as `buster`, `groovy`, or `sid`.

```
echo "deb [arch=$(dpkg --print-architecture) signed-by=/usr/share/keyrings/hashicorp-  
archive-keyring.gpg] https://apt.releases.hashicorp.com $(grep -oP  
'(?<=UBUNTU_CODENAME=).*' /etc/os-release || lsb_release -cs) main" | sudo tee  
/etc/apt/sources.list.d/hashicorp.list
```

Download the package information from HashiCorp.

```
sudo apt update
```

Install Terraform from the new repository.

```
sudo apt-get install terraform
```

CentOS/RHEL

Install `yum-config-manager` to manage your repositories.

```
sudo yum install -y yum-utils
```

Use `yum-config-manager` to add the official HashiCorp Linux repository.

```
sudo yum-config-manager --add-repo  
https://rpm.releases.hashicorp.com/RHEL/hashicorp.repo
```

Install Terraform from the new repository.

```
sudo yum -y install terraform
```

Fedora 40

Install dnf config-manager to manage your repositories.

```
sudo dnf install -y dnf-plugins-core
```

Use dnf config-manager to add the official HashiCorp Linux repository.

```
sudo dnf config-manager --add-repo  
https://rpm.releases.hashicorp.com/fedora/hashicorp.repo
```

Install Terraform from the new repository.

```
sudo dnf -y install terraform
```

Fedora 41

Install dnf config-manager to manage your repositories.

```
sudo dnf install -y dnf-plugins-core
```

Use dnf config-manager to add the official HashiCorp Linux repository.

```
sudo dnf config-manager addrepo --from-  
repopfile=https://rpm.releases.hashicorp.com/fedora/hashicorp.repo
```

Install Terraform from the new repository.

```
sudo dnf -y install terraform
```

Amazon Linux

Install yum-config-manager to manage your repositories.

```
sudo yum install -y yum-utils
```

Use yum-config-manager to add the official HashiCorp Linux repository.

```
sudo yum-config-manager --add-repo
```

```
https://rpm.releases.hashicorp.com/AmazonLinux/hashicorp.repo
```

Install Terraform from the new repository.

```
sudo yum -y install terraform
```

Verify the installation

Verify that the installation worked by opening a new terminal session and listing Terraform's available subcommands.

```
$ terraform -help
```

```
Usage: terraform [-version] [-help] <command> [args]
```

The available commands for execution are listed below.

The most common, useful commands are shown first, followed by less common or more advanced commands. If you're just getting started with Terraform, stick with the common commands. For the other commands, please read the help and docs before usage.