APPENDIX I

E-Repair

A PROJECT REPORT

Submitted by

Macha Nanda Kishore

in partial fulfillment for the award of the degree of

BACHELOR OF TECHNOLOGY IN COMPUTER SCIENCE ENGINEERING



Lovely Professional University, Punjab

Reg No. 12416953

NOVEMBER 2024

APPENDIX III

TABLE OF CONTENTS

S. NO.	CHAPTER NAME	PAGE NO.
1	Title Page	i
2	Table of Contents	ii
3	Abstract	iii
4	Introduction	iv
5	Technology Used	v
6	Workflow	vi
7	Working of the Project	viii
8	Code Snippets	ix
9	Screenshots	xvi
10	Conclusion	xviii

ABSTRACT

E-Repair refers to the process of repairing electronic devices and systems through electronic means, often involving the use of advanced technologies such as machine learning, artificial intelligence, and remote diagnostics. This approach aims to enhance the efficiency, accuracy, and convenience of electronic repairs, reducing the need for physical intervention and minimizing downtime. By leveraging digital tools and platforms, E-Repair enables technicians to diagnose issues, generate repair solutions, and even perform certain repairs remotely. This not only streamlines the repair process but also contributes to sustainability by extending the lifespan of electronic products and reducing electronic waste.

INTRODUCTION

E-Repair is a revolutionary approach to the maintenance and repair of electronic devices and systems, leveraging digital technologies and remote capabilities to streamline the process. As electronics become increasingly integral to daily life and industry, the need for efficient, cost-effective, and sustainable repair solutions has grown. E-Repair addresses this need by utilizing advanced tools such as machine learning, artificial intelligence, and Internet of Things (IoT) devices.


TECHNOLOGY USED

The technology used for the development of typing speed test website are:

- · HTML Used for the structure and layout of the website, including the organization of different sections and career cards.
- · CSS Employed for styling and layout, with features such as parallax scrolling effects, color schemes, and responsive design elements.
- · JavaScript Facilitates interactive features such as search functionality, showing/hiding career details, and parallax animations for enhanced user experience.

WORKFLOW

The E-Repair website simplifies the repair process for electronic devices through a user-friendly, streamlined workflow. Users begin by registering or logging into their accounts, then select the device or service they need assistance with. An online diagnostic tool helps identify the issue, and users can either book an appointment for remote support or submit a repair request if further intervention is needed. The website allows users to track their repair status in real-time and arrange for device pickup and drop-off. Once the repair is completed, users are notified and can provide feedback on the service. This efficient process ensures quick, reliable, and convenient electronic repairs from start to finish.



WORKING OF THE PROJECT

The E-Repair project is an innovative initiative designed to streamline the process of repairing electronic devices using advanced digital tools. The primary objective is to enhance the efficiency, reliability, and convenience of electronic repairs by integrating remote diagnostics, predictive maintenance, and real-time status tracking. Users can easily register on the platform, select their device, and run a diagnostic tool to identify issues. They have the option to book repair services or request remote assistance from expert technicians. The platform also offers a seamless pickup and drop-off service for physical repairs, ensuring a hassle-free experience. With its user-friendly interface and transparent pricing, the E-Repair project aims to provide a comprehensive solution that not only extends the lifespan of electronic devices but also promotes sustainability by reducing electronic waste. By leveraging modern technologies, E-Repair sets a new standard in the repair industry, delivering high-quality service and customer satisfaction.

CODE SNIPPENTS

The HTML code of the project is as follow:


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            margin: 0;
            padding: 0;
            font-family: montserrat;
            background: linear-
gradient(120deg, rgb(192, 122, 122), #8e44ad);
            height: 100vh;
            overflow: hidden;
        .center{
            position: absolute;
            top: 50%;
            left: 50%;
            transform: translate(-50%, -50%);
            width: 400px;
            background: white;
            border-radius: 10px;
        .center h1{
            text-align: center;
            padding: 0 0 20px 0;
            border-bottom: 1px solid silver;
```

```
}
.center form{
    padding: 0 40px;
    box-sizing: border-box;
}
form .txt field{
    position: relative;
    border-bottom: 2px solid #adadad;
    margin: 30px 0;
}
.txt_field input{
    width: 100%;
    padding: 0 5px;
    height: 40px;
    font-size: 16px;
    border: none;
    background: none;
    outline: none;
}
.txt field label{
    position: absolute;
    top: 50%;
    left: 5px;
    color: #adadad;
    transform: translateY(-50%);
    font-size: 16px;
    pointer-events: none;
.txt_field span::before{
    content: '';
    position: absolute;
    top: 40px;
    left: 0;
```

```
width: 100%;
    height: 2px;
    background: #2691d9;
    transition: 0.5s;
}
.txt field input:focus ~ label,
.txt field input:valid ~ label{
   top: -5px;
    color: #2691d9;
}
.txt field input:focus ~ span::before,
.txt field input:valid ~ span::before{
   width: 100%;
}
.pass{
    margin: -5px 0 20px 5px;
    color: #a6a6a6;
    cursor: pointer;
}
.pass:hover{
    text-decoration: underline;
.submit {
   width: 100%;
    height: 50px;
    border: 1px solid;
    background: #2691d9;
    border-radius: 20px;
    font-size: 18px;
    color: #e9f4fb;
    font-weight: 700;
    cursor: pointer;
    outline: none;
    text-align: center;
```

```
padding-top: 18px;
        }
        .submit:hover{
            border-color: #2694d9;
            transition: .5s;
        }
        .signup_link{
            margin: 30px 0;
            text-align: center;
            font-size: 16px;
            color: #666666;
        .signup link a{
            color: #2691d9;
            text-decoration: none;
        .signup_link a:hover{
            text-decoration: underline;
        }
    </style>
</head>
<body>
    <div class="center">
        <h1>Login</h1>
        <form method="post">
            <div class="txt field">
                <input type="text" required>
```

```
<label>Username</label>
                <span></span>
            </div>
            <div class="txt field">
                <input type="password" required>
                <label>Password</label>
                <span></span>
            </div>
            <div class="pass">Forgot Password?</div>
             <div class="submit">
                <a href="E-Repair.html">Login</a>
             </div>
            <div class="signup_link">
                Not a member? <a href="#">Sing up</a>
            </div>
        </form>
    </div>
</body>
</html>
```



```
After Login Page code.....
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <title>Responsive E-Repair Website</title>
    <!--Link To CSS -->
    <link rel="stylesheet" href="style.css">
    <!-- Box -->
    Ink
href='https://unpkg.com/boxicons@2.1.4/css/boxicons.m
in.css' rel='stylesheet'>
    <style>
        *{
            margin: 0;
            padding: 0;
            scroll-padding-top: 1rem;
            scroll-behavior: smooth;
            list-style: none;
            text-decoration: none;
            box-sizing: border-box;
        }
        :root {
            --main-color:#d90429 ;
            --text-color: #020102;
            --bg-color: #fff;
        /* Custom Scroll Bar */
        html::webkit-sctollbar {
            Shorthand property for setting most
background:
```

```
body{
            background-color: rgb(219, 180, 180);
        section {
            padding: 4rem 0 2rem;
        }
        img{
            width: 100%;
        body{
            color: var(--text-color);
        .container{
            max-width: 1068px;
            margin-left: auto;
            margin-right: auto;
        header{
            display: block;
            width: 100%;
            position: fixed;
            top: 0;
            left: 0;
            z-index: 100;
        header.shadow {
            background: var(--bg-color);
            box-shadow: 4px 4px 20px rgb(15 54 55 /
20%);
            transition: 0.5s;
        header.shadow #search-icon {
            color: var(--text-color);
```

```
}
.nav{
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 20px 35;
#menu-icon{
    font-size: 24px;
    cursor: pointer;
    color: var(--text-color);
    display: none;
}
.logo{
    font-size: 1.2rem;
    font-weight: 700;
    color: var(--text-color);
}
.logo span{
    color: var(--main-color);
}
.navbar{
    display: flex;
    column-gap: 2rem;
}
.navbar a{
    color: var(--text-color);
    font-size: 1rem;
    text-transform: uppercase;
    font-weight: 500;
}
.navbar a:hover,
```

```
.navbar .active {
            color: var(--main-color);
            border-bottom: 3px solid var(--main-
color);
        #search-icon{
            font-size: 24px;
            cursor: pointer;
        }
        .search-box {
            position: absolute;
            top: 10%;
            right: 0;
            left: 0;
            background: var(--bg-color);
            box-shadow: 4px 4px 20px rgb(15 54 55 /
10%);
            border: 1px solid var(--main-color);
            border-radius: 0.5rem;
            clip-path: circle(0% at 100% 0%);
        .search-box input {
            width: 100%;
            padding: 20px;
            border: none;
            outline: none;
            background: transparent;
            font-size: 1rem;
        .search-box.active{
            clip-path: circle(144% at 100% 0%);
            transition: 0.4s;
        .home{
```

```
max-width: 1300px;
   margin: auto;
   width: 100%;
    min-height: 640px;
    display: flex;
    align-items: center;
    background: url("Background-home.png");
    background-repeat: no-repeat;
    background-size: cover;
    background-position: center left;
}
.home-text{
    padding-left: 130px;
.home-text h1{
    font-size: 2.4rem;
.home-text span{
    color: var(--main-color);
.home-text p {
   font-size: 0.938rem;
    font-weight: 300;
   margin: 0.5rem 0 1.2rem;
}
.btn{
    padding: 10px 22px;
    background: var(--main-color);
    color: var(--bg-color);
    font-weight: 400;
.btn:hover {
    background: #fd052f;
}
```

```
.heading{
    text-align: center;
.heading span{
   font-weight: 500;
    color: var(--main-color);
}
.headding p{
    font-size: 0.938rem;
   font-weight: 300;
.cars-container{
    display: flex;
    flex-wrap: wrap;
    gap: 2rem;
   margin-top: 2rem;
}
.cars-container .box{
    flex: 1 1 17rem;
    position: relative;
    height: 200px;
    border-radius: 0.5rem;
    overflow: hidden;
}
.cars-container .box img{
   width: 100%;
    height: 100%;
    object-fit: cover;
    overflow: hidden;
.cars-container .box img:hover{
    transform: scale(1.1);
    transition: 0.5s;
}
```

```
.cars-container .box h2{
    position: absolute;
    bottom: 1rem;
    left: 1rem;
    font-weight: 400;
    font-size: 1rem;
    background: var(--bg-color);
    padding: 8px;
    border-radius: 0.5rem;
.cars-container .box:hover h2{
    background-color: var(--main-color);
    color: var(--bg-color);
}
.about{
    display: flex;
    flex-wrap: wrap;
    align-items: center;
    gap: 1.5rem;
.about-img{
   flex: 1 1 21rem;
.about-text{
    flex: 1 1 21rem;
.about-text span {
    font-size: 500;
    color: var(--main-color);
.about-text h2{
   font-size: 1.7rem;
}
```

```
.about-text p {
    font-size: 0.938rem;
   margin: 0.5rem 0 1.4rem;
}
.parts-container{
    display: flex;
    flex-wrap: wrap;
    gap: 2rem;
    margin: 2rem;
}
.parts-container .box {
    flex: 1 1 17rem;
    position: relative;
    padding: 20px;
    display: flex;
    flex-direction: column;
    background: #f6f6f6;
    border-radius: 0.5rem;
}
.parts-container .box img{
   width: 100%;
    height: 150px;
    object-fit: contain;
    object-position: center;
    margin-bottom: 1rem;
}
.parts-container .box h3{
    font-size: 1.1rem;
    font-weight: 600
.parts-container .box span {
    font-size: 1.1rem;
    font-weight: 600
    color: var(--bg-color);
```

```
}
.parts-container .box .bx {
    color: var(--main-color);
   margin: 0.8rem 0;
}
.parts-container .box .btn {
    max-width: 120px;
.parts-container .box .details{
    display: flex;
    align-items: center;
    position: absolute;
    bottom: 1.8rem;
    right: 1rem;
    font-size: 1rem;
    color: var(--text-color);
.parts-container .box .details:hover {
    color: var(--main-color);
    text-decoration: underline;
.blog-container{
    display: flex;
    flex-wrap: wrap;
    gap: 2rem;
    margin-top: 2rem;
}
.blog-container .box{
    flex: 1 1 13rem;
    padding: 20px;
.blog-container .box:hover{
    background: #f6f6f6;
}
```

```
.blog-container .box span{
    font-size: 0.8rem;
    color: var(--main-color);
}
.blog-container h3 {
    font-size: 1.2rem;
.blog-container .box p {
    font-size: 0.938rem;
   margin: 4px 0;
.blog-container .box .blog-btn{
    display: flex;
    align-items: center;
    column-gap: 4px;
    color: var(--text-color);
.blog-container .box .blog-btn .bx {
    font-size: 20px;
.blog-container .box .blog-btn:hover{
    color: var(--main-color);
    column-gap: 0.7rem;
    transition: 0.4s;
.footer{
    background: var(--text-color);
    color: #f6f6f6;
    border-top: 2px solid var(--main-color);
.footer-container{
    display: flex;
    justify-content: space-between;
```

```
gap: 1rem;
}
.footer-container .logo{
    color: var(--bg-color);
   margin-bottom: 1rem;
}
.footer-container .footer-box{
    display: flex;
   flex-direction: column;
}
.social{
    display: flex;
    align-items: center;
}
.social a{
    font-size: 24px;
    color: var(--bg-color);
   margin-right: 1rem;
.social a:hover{
    color: var(--main-color);
.footer-box h3{
    font-size: 1.1rem;
    font-weight: 400;
   margin-bottom: 1rem;
.footer-box a,
.footer-box p {
    color: #818181;
   margin-bottom: 10px;
```

```
}
       .footer-box a:hover {
           color: var(--main-color);
       .copyright{
           padding: 20px;
           text-align: center;
           color: var(--bg-color);
           background: var(--text-color);
   </style>
</head>
<body>
   <!-- Navbar -->
    <header>
       <!-- Nav Container -->
        <div class="nav container">
           <!-- Menu Icons -->
           <i class='bx bx-menu' id="menu-icon"></i></i></or>
           <!-- Logo -->
           <a href="#" class="logo">E-
<span>Repair</span></a>
           <!-- Nav List -->
           <a href="#home"
class="active">Home</a>
               <a
href="#Servies">Servies</a>
               <a href="#about">About</a>
               <a href="#parts">Parts</a>
               <a href="#blog">Our Blog</a>
           <!-- Search -->
```

```
<i class='bx bx-search' id="search-</pre>
icon"></i>
            <!-- search Box -->
             <div class="search-box container">
                <input type="search" name="" id=""</pre>
placeholder="Search here...">
             </div>
         </div>
     </header>
     <!-- Home -->
      <section class="home" id="home">
        <div class="home-text">
            <h1>We Have Everything <br> Your</br>
<span>Services</span> Need</h1>
            "The technician was clearly very
experienced and knowledgeable. <br > He explained what
he was doing every step of the way and <br>>made sure
everything was working perfectly before he left."
            <!-- Home Button -->
             <a href="#" class="btn">Discover Now</a>
        </div>
      </section>
      <!-- Car Section -->
       <section class="cars" id="cars">
        <div class="heading">
            <span>All Services</span>
            <h2>We have all types Services</h2>
            "I had a complicated wiring issue, but
they figured it out quickly and efficiently. I really
appreciated their problem-solving skills and
attention to detail."
        </div>
        <!-- cars container -->
```

```
<div class="cars-container container">
            <!-- hox 1 -->
            <div class="box">
                 <img src="AC Conditioner.avif"</pre>
alt="">
                 <h2><button> <a href="Sevices.html"
class="btn">Service</a></button></h2>
            </div>
            <!-- box 2 -->
            <div class="box">
                 <img src="RO.jpg" alt="">
                 <h2><button> <a href="Sevices.html"
class="btn">Service</a></button></h2>
            </div>
            <!-- box 3 -->
            <div class="box">
                 <img src="Refrigerator.jpg" alt="">
                 <h2><button> <a href="Sevices.html"</pre>
class="btn">Service</a></button></h2>
            </div>
            <!-- box 4 -->
            <div class="box">
                 <img src="TV.jpg" alt="">
                 <h2><button> <a href="Sevices.html"</pre>
class="btn">Service</a></button></h2>
            </div>
            <!-- box 5 -->
            <div class="box">
                 <img src="Fan.webp" alt="">
                 <h2><button> <a href="Sevices.html"</pre>
class="btn">Service</a></button></h2>
            </div>
            <!-- box 6 -->
            <div class="box">
```

```
<img src="washing-machine.avif"</pre>
alt="">
                <h2><button> <a href="Sevices.html"
class="btn">Service</a></button></h2>
            </div>
         </div>
       </section>
       <!-- About -->
        <section class="about container" id="about">
            <div class="about-img">
                <img src="Home Service.webp" alt="">
            </div>
            <div class="about-text">
                <span>About Us</span>
                <h2>Cheap Prices with <br>Quality</br>
Services</h2>
                "The team arrived right on time"
and was very professional throughout. They quickly
diagnosed the issue and fixed it with no hassle. I
couldn't be happier with the service!"
                <!-- About Button -->
                 <a href="#" class="btn">Learn
More</a>
            </div>
        </section>
        <!-- parts section -->
         ,<section class="parts" id="parts">
            <div class="heading">
                <span>What We Offer</span>
                <h2>Our Products Is Always
Excellent</h2>
                "This product exceeded all my
```

```
expectations. The quality is fantastic, and it's
built to last. Highly recommend!"
            </div>
            <!-- parts Container -->
             <div class="parts-container container">
                <!-- box 1 -->
                <div class="box">
                     <img src="Cooler.jpg" alt="">
                     <h3>Cooler</h3>
                     <span>$188.99</span>
                     <i class='bx bxs-star'>(4
Reviews)</i>
                    <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                     <a href="#" class="details">View
Details</a>
                </div>
                <!-- box 2 -->
                <div class="box">
                     <img src="Oven.jpg" alt="">
                     <h3>0ven</h3>
                     <span>$120.99</span>
                     <i class='bx bxs-star'>(4.1
Reviews)</i>
                     <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                     <a href="#" class="details">View
Details</a>
                </div>
                <!-- box 3 -->
                <div class="box">
                     <img src="Mixer.jpg" alt="">
                    <h3>Mixer</h3>
                     <span>$45.99</span>
```


```
<i class='bx bxs-star'>(4.0
Reviews)</i>
                     <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                     <a href="#" class="details">View
Details</a>
                 </div>
                 <!-- box 4 -->
                 <div class="box">
                     <img src="Rice Cooker.jpg"</pre>
alt="">
                     <h3>Rice Cooker</h3>
                     <span>$40.99</span>
                     <i class='bx bxs-star'>(3.9)
Reviews)</i>
                     <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                     <a href="#" class="details">View
Details</a>
                 </div>
                 <!-- box 5 -->
                 <div class="box">
                     <img src="Electric Pan.avif"</pre>
alt="">
                     <h3>Electric Pan</h3>
                     <span>$69.99</span>
                     <i class='bx bxs-star'>(4.1
Reviews)</i>
                     <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                     <a href="#" class="details">View
Details</a>
                 </div>
                 <!-- box 6 -->
```


```
<div class="box">
                    <img src="Water Pump.webp"</pre>
alt="">
                    <h3>Water Pump</h3>
                    <span>$120.99</span>
                    <i class='bx bxs-star'>(4.2
Reviews)</i>
                    <a href="Add cart.html"</pre>
class="btn">Buy Now</a>
                    <a href="#" class="details">View
Details</a>
                </div>
             </div>
         </section>
         <!-- Blog Container -->
         <section class="blog" id="blog">
            <div class="heading">
                <span>Blog & News</span>
                <h2>Our Blog Content</h2>
                "The electrician arrived on time"
and quickly diagnosed the issue. The repair was done
efficiently, and everything is working perfectly now.
Excellent service.
            </div>
            <!-- Blog Container -->
             <div class="blog-container container">
                <!-- Box 1 -->
                 <div class="box">
                    <img src="RO.jpg" alt="">
                    <span>Jan 22 2024</span>
                    <h3>How To Get Perfact Service At
Low Price</h3>
                    "I had an excellent experience"
with Planet Electricals in Bangalore.
```


```
<a href="#" class="blog-btn">Read
More<i class='bx bx-right-arrow-alt' ></i>
                 </div>
                 <!-- Box 2 -->
                 <div class="box">
                   <img src="TV.jpg" alt="">
                   <span>Mar 10 2024
                    <h3>How To Get Perfact Service At
Low Price</h3>
                   The electrician arrived within
30 minutes and did a fantastic job with the wiring
and switchboard installation. Highly recommend!"
                   <a href="#" class="blog-btn">Read
More<i class='bx bx-right-arrow-alt' ></i>
                 </div>
                 <!-- Box 3 -->
                 <div class="box">
                   <img src="Fan.webp" alt="">
                   <span>June 02 2024</span>
                    <h3>How To Get Perfact Service At
Low Price</h3>
                   "I was pleasantly surprised by
their affordable pricing. They provided a detailed
quote upfront, and there were no hidden charges.
Great value for the money!"
                   <a href="#" class="blog-btn">Read
More<i class='bx bx-right-arrow-alt' ></i>
                 </div>
             </div>
         </section>
         <section class="footer">
            <div class="footer-container container">
                <div class="footer-box">
                   <a href="#" class="logo">E-
```


```
<span>Repair</span></a>
                     <div class="social">
                         <a href="#"><i class='bx bxl-</pre>
facebook-circle'></i></a>
                         <a href="#"><i class='bx bxl-</pre>
twitter' ></i></a>
                         <a href="#"><i class='bx bxl-</pre>
instagram' ></i></a>
                         <a href="#"><i class='bx bxl-</pre>
youtube' ></i></a>
                     </div>
                </div>
                <div class="footer-box">
                     <h3>Page</h3>
                     <a href="#">Home</a>
                     <a href="#">Service</a>
                     <a href="#">parts</a>
                     <a href="#">Sales</a>
                </div>
                <div class="footer-box">
                     <h3>Legal</h3>
                     <a href="#">Privacy</a>
                     <a href="#">Refund Policy</a>
                     <a href="#">Cookie Policy</a>
                </div>
                <div class="footer-box">
                     <h3>Contact</h3>
                     United States
                     Japan
                     Germany
                </div>
            </div>
```


```
</section>
         <!-- copyright -->
          <div class="copyright">
            © E-Repair All Right Reserved
          </div>
     <!-- Link to JS -->
      <script src="main.js"></script>
</body>
</html>
JAVA SCRIPT PAGE.....
let search = document.querySelector('.search-box');
document.querySelector('#search-icon').onclick = ()
=> {
    search.classList.toggle('active');
}
//Header
let header = document.querySelector('header');
window.addEventListener('scroll' , () => {
    header.classList.toggle('shadow', window.scrollY
> 0);
});
```

















```
Sevice Page.....
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <title>Document</title>
    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: "poppins", sans-serif;
        body {
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            background-color: #D0EFFF;
        }
        .container{
            position: relative;
            max-width: 700px;
            width: 100%;
            background: #F5F5F5;
            padding: 25px;
            border-radius: 8px;
            box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
        }
        .container header {
```

```
font-size: 1.5rem;
    color: #333;
    font-weight: 500;
    text-align: center;
}
.container .form {
    margin-top: 30px;
.form .input-box {
   width: 100%;
   margin-top: 20px;
.service {
   width: 100%;
   margin-top: 20px;
    border-radius: 8px;
    height: 50px;
.input-box label{
    color: #333;
.form .input-box input {
    position: relative;
    height: 50px;
   width: 100%;
    outline: none;
    font-size: 1rem;
    border: 1px solid #ddd;
    border-radius: 6px;
    padding: 0 15px;
    margin-top: 8px;
}
.form .column {
```

```
display: flex;
            column-gap: 15px;
        .form button {
            height: 55px;
            width: 100%;
            color: #fff;
            font-size: 1rem;
            border: none;
            margin-top: 30px;
            cursor: pointer;
            font-weight: 400;
            border-radius: 4px;
            transition: all 0.2s ease;
            background-color: green;
        .form button:hover{
            background-color: rgb(0, 97, 0);
        }
    </style>
</head>
<body>
    <section class="container">
        <header>Add Service Address</header>
        <form action="#" class="form">
            <div class="input-box">
                 <label>Full Name</label>
                 <input type="text" placeholder="Enter</pre>
Full Name" required>
            </div>
            <div class="input-box">
                 <label>Email Address</label>
                 <input type="text" placeholder="Enter</pre>
```

```
email address" required>
             </div>
             <div class="input-box">
                 <label>Services Problem</label>
                 <select name="Dropdown" id="Service"</pre>
class="service">
                     <option value="Ac Service">AC
Service</option>
                     <option value="Washing</pre>
Mechine">Washing Mechine</option>
                     <option value="Fan Service">Fan
Service</option>
                     <option value="RO Service">RO
service</option>
                     <option value="Refrigerator</pre>
Service">Refrigerator Service</option>
                     <option value="Short</pre>
Circuit">Short Circuit</option>
                     <option value="Tv Service">Tv
Service</option>
                     <option
value="Plumbing">Plumbing</option>
                 </select>
             </div>
             <div class="column">
                 <div class="input-box">
                     <label>Phone Number</label>
                     <input type="text"</pre>
placeholder="Enter Phone Number">
                 </div>
                 <div class="input-box">
                     <label>Pin Code</label>
                     <input type="text"</pre>
placeholder="Enter Pin Code">
```

```
</div>
             </div>
             <div class="input-box">
                 <label>Address</label>
                 <input type="text"</pre>
placeholder="State" required>
                 <input type="text"</pre>
placeholder="Distict" required>
                 <input type="text" placeholder="Enter</pre>
your City" required>
                 <input type="text" placeholder="Enter</pre>
Street address" required>
                 <input type="text" placeholder="Enter</pre>
Street address line 2" required>
             </div>
             <button>Save Address/button>
        </form>
    </section>
</body>
</html>
```



```
Buying Page......
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <title>Document</title>
    <style>
        *{
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: "poppins", sans-serif;
        body {
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            padding: 20px;
            background-color: violet;
        }
        .container{
            position: relative;
            max-width: 700px;
            width: 100%;
            background: #fff;
            padding: 25px;
            border-radius: 8px;
            box-shadow: 0 0 15px rgba(0, 0, 0, 0.1);
        }
        .container header {
```

```
font-size: 1.5rem;
    color: #333;
    font-weight: 500;
    text-align: center;
}
.container .form {
    margin-top: 30px;
.form .input-box {
   width: 100%;
   margin-top: 20px;
.input-box label{
    color: #333;
.form .input-box input {
    position: relative;
    height: 50px;
   width: 100%;
    outline: none;
    font-size: 1rem;
    border: 1px solid #ddd;
    border-radius: 6px;
    padding: 0 15px;
    margin-top: 8px;
.form .column {
    display: flex;
    column-gap: 15px;
.form button {
   height: 55px;
   width: 100%;
    color: #fff;
```

```
font-size: 1rem;
            border: none;
            margin-top: 30px;
            cursor: pointer;
            font-weight: 400;
            border-radius: 4px;
            transition: all 0.2s ease;
            background-color: green;
        .form button:hover{
            background-color: rgb(0, 97, 0);
        }
    </style>
</head>
<body>
    <section class="container">
        <header>Add Delivery Address/header>
        <form action="#" class="form">
            <div class="input-box">
                 <label>Full Name</label>
                 <input type="text" placeholder="Enter</pre>
Full Name" required>
            </div>
            <div class="input-box">
                 <label>Email Address</label>
                 <input type="text" placeholder="Enter</pre>
email address" required>
            </div>
            <div class="column">
                 <div class="input-box">
                     <label>Phone Number</label>
                     <input type="text"</pre>
placeholder="Enter Phone Number">
```

```
</div>
                 <div class="input-box">
                     <label>Pin Code</label>
                     <input type="text"</pre>
placeholder="Enter Pin Code">
                 </div>
             </div>
             <div class="input-box">
                 <label>Address</label>
                 <input type="text"</pre>
placeholder="State" required>
                 <input type="text"</pre>
placeholder="Distict" required>
                 <input type="text" placeholder="Enter</pre>
your City" required>
                 <input type="text" placeholder="Enter</pre>
Street address" required>
                 <input type="text" placeholder="Enter</pre>
Street address line 2" required>
             </div>
             <button>Save Address
        </form>
    </section>
</body>
</html>
```

