# Week4 12 Doc2vec tf idf

## May 1, 2021

### Word2Vec and TF-IDF

- 1. Create a Doc2Vec model that represents words and documents into numerical vectors
- 2. Find words related to other words
- 3. Find the document that has the closest meaning to a list of key words like in a search engine
- 4. Create a TF-IDF search engine

# Import Libraries

```
[2]: import numpy as np
  import pandas as pd
  import matplotlib.pyplot as plt
  %matplotlib inline

from gensim.models import Doc2Vec
  from collections import namedtuple
  import gensim.utils
  from langdetect import detect
  import re
  import string
```

/home/jayanthikishore/anaconda3/lib/python3.8/site-packages/gensim/similarities/\_\_init\_\_.py:15: UserWarning:

The gensim.similarities.levenshtein submodule is disabled, because the optional Levenshtein package <a href="https://pypi.org/project/python-Levenshtein">https://pypi.org/project/python-Levenshtein</a> is unavailable. Install Levenhstein (e.g. `pip install python-Levenshtein`) to suppress this warning.

Load and explore the dataset

```
imdbdata.head()
```

```
[4]:
                                                  overview \
     O Led by Woody, Andy's toys live happily in his ...
     1 When siblings Judy and Peter discover an encha...
     2 A family wedding reignites the ancient feud be...
     3 Cheated on, mistreated and stepped on, the wom...
     4 Just when George Banks has recovered from his ...
                     original_title
     0
                          Toy Story
     1
                            Jumanji
                   Grumpier Old Men
     3
                  Waiting to Exhale
     4 Father of the Bride Part II
```

Preprocessing the text data

```
[5]: SentimentDocument = namedtuple('SentimentDocument', 'words tags title,
     n=0
    alldocs = [] # Will hold all docs in original order
    regex = re.compile('[%s]' % re.escape(string.punctuation)) #to remove_
     \rightarrow punctuation
    for line no, line in enumerate(data):
         if (type(line)==str):
            if (len(line)>150):
                 if (detect(line) == 'en') :
                    line = regex.sub('', line)
                     tokens = gensim.utils.to_unicode(line).lower().split()
                     words = tokens[0:]
                     tags = [n]
                    title = titles[line_no]
                     alldocs.append(SentimentDocument(words, tags, title, line_no))
                    n=n+1
```

Some insights of the dataset:

```
[6]: l = []
for doc in alldocs:
    l.append(len(doc.words))


print('Number of Documents : ', len(alldocs))
print('Mean length of documents : ', np.mean(l))
```

```
plt.figure (figsize=(20, 6))
plt.bar(range(0, len(1)), 1)
plt.xlabel('Documents')
plt.ylabel('Length of the description')
```

Number of Documents: 34178

Mean length of documents: 65.90962022353561

# [6]: Text(0, 0.5, 'Length of the description')



### Doc2Vec model:

- The vectors will be of size 300 and the window size is 10. We are ignoring words count that are less than 10 times in the entire corpus.
  - gensim: https://radimrehurek.com/gensim/
  - Doc2Vec: https://radimrehurek.com/gensim/models/doc2vec.html
  - A great article introducing the concepts behind Doc2Vec https://medium.com/scaleabout/a-gentle-introduction-to-doc2vec-db3e8c0cce5e
  - Detailed scientific paper: https://cs.stanford.edu/~quocle/paragraph vector.pdf

```
[7]: # An example of how the list alldocs is build

index = 0
doc = alldocs[index]
print(doc, '\n')
print(data[doc.original_number])
```

```
SentimentDocument(words=['led', 'by', 'woody', 'andys', 'toys', 'live',
'happily', 'in', 'his', 'room', 'until', 'andys', 'birthday', 'brings', 'buzz',
'lightyear', 'onto', 'the', 'scene', 'afraid', 'of', 'losing', 'his', 'place',
'in', 'andys', 'heart', 'woody', 'plots', 'against', 'buzz', 'but', 'when',
'circumstances', 'separate', 'buzz', 'and', 'woody', 'from', 'their', 'owner',
'the', 'duo', 'eventually', 'learns', 'to', 'put', 'aside', 'their',
'differences'], tags=[0], title='Toy Story', original_number=0)
```

Led by Woody, Andy's toys live happily in his room until Andy's birthday brings Buzz Lightyear onto the scene. Afraid of losing his place in Andy's heart, Woody plots against Buzz. But when circumstances separate Buzz and Woody from their owner, the duo eventually learns to put aside their differences.

```
[9]: # PV-DM
      model = Doc2Vec(dm=1,__
       -vector_size=300,window=10,hs=0,min_count=10,dbow_words=1,sample=1e-5)
      # build the vocabulary
      model.build_vocab(alldocs)
[10]: model.train(alldocs, total_examples=model.corpus_count, epochs=100,
       ⇒start_alpha=0.01, end_alpha=0.01)
[11]: # model.save("/home/jayanthikishore/Downloads/model")
      #Doc2Vec.load("model")
     Evaluating words embedding
[12]: model.wv.most_similar_cosmul(positive = ["love"])
[12]: [('madly', 0.8194813132286072),
       ('falls', 0.81402987241745),
       ('fall', 0.8048554062843323),
       ('falling', 0.7534124255180359),
       ('unrequited', 0.7526795864105225),
       ('triangle', 0.7506674528121948),
       ('passionately', 0.74207603931427),
       ('starcrossed', 0.7316624522209167),
       ('heartbreak', 0.7296435832977295),
       ('hopelessly', 0.7226974964141846)]
[13]: model.wv.most_similar_cosmul(positive = ["war"])
[13]: [('ii', 0.8962222337722778),
       ('trenches', 0.8318049907684326),
       ('civil', 0.8221935033798218),
       ('gis', 0.8205772638320923),
       ('vietnam', 0.8036419749259949),
       ('frontline', 0.8030383586883545),
       ('ww', 0.8027049899101257),
       ('infantry', 0.794455349445343),
       ('rages', 0.7940611243247986),
       ('partisan', 0.7846501469612122)]
[14]: model.wv.most_similar_cosmul(positive = ["space"])
```

```
[14]: [('outer', 0.8890290260314941),
       ('mars', 0.8748528361320496),
       ('planet', 0.8673110604286194),
       ('astronaut', 0.8645124435424805),
       ('astronauts', 0.8616443872451782),
       ('nasa', 0.8566944599151611),
       ('asteroid', 0.8562235832214355),
       ('spacecraft', 0.8482164144515991),
       ('earth', 0.8451465964317322),
       ('spaceship', 0.8404451608657837)]
[15]: model.wv.most_similar_cosmul(negative = ["man"], positive = ["king", "woman"])
[15]: [('queen', 0.8273528814315796),
       ('empress', 0.8262735605239868),
       ('throne', 0.8220264315605164),
       ('princess', 0.8130974173545837),
       ('palace', 0.808713972568512),
       ('prince', 0.7921130657196045),
       ('dartagnan', 0.7826076149940491),
       ('pauline', 0.7781083583831787),
       ('crowned', 0.7762027978897095),
       ('goddess', 0.7751016616821289)]
     Evaluating documents embedding
[16]: # Closest document to the word "war"
      tokens = "war"
      new_vector = model.infer_vector(tokens.split() ,alpha=0.001 ,steps = 5)
      tagsim = model.docvecs.most_similar([new_vector])[0]
      docsim = alldocs[tagsim[0] ]
      print("Document : ", data[docsim.original_number], "\n")
      print("Titre : ", docsim.title)
      print("Distance : ", tagsim[1])
     Document: The story Jewish counterfeiter, Salomon Sorowitsch, coerced into
     assisting the Nazi operation of the Sachsenhausen concentration camp during
     World War II.
     Titre: Die Fälscher
     Distance: 0.8707342743873596
     <ipython-input-16-7ae03a6fa9de>:6: DeprecationWarning:
```

Call to deprecated `docvecs` (The `docvecs` property has been renamed `dv`.).

Most: A fantasy film with horror elements, "The Tale of Tales" is loosely inspired by the 17th century collection of fairy tales of the same name by Italian writer Giambattista Basile.

<ipython-input-19-a8004e5de420>:6: DeprecationWarning:

Call to deprecated `docvecs` (The `docvecs` property has been renamed `dv`.).

Creating the TF-IDF model

- We create the TF-IDF model from the list alldocs with the module TfidfModel from gensim.
- gensim : https://radimrehurek.com/gensim/
- Tf-Idf: https://radimrehurek.com/gensim/models/tfidfmodel.html

```
[21]: from gensim.models import TfidfModel
from gensim.corpora import Dictionary
from gensim import similarities

dct = Dictionary(doc.words for doc in alldocs) # fit dictionary
corpus = [dct.doc2bow(line.words) for line in alldocs] # convert dataset to___

BoW format
model_tfidf = TfidfModel(corpus) # fit model
```

```
[22]: # for example

index = 0
print("Document ",index, " : ", data[alldocs[index].original_number] )
print("Bag of words representation of document ", index, " : ", corpus[index])
```

Document 0 : Led by Woody, Andy's toys live happily in his room until Andy's birthday brings Buzz Lightyear onto the scene. Afraid of losing his place in Andy's heart, Woody plots against Buzz. But when circumstances separate Buzz and

Woody from their owner, the duo eventually learns to put aside their differences.

```
Bag of words representation of document 0 : [(0, 1), (1, 1), (2, 1), (3, 3), (4, 1), (5, 1), (6, 1), (7, 1), (8, 3), (9, 1), (10, 1), (11, 1), (12, 1), (13, 1), (14, 1), (15, 1), (16, 1), (17, 2), (18, 2), (19, 1), (20, 1), (21, 1), (22, 1), (23, 1), (24, 1), (25, 1), (26, 1), (27, 1), (28, 1), (29, 1), (30, 1), (31, 1), (32, 1), (33, 2), (34, 2), (35, 1), (36, 1), (37, 1), (38, 1), (39, 3)]
```

## Creating Similarity matrix between a list of key words and all the documents

```
[23]: #Create similarity matrix between doc and tokens
tokens = "love".split()
index = similarities.MatrixSimilarity([dct.

    →doc2bow(tokens)],num_features=len(dct))
```

```
[24]: similarity=np.zeros((len(alldocs)))
maxsim = 0
for id, doc in enumerate(alldocs):
    similarity[id] = index[dct.doc2bow(doc.words)]

docsim= alldocs[np.argmax(similarity)]
print(data[docsim.original_number])
print(tagsim)
print(docsim.title)
```

Out of Love encapsulates the sweltering and devastating dynamics of love in the turbulent relationship between Varya and Nikolai, where genuine love and hope contend with destruction and despair.

 $(9959,\ 0.8707342743873596)$ 

Out of Love

[]: