

SQL ASSESMENT - OUTPUT SCREENSHOT

The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the database structure, including the 'assessment' database. The central pane shows a SQL query window with the following code:

```
10      published_date datetime
11    );
12
13    insert into books (id, title, author, isbn, published_date) values
14    (1, 'My First SQL book', 'Mary Parker', 981483029127, '2012-02-22 12:08:17'),
15    (2, 'My Second SQL book', 'John Mayer', 857300923713, '1972-07-03 09:22:45'),
16    (3, 'My Third SQL book', 'Cary Flint', 523120967812, '2015-10-18 14:05:44');
17
18    select * from books
19
20    -- 1.) Write a query to fetch the details of the books written by author whose name ends with er.
21
22    select * from books
23    where author like '%er'
24
25    create table reviews (
26    id int primary key,
27    book_id int,
28    reviewer_name varchar(50) not null
29    );
```

The query results are displayed in a table with the following data:

id	title	author	isbn	published_date
1	My First SQL book	Mary Parker	981483029127	2012-02-22 12:08:17.000
2	My Second SQL book	John Mayer	857300923713	1972-07-03 09:22:45.000

The status bar at the bottom indicates: "Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 2 rows".

The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the database structure, including the 'assessment' database. The central pane shows a SQL query window with the following code:

```
34
35
36    insert into reviews (id, book_id, reviewer_name, content, rating, published_date) values
37    (1, 1, 'John Smith', 'My first review', 4, '2017-12-10 05:50:11'),
38    (2, 2, 'John Smith', 'My second review', 5, '2017-10-13 15:05:12'),
39    (3, 2, 'Alice Walker', 'Another review', 1, '2017-10-22 23:47:10');
40
41    select * from reviews
42
43    -- 2.) Display the Title ,Author and ReviewerName for all the books from the above table
44
45    select b.title, b.author, r.reviewer_name from books b
46    left join reviews r
47    on b.id = r.book_id
48
49    select reviewer_name from reviews
50    group by reviewer_name
51    having count(distinct book_id) > 1
52
53    create table customers (
54    id int primary key,
55    name varchar(50) not null
56    );
```

The query results are displayed in a table with the following data:

id	title	author	reviewer_name
1	My First SQL book	Mary Parker	John Smith
2	My Second SQL book	John Mayer	John Smith
3	My Second SQL book	John Mayer	Alice Walker
4	My Third SQL book	Cary Flint	NULL

The status bar at the bottom indicates: "Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 4 rows".

SQL Query Editor (SQL Server 17.0.1000 - INFICS\kishoree (72))

```
40 select * from reviews
41
42 -- 2.) Display the Title ,Author and ReviewerName for all the books from the above table
43
44 select b.title, b.author, r.reviewer_name from books b
45 left join reviews r
46 on b.id = r.book_id
47
48 -- 3.) Display the reviewer name who reviewed more than one book.
49
50 select reviewer_name from reviews
51 group by reviewer_name
52 having count(distinct book_id) > 1
53
54 create table customers (
55     id int primary key,
56     cname varchar(50),
57     age int,
58     caddress varchar(100)
```

Results

reviewer_name
1 John Smith

Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 1 rows)

SQL Query Editor (SQL Server 17.0.1000 - INFICS\kishoree (72))

```
64 (2, 'Khilan', 25, 'Delhi', 1500.00),
65 (3, 'Kaushik', 23, 'Kota', 2000.00),
66 (4, 'Chaitali', 25, 'Mumbai', 6500.00),
67 (5, 'Hardik', 27, 'Bhopal', 8500.00),
68 (6, 'Komal', 22, 'MP', 4500.00),
69 (7, 'Muffy', 24, 'Indore', 10000.00);
70
71 select * from customers
72
73 -- 4.) Display the Name for the customer from above customer table who live in
74 -- same address which has character o anywhere in address
75
76 select cname, caddress from customers
77 where caddress like '%o%'
78
79 create table orders (
80     oid int primary key,
81     odate datetime,
82     customer_id int
```

Results

cname	caddress
1 Kaushik	Kota
2 Hardik	Bhopal
3 Muffy	Indore

Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 3 rows)

File Edit View Query Git Project Tools Extensions Window Help Search

assessment Execute

Object Explorer

Connect

SQLQuery3.s...horee (72)

```
88 (102, '2009-10-08 00:00:00', 3, 3000.00),
89 (100, '2009-10-08 00:00:00', 3, 1500.00),
90 (101, '2009-11-20 00:00:00', 2, 1500.00),
91 (103, '2008-05-20 00:00:00', 4, 2000.00);
92
93 select * from orders
94
95 -- 5.) Write a query to display the Date, Total no of customer placed order on same Date
96
97 select odate, count(distinct customer_id) as total_customers from orders
98 group by odate
99
100 create table employess (
101 id int primary key,
102 ename varchar(50),
103 age int,
104 eaddress varchar(100),
105 salary decimal(10, 2)
106 );
```

100 % No issues found Ln: 97, Ch: 1 (88 chars, 2 lines) MIXED CRLF UTF-8

Results Messages

	odate	total_customers
1	2008-05-20 00:00:00.000	1
2	2009-10-08 00:00:00.000	1
3	2009-11-20 00:00:00.000	1

Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 3 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

assessment Execute

Object Explorer

Connect

SQLQuery3.s...horee (72)

```
112 (4, 'Chaitali', 25, 'Mumbai', 6500.00),
113 (5, 'Hardik', 27, 'Bhopal', 8500.00),
114 (6, 'Komal', 22, 'MP', null),
115 (7, 'Muffy', 24, 'Indore', null);
116
117 select * from employess
118
119 -- 6.) Display the Names of the Employee in lower case, whose salary is null
120
121 select lower(ename) as ename from employess
122 where salary is null
123
124 create table studentdetails (
125 register_no int primary key,
126 sname varchar(50),
127 age int,
128 qualification varchar(20),
129 mobile_no bigint,
130 mail_id varchar(100)
131 );
```

100 % No issues found Ln: 121, Ch: 1 (65 chars, 2 lines) MIXED CRLF UTF-8

Results Messages

	ename
1	komal
2	muffy

Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 2 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

assessment Execute

Object Explorer

Connect (localdb)\MSSQLLocalDB (SQL Server 17.0.1000 - IN

Databases

- System Databases
- Database Snapshots
- assessment
- assignment
- code_challenge
- infiniteDB
- northwind

Security

- Server Objects
- Replication
- Management
- XEvent Profiler

SQLQuery3.s...horee (72)*

```
136 (register_no, sname, age, qualification, mobile_no, mail_id, slocation, gender)
137 values
138 (2, 'Sai', 22, 'B.E', 9952836777, 'Sai@gmail.com', 'Chennai', 'M'),
139 (3, 'Kumar', 20, 'BSC', 7890125648, 'Kumar@gmail.com', 'Madurai', 'M'),
140 (4, 'Selvi', 22, 'B.Tech', 8904567342, 'selvi@gmail.com', 'Selam', 'F'),
141 (5, 'Nisha', 25, 'M.E', 7834672310, 'Nisha@gmail.com', 'Theni', 'F'),
142 (6, 'SaiSaran', 21, 'B.A', 7890345678, 'saran@gmail.com', 'Madurai', 'F'),
143 (7, 'Tom', 23, 'BCA', 8901234675, 'Tom@gmail.com', 'Pune', 'M');
144
145 select * from studentdetails
146
147 -- 7.) Write a sql server query to display the Gender, Total no of male and female from the above relation
148
149 select gender, count(*) as total_count from studentdetails
150 group by gender
```

100 % No issues found Lr: 149, Ch: 1 (75 chars, 2 lines) MIXED CRLF UTF-8

Results Messages

	gender	total_count
1	F	3
2	M	3

Query executed successfully. (localdb)\MSSQLLocalDB (17... INFICS\kishoree (72) assessment 00:00:00 Row: 1, Col: 1 2 rows

Ready Select Repository