SQL Project

Online Food Ordering Management System

- Online Food Ordering Management System using SQL focuses mainly on managing online food orders. To be more precise, this system helps to keep track of customers, and their orders.
- Created a SQL database for an Online Food Ordering Management System to manage customer, restaurant, cuisine, admin, menu items and orders data using SQL queries.
- Performed Analysis on Online Food Ordering Data and obtained insights from it by using various SQL queries, Joins, Window Functions, Views and Stored Procedures.

Schema Diagram



```sql
-- Count of Male and Female Customers
CREATE VIEW `Gender_Count` AS
SELECT Customer_Gender, COUNT(*) AS Gender_Count
FROM Customers
GROUP BY Customer_Gender;

SELECT * FROM `Gender_Count`;
```

	Customer_Gender	Gender_Count
▶	Male	6
	Female	4

```sql
--  Count of Orders
CREATE VIEW `Order_Count` AS
SELECT COUNT(Order_ID) AS Order_Count
FROM Order_Details;

SELECT * FROM `Order_Count`;
```

	Order_Count
▶	20

```sql
-- Count of Customers using Online and Cash on Delivery Payment Mode
CREATE VIEW `Payment_Mode_Count` AS
SELECT Payment_Mode, COUNT(*) AS Payment_Mode_Count
FROM Order_Details
GROUP BY Payment_Mode;

SELECT * FROM `Payment_Mode_Count`;
```

Payment_Mode	Payment_Mode_Count
Online	14
Cash on Delivery	6

```sql
-- Calculate Average Delivery Time Taken mins
CREATE VIEW `Average_Delivery_Time` AS
SELECT AVG(Delivery_Time_Taken_mins) AS Average_Delivery_Time
FROM Order_Details;

SELECT * FROM `Average_Delivery_Time`;
```

	Average_Delivery_Time
▶	32.3000

```sql
-- Calculate Average Customer Rating
CREATE VIEW `Average_Customer_Rating` AS
SELECT AVG(Customer_Rating) AS Average_Customer_Rating
FROM Order_Details;

SELECT * FROM `Average_Customer_Rating`;
```

	Average_Customer_Rating
▶	3.5000

```sql
-- Ranking Food Items based on its price from highest to lowest
CREATE VIEW `Ranking_Food_Price` AS
SELECT Item_Name, Price, DENSE_RANK() OVER (ORDER BY Price DESC) AS Ranking_Food_Price
FROM Menu_Items;

SELECT * FROM `Ranking_Food_Price`;
```

Item_Name	Price	Ranking_Food_Price
Cheese Pizza	250	1
Fried Rice	210	2
Dry Manchurian	200	3
Chicken Shawarma	150	4
Chilli Chicken	150	4
White Sauce Pasta	140	5
Masala Dosa	130	6
Aloo Cheese Paratha	120	7
Dosa	100	8
Idly Sambar	70	9

```sql
-- List Food Items and its cuisine
DELIMITER $$

CREATE PROCEDURE Food_Items_Cuisine()
BEGIN
    SELECT Item_Name, Cuisine_Name
    FROM Cuisine
    INNER JOIN Menu_Items ON
    Cuisine.Cuisine_ID = Menu_Items.Cuisine_ID;
END $$

DELIMITER ;
```

```sql
CALL Food_Items_Cuisine()
```

Item_Name	Cuisine_Name
Chicken Shawarma	Arabian
Dry Manchurian	Chinese
Chilli Chicken	Chinese
Fried Rice	Chinese
White Sauce Pasta	Italian
Cheese Pizza	Italian
Idly Sambar	Indian
Aloo Cheese Paratha	Indian
Dosa	Indian
Masala Dosa	Indian

```sql
-- Average Customer Rating - Gender-wise
DELIMITER $$

CREATE PROCEDURE Avg_Customer_Rating_Gender()
BEGIN
    SELECT Customer_Gender, AVG(Customer_Rating) AS Average_Customer_Rating
    FROM Customers
    INNER JOIN Order_Details
    ON Customers.Customer_ID = Order_Details.Customer_ID
    GROUP BY Customer_Gender;
END $$

DELIMITER ;


CALL Avg_Customer_Rating_Gender()
```

	Customer_Gender	Average_Customer_Rating
▶	Male	3.4615
	Female	3.5714

```sql
-- Customer Info
DELIMITER $$

CREATE PROCEDURE Customer_Info(IN a VARCHAR(10))
BEGIN
    SELECT * FROM Customers WHERE Customer_ID = a;
END $$

DELIMITER ;
```

```sql
CALL Customer_Info("CT1")
```

	Customer_ID	Customer_Name	Customer_Gender	Customer_PhoneNo	Customer_Address	Admin_ID
▶	CT1	Mohan	Male	9741089115	44, G R Building, Chetpet, Chennai	AD1

```sql
-- Order Info
DELIMITER $$

CREATE PROCEDURE Order_Info(IN b VARCHAR(10))
BEGIN
    SELECT Order_ID, Order_Date, Customers.Customer_ID, Customer_Name, Item_Name, Quantity_of_Items,
    Price * Quantity_of_Items AS Total_Order_Amount
    FROM Customers
    INNER JOIN Order_Details
    ON Customers.Customer_ID = Order_Details.Customer_ID
    INNER JOIN Menu_Items
    ON Order_Details.Item_Code = Menu_Items.Item_Code
    WHERE Order_ID = b;

END $$

DELIMITER ;
```

```sql
CALL Order_Info("OD4")
```

Order_ID	Order_Date	Customer_ID	Customer_Name	Item_Name	Quantity_of_Items	Total_Order_Amount
OD4	2024-12-03 02:30:00	CT3	Meera	Fried Rice	3	630