

Data Dictionary

Comprehensive Database Schema and File Schema Specification

1. Input CSV/Excel Column Specifications

- * Date: YYYY-MM-DD. Maps transaction timing. Crucial for trend lines.
- * Category: String (e.g., 'Electronics'). Determines product classification.
- * Region: String (e.g., 'Karnataka'). Used for regional distribution metrics.
- * Revenue: Decimal. Total amount collected.
- * Cost: Decimal. Raw acquisition cost.
- * Quantity: Integer. Number of items sold.
- * Store (Optional): String. If present, used to route imports to specific stores.

2. Database Table: users

- * id: INT AUTO_INCREMENT PRIMARY KEY. Unique user identifier.
- * name: VARCHAR(255). Full name of user.
- * email: VARCHAR(255) UNIQUE. Authentication email.
- * password: VARCHAR(255). Bcrypt hashed password.
- * position: VARCHAR(255). User role/title (default 'Administrator').
- * created_at: TIMESTAMP. Account creation time.

3. Database Table: projects

- * id: INT AUTO_INCREMENT PRIMARY KEY. Unique store identifier.
- * user_id: INT. Foreign key mapping back to users.
- * name: VARCHAR(255). Custom store name.
- * store_type: VARCHAR(255). Franchise, warehouse, online, etc.
- * default_tax_rate: DECIMAL(10, 2). Default local tax percentage.
- * low_stock_threshold: INT. Inventory notification limit.

4. Database Table: sales_summaries

- * id: INT AUTO_INCREMENT PRIMARY KEY.
- * project_id: INT. Linked project ID.
- * month_name: VARCHAR(50). E.g., 'January', 'February'.
- * year: INT. E.g., 2024.
- * total_revenue: DECIMAL(15, 2).
- * total_cost: DECIMAL(15, 2).

* net_revenue: DECIMAL(15, 2).

* total_quantity: INT.

* region_data / category_data / top_products / detailed_entries: JSON structures storing pre-calculated dimensional statistics.