Business Partner Migration

ECC Customer & Vendor → S/4HANA Business Partner

CUSTOMER	VENDOR	BUSINESS PARTNER

Complete Guide with Real-World Examples · Configuration & Data Migration
Prepared: October 2026 · Sempra Migration Team

01 The Core Concept — What Changes and Why

From two separate objects in ECC to one unified Business Partner in S/4HANA

In **ECC**, a Customer and a Vendor are completely separate master data objects — even if they represent the same real-world company. You can have **Siemens AG** as Customer 100045 *and* Vendor 200078 with no link between them. In **S/4HANA**, both collapse into a **single Business Partner (BP)** record with different roles attached.




Figure 1 — ECC Customer + Vendor merge into one S/4HANA Business Partner

Object	ECC Table	ECC Transaction	S/4HANA Table	S/4 Transaction
Customer — General	KNA1	XD01 / XD03	BUT000	BP
Customer — Co. Code	KNB1	FD01 / FD03	KNBK via CVI	BP
Customer — Sales	KNVV	VA01 / XD01	KNVV (kept)	BP + VA
Vendor — General	LFA1	XK01 / XK03	BUT000	BP
Vendor — Co. Code	LFB1	FK01 / FK03	LFB1 via CVI	BP
Vendor — Purchasing	LFM1	ME11 / XK01	LFM1 (kept)	BP + ME

02 BP Roles — The Key Building Block

Every BP has roles. Roles define what the BP can do in each module.

A **BP Role** is assigned to the Business Partner and activates the relevant master data screen/fields for that context. One BP can hold multiple roles simultaneously.

BP Role	Role Name	ECC Equivalent	Activated By	Example
FLCU00	Customer (General)	KNA1	CVI sync from Custome	Siemens AG — name, address, tax
FLCU01	Customer (Co.Code)	KNB1	CVI sync from Custome	Recon acct 140000, pay term Z030
FLVN00	Vendor (General)	LFA1	CVI sync from Vendor	Siemens AG — same address
FLVN01	Vendor (Co.Code)	LFB1	CVI sync from Vendor	Recon acct 210000, pay meth T
BUP001	Business Partner (Gen)	—	Default on BP creation	Every BP gets this at minimum
CVI_DEBITOR	FI Customer	Customer link	CVI mapping	Links BP 9000001 ↔ Customer 100045
CVI_KREDITOR	FI Vendor	Vendor link	CVI mapping	Links BP 9000001 ↔ Vendor 200078

Real Example: Siemens AG exists as Customer 100045 (pays us) AND Vendor 200078 (we pay them). In S/4HANA, they become ONE Business Partner — BP# 9000001 — with roles FLCU00, FLCU01, FLVN00, FLVN01 all assigned. A/R posts against Customer 100045, A/P posts against Vendor 200078 — both linked to BP 9000001 via CVI.

03 Customer Migration — Level by Level with Examples

Every data level, table, field and real example for Customer master

Level 1 — General Data (Client-Wide)

General data exists **once per customer** — it is the same across all company codes and sales areas. This maps to **BUT000** in S/4HANA.

ECC Field	ECC Table	S/4 Table	Real Example Value	Notes
Name 1	KNA1-NAME1	BUT000-NAME_ORG1	Siemens AG	Legal name
Country	KNA1-LAND1	BUT020-COUNTRY	DE	ISO country code
Tax Number 1	KNA1-STCD1	BUT000-STCD1	DE123456789	VAT registration
Language	KNA1-SPRAS	BUT000-LANGU	EN	Correspondence lang
Search Term	KNA1-SORTL	BUT000-BU_SORT1	SIEMENS	Used in matchcode
Account Group	KNA1-KTOKD	BP Grouping	CUST (External)	Drives number range
Cust. Classif.	KNA1-KUKLA	BUT000 custom	A (Top Customer)	Optional

Level 2 — Company Code Data

Company code data is **per company code** — one record per customer per company code. Maps to role **FLCU01** in S/4HANA.

ECC Field	ECC Table	S/4 Equivalent	Real Example Value	Notes
Reconciliation Acct	KNB1-AKONT	KNBK via CVI	140000	A/R recon account in G/L
Payment Terms	KNB1-ZTERM	KNB1 retained	Z030 (30 days)	Due date calculation
Dunning Procedure	KNB1-MAHNA	KNB1 retained	Z001	Dunning letters
Payment Method	KNB1-ZWELS	KNB1 retained	T (Transfer)	Outgoing payment
Tolerance Group	KNB1-TOGRU	KNB1 retained	GRP1	Posting tolerance
Credit Limit	KNB1-KLIMK	KNB1 retained	500,000 USD	Credit management
Sort Key	KNB1-ZUAWA	KNB1 retained	001 (Doc date)	Line item sort

Example — Siemens AG Co.Code 1000: KNB1 record has AKONT=140000 (A/R reconciliation), ZTERM=Z030 (net 30 days), MAHNA=Z001 (standard dunning), KLIMK=500000 USD credit limit. After migration, BP 9000001 with role FLCU01 in company code 1000 holds identical values.

Level 3 — Sales Area Data

Sales area data is **per Sales Org / Distribution Channel / Division** combination. Table KNVV is retained in S/4HANA with minimal changes.

ECC Field	Table	Real Example	Notes
Sales Org	KNVV-VKORG	1000 (US West)	Organisational unit for sales
Dist. Channel	KNVV-VTWEG	10 (Direct)	How goods reach customer
Division	KNVV-SPART	01 (Pumps)	Product line grouping
Customer Group	KNVV-KDGRP	01 (Industrial)	Pricing / statistics group
Price Group	KNVV-KONDA	B2 (Large)	Condition master access
Pricing Procedure	KNVV-KALKS	RVAA01	Determines condition types used
Shipping Cond.	KNVV-VSBED	02 (Standard)	Delivery scheduling
Incoterms	KNVV-INCO1	CIF	Risk / cost transfer point

Level 4 — Partner Functions (KNVP)

Partner Func.	Meaning	ECC Example	S/4 Behaviour
SP — Sold-To	Who places the order	Siemens AG 100045	Retained in KNVP
SH — Ship-To	Where goods are delivered	Siemens Plant Munich 100046	Retained
BP — Bill-To	Who receives the invoice	Siemens Finance 100047	Retained
PY — Payer	Who pays the invoice	Siemens Treasury 100048	Retained

04 Vendor Migration — Level by Level with Examples

Every data level, table, field and real example for Vendor master

Level 1 — General Data (LFA1 → BUT000)

ECC Field	ECC Table	S/4 Table	Real Example Value	Notes
Name 1	LFA1-NAME1	BUT000-NAME_ORG1	SAP SE	Legal vendor name
Country	LFA1-LAND1	BUT020-COUNTRY	DE	ISO country
Tax Number 1	LFA1-STCD1	BUT000-STCD1	DE114103379	VAT number
Language	LFA1-SPRAS	BUT000-LANGU	EN	Correspondence
Account Group	LFA1-KTOKK	BP Grouping	VEND	Number range driver
GR-Based IV	LFA1-XGRED	LFB1 retained	X (Active)	3-way match required
One-Time	LFA1-XCPDK	BUT000 flag	Blank (regular)	CPD = one-time vendor

Level 2 — Company Code Data (LFB1 → FLVN01)

ECC Field	ECC Table	S/4 Equivalent	Real Example	Notes
Reconciliation Acct	LFB1-AKONT	LFB1 retained	210000	A/P recon acct in G/L
Payment Terms	LFB1-ZTERM	LFB1 retained	Z014 (14 days)	Early pay discount
Payment Method	LFB1-ZWELS	LFB1 retained	T (Bank transfer)	A/P payment run
House Bank	LFB1-HBKID	LFB1 retained	MAIN	Bank for payments
Chk Double Invoice	LFB1-XDEZV	LFB1 retained	X (Active)	Duplicate check
Withholding Tax	LFBW-WITHT	LFBW retained	W1 (1099-MISC)	US WHT type
Tolerance Group	LFB1-TOGRU	LFB1 retained	GRP2	Posting tolerance

Example — SAP SE Vendor Co.Code 1000: LFB1 has AKONT=210000 (A/P reconciliation), ZTERM=Z014 (14 days 2% discount), ZWELS=T (bank transfer), HBKID=MAIN. After migration → BP 9000002 role FLVN01 in company code 1000. Posting: DR Expense 400000 / CR Vendor 200 (posting key) → hits A/P recon 210000.

Level 3 — Purchasing Org Data (LFM1)

ECC Field	Table	Real Example	Notes
Purchasing Org	LFM1-EKORG	1000 (Global Purch)	Org unit responsible for POs
Order Currency	LFM1-WAERS	USD	Currency on POs
Incoterms	LFM1-INCO1	FOB	Delivery responsibility
Min. Order Value	LFM1-MINBW	5,000 USD	Below this: no PO raised

ECC Field	Table	Real Example	Notes
Payment Terms	LFM1-ZTERM	Z014	Can differ from FI terms
Confirmation Ctrl	LFM1-BSTAE	0001 (Order Ack.)	Vendor must confirm PO
GR-Based IV	LFM1-XGRED	X	3-way match on invoice

Level 4 — Bank Data (LFBK / KNBK → TIBAN)

ECC Table	ECC Fields	S/4 Table	Real Example	Notes
LFBK	BANKS, BANKL, BANKN	TIBAN + BNKA	DE89 3704 0044 0532 0130 00	IBAN mandatory in S/4
KNBK	BANKS, BANKL, BANKN	TIBAN + BNKA	GB29 NWBK 6016 1331 9268 19	Customer bank for DD

■ Migration Alert: ECC stores bank data as Bank Key + Account Number. S/4HANA requires IBAN format. All bank records must be converted to IBAN before or during migration. Use program RFFMIBAN or LTMC migration object.

05 CVI Configuration — The Critical Link

Customer-Vendor Integration setup in SPRO — step by step with settings

CVI (Customer-Vendor Integration) is the **configuration backbone** of BP migration. It defines how ECC Customer/Vendor numbers map to BP numbers, which fields synchronise, and which BP roles are assigned automatically.

SPRO Navigation Path

```
SPRO → Cross-Application Components → Master Data Synchronization → Customer/Vendor Integration → Business Partner Settings → Settings for Customer Integration → Settings for Vendor Integration
```

Step 1 — Define BP Role for Customer / Vendor

Config Object	Value	Menu Path	Purpose
BP Role Category for Cust.	FLCU	Assign roles to BP Cat.	Activates customer fields on BP screen
BP Role Category for Vend.	FLVN	Assign roles to BP Cat.	Activates vendor fields on BP screen
CVI Customer Role	CVI_DEBITOR	Role assignment	Links FI customer posting to BP
CVI Vendor Role	CVI_KREDITOR	Role assignment	Links FI vendor posting to BP

Step 2 — Number Range Synchronisation

This is the most **critical configuration step**. ECC Customer and Vendor number ranges must be mapped to BP number ranges. Three modes are available:

Mode	When to Use	Example Setup	Risk
External = Internal (1:1 sync)	Customer# = BP# Vendor# = BP#	Cust 100045 → BP 100045 Vend 200078 → BP 200078	Overlap if cust & vendor share same number range
Separate BP range (new numbers)	Cust# ≠ BP# — new BP# assigned from separate range	Cust 100045 → BP 9100045 Vend 200078 → BP 9200078	Requires number mapping table
Merge same company (manual)	Same company is both customer AND vendor	Cust 100045 + Vend 200078 → Single BP 9000001	Complex — needs pre-analysis

Sempra Example: Southern California Gas has Customer range 1000000–1999999 and Vendor range 2000000–2999999 with NO overlap. Config: BP group CUST maps to external number range 1000000–1999999 (Customer# = BP#). BP group VEND maps to external range 2000000–2999999 (Vendor# = BP#). Result: zero renumbering required.

Step 3 — Field Mapping (KNA1/LFA1 → BUT000)

Source Field	Source Table	Target Field	Target Table	Sync Direction
NAME1	KNA1	NAME_ORG1	BUT000	Cust → BP (and BP → Cust)
LAND1	KNA1	COUNTRY	BUT020	Bidirectional

Source Field	Source Table	Target Field	Target Table	Sync Direction
STCD1	KNA1	STCD1	BUT000	Bidirectional
SPRAS	KNA1	LANGU	BUT000	Bidirectional
NAME1	LFA1	NAME_ORG1	BUT000	Vend → BP (shared with Cust)
STCD1	LFA1	STCD1	BUT000	Bidirectional — must match Cust

06 Real Migration Scenarios — End to End

Four concrete examples: simple, dual-role, one-time, and blocked

Scenario A — Simple Customer (Customer only, no vendor)

Step	Action	ECC Data	S/4 Result
1	Extract KNA1	NAME1=Pacific Gas KTOKD=KUNA LAND1=US	Source for BP general data
2	Extract KNB1	AKONT=140000 ZTERM=Z030 KLIMK=1,000,000	Source for FLCU01 role
3	Extract KNVV	VKORG=3000 VTWEG=10 INCO1=CIF	Loaded to KNVV in S/4 unchanged
4	Create BP	BP#=1001234 (=Cust#)	BUT000 created, FLCU00 + FLCU01 assigned
5	Validate	CVI_CUST_LINK	Cust 1001234 ↔ BP 1001234 link confirmed

Scenario B — Dual Role (Same company is Customer AND Vendor)

Challenge: Siemens AG = Customer 100045 AND Vendor 200078. Must become ONE BP with both roles.

Step	Action	Data / Config	Result
1	Identify duplicates	Match on TAX# (STCD1=DE123456789) or Name+Country	Found: Cust 100045 = Vend 200078
2	Choose master BP#	Policy: use Customer# as BP#	BP# = 100045
3	Create BP	Name, address from KNA1 (or LFA1 if richer)	BUT000 BP 100045 created
4	Assign FLCU roles	From KNA1 + KNB1 data	FLCU00 + FLCU01 assigned
5	Assign FLVN roles	From LFA1 + LFB1 data	FLVN00 + FLVN01 assigned
6	Link old Vendor#	CVI_VENDOR_LINK table	Vend 200078 → BP 100045
7	Redirect postings	A/P still uses Vend 200078 key	S/4 routes via BP 100045

Key Point: After migration, a single invoice from Siemens AG for $50,000 and a sales order TO Siemens AG for $30,000 are both visible on BP 100045. Treasury can see the net exposure ($20,000 net payable) in one place — impossible in ECC.

Scenario C — One-Time / CPD Customer

Field	ECC (KNA1)	S/4 (BUT000)	Example Value
Account Group	CPDA (one-time)	BP Group = CPD	CPDA

Field	ECC (KNA1)	S/4 (BUT000)	Example Value
One-Time Flag	XCPDK = X	CPD indicator on BP	X = one-time
Name	Entered at posting	Entered at posting	John Smith (at invoice)
Address	Entered at posting	Entered at posting	123 Main St, LA CA
BP#	Created once	Single BP for all CPD	CP000001

■ All one-time customers share ONE BP record (CP000001). The actual name/address is entered at the time of document posting — not on the master. Same behaviour as ECC — no functional change.

Scenario D — Blocked Customer / Vendor

Block Type	ECC Field/Table	S/4 Equivalent	Migration Action
All company codes block	KNB1-SPERR = X	BP Central Block	Migrate block indicator
Posting block (A/R)	KNB1-ZAHLS = X	BP Role FLCU01 block	Retain on KNB1
Sales block	KNVV-AUFSD = Z1	KNVV retained	No change needed
Vendor payment block	LFB1-ZAHLS = B	LFB1 retained	Retain on LFB1
Purchasing block	LFM1-SPERM = X	LFM1 retained	Retain on LFM1
Deletion flag	KNA1-LOEVM = X	BUT000-BU_DCIND	Map to BP deletion indicator

07 Migration Tools — Which One for What

LTMC, LSMW, BAPI, SUM — when to use each tool

Tool	Full Name	Best For	Example Use Case
LTMC	SAP Migration Cockpit	S/4 greenfield or selective migration	Load 50,000 new BPs from CSV template
LSMW	Legacy System Mig. Workbench	ECC → ECC or pre-S/4 migrations	Migrate vendor bank data to new format
BAPI	BAPI_BUPA_CREATE etc.	Custom code / large volume automation	Python/ABAP script for 500k+ BPs
SUM + CVI	Software Update Manager	In-place ECC→S/4 system conversion	Existing production system upgrade
MDMGX	MDG for BP	Master data governance post-migration	Ongoing BP quality workflow approvals

LTMC Migration Objects for BP

LTMC Object	Migrates	Key Fields	Notes
Business Partner	BP general data	NAME_ORG1, COUNTRY, STCD1	Must run before roles
BP — Customer CoCode	FLCU01 role data	AKONT, ZTERM, KLIMK	Needs BP + CoCd to exist
BP — Vendor CoCode	FLVN01 role data	AKONT, ZTERM, ZWELS	Needs BP + CoCd to exist
BP — Customer Sales	KNVV sales data	VKORG, VTWEG, INCO1	Needs sales area config
BP — Vendor Purch.	LFM1 purch. data	EKORG, WAERS, ZTERM	Needs purch org config
BP Bank Details	TIBAN bank data	IBAN, BANKS, BANKL	IBAN required — not BANKN

08 Validation, Common Errors & Fixes

Post-migration checks, error codes, and resolution steps

Post-Migration Validation Transactions

Transaction	Purpose	What to Check
BP	Display Business Partner	Confirm roles FLCU00/01, FLVN00/01 all visible
BUPT	BP Consistency Check	Run for all migrated BPs — must show 0 errors
CVI_CUST_LINK	Customer-BP Link Report	Every Customer# has a linked BP#
CVI_VEND_LINK	Vendor-BP Link Report	Every Vendor# has a linked BP#
FD03	Customer Display (still works)	Should open BP screen via CVI redirect
XK03	Vendor Display (still works)	Should open BP screen via CVI redirect
MASS_BP	Mass BP Change	Post-migration mass updates if needed

Common Migration Errors and Fixes

Error Code / Message	Root Cause	Fix
BP does not exist for Customer 100045	CVI sync not run or number range gap	Run FLCU00/01 CVI sync; check BP number range config
IBAN invalid for bank account	ECC BANKN not converted to IBAN	Run RFFMIBAN to convert; manually correct outliers
Duplicate BP name warning	Same company migrated twice (cust + vend)	Merge records; assign both roles to one BP
Tax number already exists on BP 9000045	Shared VAT# between two customers	Investigate — may be legitimate parent/subsidiary
Role FLCU01 missing in company code 2000	KNB1 record existed but not migrated	Re-run LTMC object 'BP Customer CoCode'
Address data mismatch KNA1 vs BUT020	Field mapping config missing for street/city	Check CVI field mapping for STRAS, ORT01 fields

Golden Rule for Validation: Run transaction BUPT (BP Consistency Check) for ALL migrated business partners before go-live. It checks role completeness, number range consistency, address data, bank data, and CVI links in one shot. Target = zero errors. Any error here will cause posting failures in FI/SD/MM on day one.

09 Quick Reference Card

Tables, transactions, roles and number ranges at a glance

Key Tables — ECC vs S/4HANA

Area	ECC Table	S/4 Table	Retained?
BP General	KNA1 / LFA1	BUT000	Replaced by BUT000
BP Address	KNA1 (inline)	BUT020	New structure
BP Bank	KNBK / LFBK	TIBAN	IBAN replaces BANKN
Cust Co.Code	KNB1	KNB1 (via CVI)	Retained + CVI link
Cust Sales Area	KNVV	KNVV	Fully retained
Cust Partner Func.	KNVP	KNVP	Fully retained
Vend Co.Code	LFB1	LFB1 (via CVI)	Retained + CVI link
Vend Purch Org	LFM1	LFM1	Fully retained
Vend WHT	LFBW	LFBW	Fully retained
Contact Person	KNVK	BUT051/BUT052	New BP contact structure
CVI Link (Cust)	—	CVI_CUST_LINK	New in S/4
CVI Link (Vend)	—	CVI_VEND_LINK	New in S/4

Transaction Cross-Reference

Action	ECC T-Code	S/4 T-Code	Notes
Create Customer	XD01	BP (role FLCU00+01)	BP is the master screen now
Create Vendor	XK01	BP (role FLVN00+01)	XK01 still works via CVI
Mass Customer Chg	XD99	MASS_BP	New transaction for mass BP
Customer Credit	FD32	UKM_BP	New credit mgmt in S/4
Vendor Evaluation	ME61	ME61 (unchanged)	Purch still uses same screen
BP Consistency	—	BUPT	Critical — run post-migration
Sync Customer→BP	—	CVI_CUST_CENTRAL	Force resync if drift
Sync Vendor→BP	—	CVI_VEND_CENTRAL	Force resync if drift

10 Complete SPRO Configuration — All Nodes

Every config step needed for BP migration — path, transaction, purpose

The table below covers **every SPRO node** that must be configured for a complete BP migration. Work through them top to bottom — each depends on the one above.

#	SPRO Node / Config Object	T-Code	Purpose / What to Set
1	Define BP Number Ranges	BUCF / SNRO	Create internal + external number ranges for BP. Example: external 1000000–1999999 for customers, 2000000–2999999 for v
2	Define BP Groupings	BUCF	Create groupings CUST, VEND, CPD, INTE. Assign number range to each grouping
3	Define BP Roles	BUCF	Roles FLCU00, FLCU01, FLVN00, FLVN01 must exist. Check standard roles delivered by SAP
4	Assign BP Role to BP Role Category	BUCF → BP Role Category	FLCU = Customer category, FLVN = Vendor category. Links role to screen layout
5	Define BP Views (Screen Layout)	BUCF → Field Grouping	Set field status (required/optional/hidden) per role. Example: STCD1 = required for FLCU00
6	Customer Account Groups	OBD2	Define KUNA (standard), CPD (one-time), KUNA_INT (internal). Set number range + field status per group
7	Vendor Account Groups	OBD3	Define 0001 (domestic), 0002 (foreign), LIEF (standard vendor). Set number range + field status
8	CVI — Assign Customer Roles	SPRO → CVI → Customer Integration → Assign Roles	Map account group to BP role. Example: KUNA → FLCU00 + FLCU01
9	CVI — Assign Vendor Roles	SPRO → CVI → Vendor Integration → Assign Roles	Map account group to BP role. Example: 0001 → FLVN00 + FLVN01
10	CVI — Number Range Mapping	SPRO → CVI → Number Range	Sync customer number range to BP number range. Choose: external (keep cust#) or internal (new BP#)
11	CVI — Field Mapping Customer	SPRO → CVI → Field Mapping → Customer	Map KNA1 fields to BUT000. Critical: NAME1→NAME_ORG1, LAND1→COUNTRY, STCD1→STCD1
12	CVI — Field Mapping Vendor	SPRO → CVI → Field Mapping → Vendor	Map LFA1 fields to BUT000. Same fields as customer — conflicts resolved by priority rules
13	CVI — Activate Sync	SPRO → CVI → Activate	Switch on bidirectional sync. ECC→BP and BP→ECC both active after go-live
14	Partner Determination (SD)	SPRO → SD → Basic Functions → Partner Determination	Ensure SP/SH/BP/PY partner functions work with BP. Check procedure assigned to customer account group
15	Credit Management	UKM_BP / SPRO → FSCM	S/4 uses new Credit Management (FSCM). Migrate credit limits from FD32 → UKM_BP per BP
16	Output Tax / Tax Classification	SPRO → SD → Basic Functions → Taxes	Tax classification migrated from KNVI. Map ECC tax category to S/4 condition record
17	Dunning Configuration	FBMP / SPRO → FI → AR → Dunning	Dunning procedures same — ensure KNB1-MAHNA migrated correctly. Test dunning run on pilot BPs

#	SPRO Node / Config Object	T-Code	Purpose / What to Set
18	Payment Program Config	FBZP	Vendor payment methods (LFB1-ZWELS) must match FBZP config. Verify T=transfer, C=cheque, B=bill active
19	GR-Based Invoice Verification	SPRO → MM → LIV	LFM1-XGRED flag must be migrated. Controls 3-way match (PO + GR + Invoice)
20	Withholding Tax Config	SPRO → FI → WHT	LFBW (vendor WHT) and KNBK (customer WHT) data migrated. Verify WHT types and codes match S/4 config

Config Sequence Rule: Always configure in order: Number Ranges → BP Groupings → BP Roles → Account Groups → CVI Mapping → Activate Sync. If you activate CVI before number ranges are aligned, the sync will create BPs with wrong numbers and you will need a full data cleanup.

11 All S/4HANA Business Partner Database Tables

Complete table reference — what every table stores and how it links

Core BP Tables (BUT*)

Table	Description	Key Fields	Links To
BUT000	BP Master (General)	PARTNER, BU_TYPE, NAME_ORG1, NAME_LAST	Central BP table — all roles point here
BUT020	BP Address Assignment	PARTNER, ADDRNUMBER, DATE_FROM	ADRC — address detail
BUT021_FS	BP Address Usage	PARTNER, ADDRESS_TYPE	Billing/shipping address types
BUT050	BP Relationship	PARTNER1, PARTNER2, RELTYP	Relationships between BPs
BUT051	BP Contact Person	PARTNER, CONTACT_PERSON	Links BP to contact person BP
BUT052	BP Contact Person Address	PARTNER, CONTACT_PERSON	Address for contact persons
BUT100	BP Role Assignment	PARTNER, RL_TYPE	Which roles each BP has
BUT_HIER	BP Hierarchy	NODE_KEY, PARENT_NODE	Corporate hierarchy structure
ADRC	Central Address	ADDRNUMBER, NAME1, STREET, CITY1	Shared across all address objects
ADR6	Email Address	ADDRNUMBER, PERSNUMBER, SMTP_ADDR	SMTP address
TIBAN	IBAN Bank Details	IBAN, BANKS, BANKL, BANKN	Replaces KNBK/LFBK in S/4

Customer-Specific Tables (retained / extended)

Table	Description	Key Fields	Status in S/4
KNA1	Customer General	KUNNR, NAME1, LAND1, STCD1, KTOKD	Still exists — synced from BUT000 via CVI
KNB1	Customer Co.Code	KUNNR, BUKRS, AKONT, ZTERM, ZUAWA	Retained — FLCU01 role writes here
KNVV	Customer Sales Area	KUNNR, VKORG, VTWEG, SPART, KDGRP	Fully retained — no change
KNVP	Customer Partner Func.	KUNNR, PARVW, KUWE	Retained — SP/SH/BP/PY links
KNVI	Customer Tax Indicator	KUNNR, ALAND, TATYP, TAXKD	Retained — SD tax classification
KNVK	Customer Contact Person	KUNNR, PERNR, NAMEV, TELF1	Legacy — use BUT051 in new S/4
KNBK	Customer Bank Data	KUNNR, BANKS, BANKL, BANKN	Replaced by TIBAN for IBAN
KNKA	Customer Credit Mgmt	KUNNR, CTLPC, KLIMK	Replaced by UKM_* tables (FSCM)
KNB5	Customer Dunning Data	KUNNR, BUKRS, MAHNA, MANSP	Retained — dunning procedure
KNVS	Customer Shipping	KUNNR, VSBED, LPRIO	Retained — shipping conditions

Vendor-Specific Tables (retained / extended)

Table	Description	Key Fields	Status in S/4
LFA1	Vendor General	LIFNR, NAME1, LAND1, STCD1, KTOKK	Still exists — synced from BUT000 via CVI
LFB1	Vendor Co.Code	LIFNR, BUKRS, AKONT, ZTERM, ZWELS	Retained — FLVN01 role writes here
LFM1	Vendor Purch.Org	LIFNR, EKORG, WAERS, ZTERM, INCO1	Retained — no change
LFM2	Vendor Plant Data	LIFNR, EKORG, WERKS	Retained — plant-level purchasing
LFBK	Vendor Bank Data	LIFNR, BANKS, BANKL, BANKN	Replaced by TIBAN for IBAN
LFBW	Vendor WHT Data	LIFNR, BUKRS, WITHT, WT_WITHCD	Retained — withholding tax
LFAS	Vendor Tax Indicators	LIFNR, ALAND, TATYP, TAXKZ	Retained — MM tax classification
WYT3	Vendor Partner Func.	LIFNR, EKORG, PARVW, LIFN2	Retained — ordering address etc.
LFB5	Vendor Dunning	LIFNR, BUKRS, MAHNA	Retained — dunning procedure
EORD	Purchasing Source List	LIFNR, MATNR, WERKS, VDATU	Retained — preferred vendor list

New CVI / Link Tables (S/4HANA only)

Table	Description	Key Fields	Purpose
CVI_CUST_LINK	Customer ↔ BP Link	CUSTOMER, PARTNER	Every customer must have one row here
CVI_VEND_LINK	Vendor ↔ BP Link	VENDOR, PARTNER	Every vendor must have one row here
BNKA	Bank Master	BANKS, BANKL, BANKA	Bank details (BIC, name) for TIBAN
UKM_CASE	Credit Case (FSCM)	CASE_GUID, PARTNER	Replaces old FD32 credit data
UKM_BP_ATTR	BP Credit Attributes	PARTNER, BUKRS	Credit limit, score per BP/CoCode

12 Account Group Configuration

Customer (OBD2) and Vendor (OBD3) account groups — fields and number ranges

Account Groups control the **field status** (required/optional/suppress) for each master data field and drive the **number range**. In S/4HANA they still exist but are subordinate to BP Groupings. Every account group must be mapped to a BP grouping in CVI config.

Standard Customer Account Groups (OBD2)

Acct Group	Description	Number Range	BP Grouping	Key Field Status
KUNA	General Customer	Ext: 1000–1999999	CUST	Name=REQ, Country=REQ, Recon Acct=REQ
CPD	One-Time Customer	Ext: 9000–9099999	CPD	Name=OPT (entered at posting)
KUNA2	Foreign Customer	Ext: 2000–2999999	CUST	Same as KUNA + VAT=REQ
LEIS	Service Provider	Int: auto	CUST	Sales area optional
INTE	Internal Customer	Int: auto	INTE	Intercompany — recon acct=REQ
PROM	Prospect (CRM)	Ext or Int	CUST	No FI required fields

Standard Vendor Account Groups (OBD3)

Acct Group	Description	Number Range	BP Grouping	Key Field Status
0001	Domestic Vendor	Ext: 1–999999	VEND	Name=REQ, Recon Acct=REQ, Country=REQ
0002	Foreign Vendor	Ext: 1–999999	VEND	VAT=REQ, IBAN encouraged
LIEF	Standard Vendor	Ext: 1–999999	VEND	General purpose
CPD	One-Time Vendor	Ext: 9100–9199999	CPD	Name/Address at posting
0004	Employee (Expense)	Ext: HR-linked	VEND	Linked to HR Infotype 0009
INTE	Intercompany Vendor	Int: auto	INTE	Recon acct=REQ, no purch org

Field Status Group — Key Fields per Account Group

Field	Customer (KUNA)	Vendor (0001)	One-Time (CPD)	Internal
Name 1 (NAME1)	Required	Required	Optional*	Required
Country (LAND1)	Required	Required	Optional*	Required
Tax Number (STCD1)	Required	Required	Suppress	Suppress
Recon. Account (AKONT)	Required	Required	Optional	Required
Payment Terms (ZTERM)	Optional	Optional	Suppress	Suppress
Payment Method (ZWELS)	Optional	Required	Suppress	Suppress
Sort Key (ZUAWA)	Optional	Optional	Suppress	Optional

Field	Customer (KUNA)	Vendor (0001)	One-Time (CPD)	Internal
Credit Limit (KLIMK)	Optional	Suppress	Suppress	Suppress
Sales Area Data	Optional	Suppress	Suppress	Suppress
Purchasing Org Data	Suppress	Optional	Suppress	Suppress
Bank Details (IBAN)	Optional	Required	Suppress	Suppress

** One-Time: entered at document posting, not on master record.*

13 Number Range Configuration — Full Setup Guide

Internal vs external ranges, BP grouping assignment, overlap prevention

Number range configuration is the **most critical pre-migration step**. Wrong number ranges cause duplicate keys, failed CVI sync, and posting errors that are very hard to fix after go-live.

Number Range Types

Type	How Assigned	When to Use	Risk
External (manual)	Assigned from outside — migrated records keep their ECC number	Customer/Vendor migration where you want to keep existing numbers. Example: Cust 100045 → BP 100045	Must ensure NO overlap between customer and vendor
Internal (auto)	SAP assigns the next available number automatically	New BPs created in S/4 after go-live. Example: new vendor created → BP# auto from range	Gaps possible if creation fails mid-sequence

Recommended Number Range Design — Sempra Example

Object	Range Type	From	To	BP Grouping	Used For
Customer	External	1000000	1999999	CUST	Migrated customers — keep ECC number
Vendor	External	2000000	2999999	VEND	Migrated vendors — keep ECC number
One-Time Cust	External	9000000	9099999	CPD	CPD customers migrated
One-Time Vend	External	9100000	9199999	CPD	CPD vendors migrated
New BP (post go-live)	Internal	9200000	9999999	CUST/VEND	New BPs created in S/4
Intercompany	Internal	8000000	8999999	INTE	Internal cross-company BPs

Overlap Check — Run Before Go-Live: Execute SE16N on BUT000 grouped by PARTNER to check for number conflicts. Also run: SELECT PARTNER FROM BUT000 WHERE PARTNER IN (SELECT KUNNR FROM KNA1) AND PARTNER IN (SELECT LIFNR FROM LFA1) — any result means a customer and vendor share the same number and must be merged into one BP.

SNRO / BUCF Config Steps

Step	Transaction	Action	Example Value
1	SNRO or BUCF → Number Ranges	Create number range object BP_PARTNER	Object: BP_PARTNER
2	BUCF → Number Ranges → Assign to BP Grouping	Assign range 01 to grouping CUST	Group CUST → Range 01 (1000000–1999999)
3	BUCF → Number Ranges → Assign to BP Grouping	Assign range 02 to grouping VEND	Group VEND → Range 02 (2000000–2999999)
4	OBD2 → Customer Acct Group → Number Range	Link account group KNA1 to BP external range	KUNA → External, same range as CUST grouping
5	OBD3 → Vendor Acct Group → Number Range	Link account group to BP external range	0001 → External, same range as VEND grouping
6	SPRO → CVI → Number Range Mapping	Map customer/vendor range to BP range	KUNNR range 1000000–1999999 ↔ BP range 01

14 Required Fields — What Must Be Present Before Migration

Mandatory data per object level — missing these will fail validation

These are the **minimum required fields** that must be populated in the source data before running migration. Missing mandatory fields cause LTMC errors, CVI sync failures, and rejected BPs. Enrich source data BEFORE loading.

Customer — Mandatory Fields by Level

Level	Table	Field	Description	Validate With
General	KNA1	KUNNR	Customer Number	Must be unique, in number range
General	KNA1	NAME1	Name 1	Cannot be blank
General	KNA1	LAND1	Country Key	Must exist in T005
General	KNA1	KTOKD	Account Group	Must exist in OBD2 config
General	KNA1	SPRAS	Language Key	Must exist in T002
Co.Code	KNB1	KUNNR	Customer Number	Must match KNA1
Co.Code	KNB1	BUKRS	Company Code	Must exist in T001
Co.Code	KNB1	AKONT	Reconciliation Account	Must exist in SKA1, type D
Sales	KNVV	VKORG	Sales Organisation	Must exist in TVKO
Sales	KNVV	VTWEG	Distribution Channel	Must exist in TVTW
Sales	KNVV	SPART	Division	Must exist in TSPA
Bank	TIBAN	IBAN	IBAN Number	IBAN format validated (country-specific)

Vendor — Mandatory Fields by Level

Level	Table	Field	Description	Validate With
General	LFA1	LIFNR	Vendor Number	Must be unique, in number range
General	LFA1	NAME1	Name 1	Cannot be blank
General	LFA1	LAND1	Country Key	Must exist in T005
General	LFA1	KTOKK	Account Group	Must exist in OBD3 config
Co.Code	LFB1	LIFNR	Vendor Number	Must match LFA1
Co.Code	LFB1	BUKRS	Company Code	Must exist in T001
Co.Code	LFB1	AKONT	Reconciliation Account	Must exist in SKA1, type K
Co.Code	LFB1	ZWELS	Payment Methods	Must match FBZP config
Purch	LFM1	EKORG	Purchasing Organisation	Must exist in T024E
Purch	LFM1	WAERS	Order Currency	Must exist in TCURC

Level	Table	Field	Description	Validate With
Bank	TIBAN	IBAN	IBAN Number	Required if ZWELS includes bank transfer
WHT	LFBW	WITHT	Withholding Tax Type	Must match T059P config if WHT active

Common Config/Reference Tables — Must Exist Before Migration

Table	Description	Used By	How to Check
T001	Company Codes	KNB1, LFB1 (BUKRS)	SE16N T001 — all company codes listed
T005	Countries	KNA1, LFA1 (LAND1)	Must contain all source countries
T002	Languages	KNA1, LFA1 (SPRAS)	EN, DE, FR etc. must be active
TVKO	Sales Organisations	KNVV (VKORG)	All source sales orgs must exist
T024E	Purchasing Organisations	LFM1 (EKORG)	All source purch orgs must exist
TCURC	Currencies	LFM1 (WAERS)	All order currencies active
SKA1	G/L Account Master	KNB1/LFB1 (AKONT)	Recon accounts type D (customer) / K (vendor)
T059P	WHT Types	LFBW (WITHT)	WHT types configured for company code
BNKA	Bank Directory	TIBAN (BANKL)	All bank keys must exist with BIC
TBSL	Posting Keys	FI posting	01=cust invoice, 31=vendor invoice active
T052	Payment Terms	KNB1/LFB1 (ZTERM)	All ECC payment terms exist in S/4
FBZP	Payment Methods	LFB1 (ZWELS)	T=transfer, C=cheque configured per CoCode

15 End-to-End Migration Checklist

Phase by phase — from preparation to go-live sign-off

Phase	#	Task	Owner	Done?
PREPARE	1	Extract all KNA1 records — profile for blanks, duplicates, invalid country codes	Data Team	■
PREPARE	2	Extract all LFA1 records — profile for blanks, duplicates, STCD1 data quality	Data Team	■
PREPARE	3	Identify Customer + Vendor same-company duplicates (match on STCD1 + NAME1)	Data Team	■
PREPARE	4	Convert KNBK/LFBK bank accounts to IBAN format using RFFMDAT1 or manual fix	Data Team	■
PREPARE	5	Validate all reconciliation accounts (AKONT) exist in SKA1 with correct type	Config Team	■
CONFIG	6	Configure BP Number Ranges in BUCF / SNRO — no overlap between customer/vendor	Basis / Config	■
CONFIG	7	Configure BP Groupings (CUST, VEND, CPD, INTE) in BUCF	Config Team	■
CONFIG	8	Verify BP Roles FLCU00/01, FLVN00/01 exist and are assigned to correct category	Config Team	■
CONFIG	9	Configure CVI: Assign customer account groups to BP roles (OBD2 in FSS0)	Config Team	■
CONFIG	10	Configure CVI: Assign vendor account groups to BP roles (OBD3 in FSS0)	Config Team	■
CONFIG	11	Configure CVI number range mapping — external ranges for migrated records	Config Team	■
CONFIG	12	Configure CVI field mapping KNA1/LFA1 → BUT000 — validate all fields	Config Team	■
MIGRATE	13	Run LTMC object 'Business Partner' — load BUT000 general data	Migration Team	■
MIGRATE	14	Run LTMC 'BP Customer Company Code' — load FLCU01 data per company code	Migration Team	■
MIGRATE	15	Run LTMC 'BP Vendor Company Code' — load FLVN01 data per company code	Migration Team	■
MIGRATE	16	Run LTMC 'BP Customer Sales Area' — load KNVV data	Migration Team	■
MIGRATE	17	Run LTMC 'BP Vendor Purchasing Org' — load LFM1 data	Migration Team	■
MIGRATE	18	Run LTMC 'BP Bank Details' — load TIBAN data (IBAN format only)	Migration Team	■
VALIDATE	19	Run BUPT (BP Consistency Check) — target: 0 errors for all migrated BPs	QA Team	■
VALIDATE	20	Run CVI_CUST_LINK report — every customer must have exactly one BP link	QA Team	■
VALIDATE	21	Run CVI_VEND_LINK report — every vendor must have exactly one BP link	QA Team	■
VALIDATE	22	Post test customer invoice in FI — verify A/R hits recon account 140000	FI Team	■
VALIDATE	23	Post test vendor invoice in FI — verify A/P hits recon account 211000	FI Team	■
VALIDATE	24	Create test sales order in SD — verify partner functions SP/SH/BP/PY resolve	SD Team	■
VALIDATE	25	Create test purchase order in MM — verify vendor data resolves correctly	MM Team	■
GO-LIVE	26	Activate CVI bidirectional sync — any BP change syncs to Customer/Vendor and back	Config Team	■
GO-LIVE	27	Cutover sign-off — all workstream leads confirm validation passed	PM	■
GO-LIVE	28	Hypercare: monitor BUPT daily for first 2 weeks post go-live	Support Team	■

Go-Live Gate: Items 19–25 (validation) must ALL be green before proceeding to go-live. A single BUPT error on a reconciliation account or a failed test posting means the migration is NOT ready. No exceptions — fix and revalidate.