Exp .No : 10 **210701124**

IMPLEMENT THE MAX TEMPERATURE MAPREDUCE PROGRAM TO IDENTIFY THE YEAR WISE MAXIMUM TEMPERATURE FROM SENSOR

AIM:

To implement the max temperature Mapreduce program to identify the year wise maximum temperature from sensor.

PROCEDURE:

Step 1: Create Data File:

Create a file named "sample_weather.txt" and populate it with text data that you wish to analyse.



Step 2: Mapper Logic - mapper.py:

Create a file named "mapper.py" to implement the logic for the mapper. The mapper will read input data from STDIN, split lines into words, and output each word with its count.

mapper.py:

```
#!/usr/bin/python3
import sys
def map1():
   for line in sys.stdin:
      tokens = line.strip().split()
      if len(tokens) < 13:
         continue
      station = tokens[0]
      if "STN" in station:
         continue
      date_hour = tokens[2]
      temp = tokens[3]
      dew = tokens[4]
      wind = tokens[12]
      if temp == "9999.9" or dew == "9999.9" or wind == "999.9":
         continue
```

```
        hour = int(date_hour.split("_")[-1])
        date =  date_hour[:date_hour.rfind("_")-2]
        if 4 < hour <= 10:
            section = "section1"
        elif 10 < hour <= 16:
            section = "section2"
        elif 16 < hour <= 22:
            section = "section3"
        else:
            section = "section4"
        key_out = f"{station}_{date}_{section}"
        value_out = f"{temp} {dew} {wind}"
        print(f"{key_out}\t{value_out}")
if __name__ == "__main__":
    map1()
```

Step 3: Reducer Logic - reducer.py:
Create a file named "reducer.py" to implement the logic for the reducer. The reducer will aggregate the occurrences of each word and generate the final output.

reducer.py:

```
#!/usr/bin/python3
import sys
def reduce1():
    current_key = None
    sum_temp, sum_dew, sum_wind = 0, 0, 0
    count = 0
    for line in sys.stdin:
        key, value = line.strip().split("\t")
        temp, dew, wind = map(float, value.split())
        if current_key is None:
            current_key = key
        if key == current_key:
            sum_temp += temp
            sum_dew += dew
            sum_wind += wind
            count += 1
        else:
            avg_temp = sum_temp / count
            avg_dew = sum_dew / count
            avg_wind = sum_wind / count
            print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")

            current_key = key
            sum_temp, sum_dew, sum_wind = temp, dew, wind
            count = 1
    if current_key is not None:
        avg_temp = sum_temp / count
        avg_dew = sum_dew / count
        avg_wind = sum_wind / count
        print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")
```

```
if __name__ == "__main__":
    reduce1()
```

Step 4: Prepare Hadoop Environment:

Start the Hadoop daemons and create a directory in HDFS to store your data. Run the following commands to store the data in the WeatherData Directory.

start-all.cmd
cd C:/Hadoop/sbin
hdfs dfs -mkdir /WeatherData
hdfs dfs -put C:/Users/user/Documents/DataAnalytics2/input.txt /WeatherData
hadoop jar C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.6.jar ^
-input /user/input/sample_weather.txt ^
-output /user/output ^
-mapper "python C:/ Users/user/Documents/DataAnalytics2/mapper.py" ^
-reducer "python C:/ Users/user/Documents/DataAnalytics2/reducer.py"

Step 5: Check Output:

Check the output of the Word Count program in the specified HDFS output directory.

hdfs dfs -cat /WeatherData/output/part-00000

OUTPUT:



```
C:\Windows\System32>hadoop fs -put -f "C:\DataAnalytics\weather_data.csv" /user

C:\Windows\System32>hadoop jar C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.6.jar -input /user/
weather_data.csv -output /user/output-data -mapper "python C:\DataAnalytics\mapper2.py" -reducer "python
 C:\DataAnalytics\reducer2.py"
packageJobJar: [/C:/Users/mukhi/AppData/Local/Temp/hadoop-unjar7550275699567415463/] [] C:\Users\mukhi\A
ppData\Local\Temp\streamjob8502733437702941860.jar tmpDir=null
2024-08-27 01:42:48,037 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at
 /0.0.0.0:8032
2024-08-27 01:42:48,456 INFO client.DefaultNoHARMFailoverProxyProvider: Connecting to ResourceManager at
 /0.0.0.0:8032
2024-08-27 01:42:49,991 INFO mapreduce.JobResourceUploader: Disabling Erasure Coding for path: /tmp/hadoo
op-yarn/staging/HP/.staging/job_1724701884018_0001
2024-08-27 01:42:50,700 INFO mapred.FileInputFormat: Total input files to process : 1
2024-08-27 01:42:50,886 INFO mapreduce.JobSubmitter: number of splits:2
2024-08-27 01:42:51,214 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1724701884018_0001
2024-08-27 01:42:51,215 INFO mapreduce.JobSubmitter: Executing with tokens: []
2024-08-27 01:42:51,574 INFO conf.Configuration: resource-types.xml not found
2024-08-27 01:42:51,575 INFO resource.ResourceUtils: Unable to find 'resource-types.xml'.
2024-08-27 01:42:52,327 INFO impl.YarnClientImpl: Submitted application application_1724701884018_0001
2024-08-27 01:42:52,448 INFO mapreduce.Job: The url to track the job: http://Teejay:8088/proxy/applicati
on_1724701884018_0001/
2024-08-27 01:42:52,451 INFO mapreduce.Job: Running job: job_1724701884018_0001
2024-08-27 01:43:31,204 INFO mapreduce.Job: Job job_1724701884018_0001 running in uber mode : false
2024-08-27 01:43:31,207 INFO mapreduce.Job:  map 0% reduce 0%
2024-08-27 01:44:07,218 INFO mapreduce.Job:  map 50% reduce 0%
2024-08-27 01:44:12,303 INFO mapreduce.Job:  map 100% reduce 0%
2024-08-27 01:44:40,710 INFO mapreduce.Job:  map 100% reduce 100%
2024-08-27 01:44:45,936 INFO mapreduce.Job: Job job_1724701884018_0001 completed successfully
2024-08-27 01:44:46,227 INFO mapreduce.Job: Counters: 55
        File System Counters
                FILE: Number of bytes read=30238362
                FILE: Number of bytes written=61315625
                FILE: Number of read operations=0
                FILE: Number of large read operations=0
                FILE: Number of write operations=0
                HDFS: Number of bytes read=104109296
                HDFS: Number of bytes written=156
                HDFS: Number of read operations=11
                HDFS: Number of large read operations=0
                HDFS: Number of write operations=2
                HDFS: Number of bytes read erasure-coded=0
        Job Counters
                Killed map tasks=1
                Launched map tasks=2
                Launched reduce tasks=1
                Rack-local map tasks=2
                Total time spent by all maps in occupied slots (ms)=54433
                Total time spent by all reduces in occupied slots (ms)=25478
                Total time spent by all map tasks (ms)=54433
```



RESULT:

Thus, the Mapreduce program to identify the year wise maximum temperature from sensor has been executed successfully.