# MSc - Önálló laboratórium 2 Amazon Web Services

Daniel Mark Kiss

2023

# Contents

### Introduction

Amazon Web Services (AWS) is a comprehensive cloud computing platform provided by Amazon. It includes a mixture of infrastructure-as-a-service (IaaS), platform-as-a-service (PaaS) and packaged-software-as-a-service (SaaS). It offers a vast array of cloud services, including computing power, storage, databases, machine learning, analytics, and more. AWS allows individuals and organizations to access and utilize computing resources over the internet, without the need to own or maintain physical servers and infrastructure. Amazon launched its first web services in 2002 from the internal infrastructure that Amazon.com built to handle its online retail operations. In 2006, it began offering its defining IaaS services. AWS was one of the first companies to introduce a pay-as-you-go cloud computing model that scales to provide users with compute, storage or throughput as needed. AWS is separated into different services; each can be configured in different ways based on the user's needs. Users can see configuration options and individual server maps for an AWS service. AWS provides a scalable and flexible environment for businesses to build, deploy, and manage applications and services. It offers a pay-as-you-go pricing model, which means users only pay for the resources they consume, making it cost-effective and efficient for a wide range of use cases. [?]

## Current AWS features and techologies

Before I started the development of the application I have done a course provided by Amazon. It conatains a 14 module class where they teache the fundamentals of AWS. It was roughly 5 weeks for me to finish and complete all laboratory exercises and module closing quiz. Throughout the course I have familiarised myself with the different AWS services and theoretical background. It proved to be a good repetition for my previous knowledge like REST API.

#### 2.1 Amazon Elastic Compute Cloud (EC2)

This service provides resizable compute capacity in the cloud, allowing users to run virtual servers, known as "instances," for various computing tasks. Key features:

- 1. Scalability: EC2 instances can be quickly scaled up or down based on demand. This means that users can add or remove instances to match the needs of their applications or workloads.
- 2. Variety of Instance Types: EC2 offers a wide range of instance types optimized for different use cases. These include instances optimized for compute-intensive workloads, memory-intensive tasks, storage-optimized applications, and more.
- 3. Operating System Flexibility: Users can choose from a variety of operating systems, including various Linux distributions, Microsoft Windows, and others, to run on their EC2 instances.

### 2.2 Amazon Simple Storage Service (S3)

S3 offers scalable object storage for storing and retrieving data. It is commonly used for data backup, hosting static websites, and as a storage backend for applications. Amazon S3 is designed to provide durability, availability, and scalability at a low cost. Key features:

1. Object Storage: Amazon S3 stores data as objects, which consist of a file and its associated metadata. Each object is identified by a unique key, making it easy to access and manage.

- 2. Buckets: A bucket is a container for objects stored in Amazon S3. Buckets act as top-level folders or directories for organizing and managing objects. Each bucket has a unique name and is associated with a specific AWS region.
- 3. Durability and Availability: Amazon S3 is designed to provide 99.999999999
- 4. Scalability: Amazon S3 can scale to accommodate virtually unlimited amounts of data. Users can easily upload, store, and retrieve any amount of data, making it suitable for a wide range of use cases.
- 5. ccess Control: Users can control access to their buckets and objects through AWS Identity and Access Management (IAM) policies, bucket policies, Access Control Lists (ACLs), and signed URLs or cookies.
- 6. Cross-Region Replication: Users can configure Amazon S3 to automatically replicate objects from one bucket to another in a different AWS region. This helps achieve geographic redundancy and compliance with data residency requirements.
- 7. Static Website Hosting: Amazon S3 can be used to host static websites, providing a cost-effective solution for hosting web content.

### 2.3 Amazon RDS (Relational Database Service)

RDS offers managed database services for various database engines, including MySQL, PostgreSQL, Oracle, and Microsoft SQL Server. Key features:

1. Managed Service: AWS handles the heavy lifting of database administration tasks such as hardware provisioning, database setup, configuration, patch management, and backups. This allows users to focus on application development rather than database management.

### 2.4 Amazon DynamoDB

A fully-managed NoSQL database service that provides high performance and seamless scalability for applications that require low-latency access to data.

- 1. NoSQL Database: DynamoDB is a NoSQL database, which means it does not rely on a fixed schema like traditional relational databases. This allows for flexible data modeling, making it well-suited for applications with evolving data structures.
- Managed Service: AWS handles all the operational aspects of DynamoDB, including hardware
  provisioning, setup, configuration, and maintenance. This frees developers from the burden of
  database management tasks.

3. Scalability: DynamoDB is designed to scale easily, both in terms of read and write throughput. It can handle massive volumes of traffic and automatically scales based on demand. Users can adjust read and write capacity units to accommodate their application's needs.

#### 2.5 AWS Lambda

This service allows users to run code without provisioning or managing servers. It executes code in response to specific events, making it a key component of serverless architecture.

- Serverless Architecture: Lambda is a serverless computing service, which means developers do
  not need to manage the underlying servers. Instead, they write code and AWS handles the
  execution and scaling of that code.
- 2. Event-Driven Model: Lambda functions are triggered by events such as changes to data in an Amazon S3 bucket, updates to a DynamoDB table, or incoming HTTP requests via Amazon API Gateway. This event-driven model allows for real-time responses to changes in the environment.
- 3. Supported Runtimes: AWS Lambda supports multiple programming languages including Node.js, Python, Java, Go, Ruby, .NET Core, and custom runtimes. This flexibility enables developers to use their preferred programming language.
- 4. Pay-per-Use Pricing: With AWS Lambda, users pay only for the compute time consumed by their code. There is no charge when code is not running. This pricing model can lead to cost savings compared to traditional server-based architectures.

#### 2.6 AWS CodeCommit

AWS CodeCommit is a fully managed source control service provided by Amazon Web Services (AWS). It is a secure and scalable Git-based repository hosting service designed to help teams collaborate on code development and version control. CodeCommit provides a secure and reliable platform for storing and managing code repositories.

Key features:

- 1. Git Repository Hosting: CodeCommit supports the Git version control system, providing a familiar interface for developers to manage their code repositories.
- 2. Secure and Private: CodeCommit repositories are secure by default and can be configured to be private. Access control policies, AWS Identity and Access Management (IAM) permissions, and encryption options ensure the confidentiality and integrity of code.

- 3. Integration with AWS Services: CodeCommit seamlessly integrates with other AWS services, such as AWS CodePipeline, AWS CodeBuild, AWS CodeDeploy, AWS CloudFormation, and more. This enables end-to-end continuous integration and continuous deployment (CI/CD) workflows.
- 4. Version Control: CodeCommit allows multiple developers to collaborate on projects by providing version control capabilities. Developers can create branches, merge code changes, and track commit history.

### Development

#### 3.1 Overview

For the development phase of the project I used AWS's Cloud9 integrated developer environment(IDE) as the main developer platform for the front-end. I have also version controlled the whole development process using git and publishing it on GitHub and also Amazons Code Commit system. Not only the source code can be found there but also the documentation of this project as I have writen it using LATEX. The project I have created using AWS and other technologies is a Book Tracking website. It has a seperate admin page where the admins can register the users and another page where the users can track their books. For the books there are three state. Not started, Reading and Finished. These books are presented in a crad format and it is only visible to the users after a successful login. To achive this I have used the following technologies:

#### 3.2 Docker

Docker is a set of platform as a service (PaaS) products that use OS-level virtualization to deliver software in packages called containers. Containers are isolated from one another and bundle their own software, libraries and configuration files; they can communicate with each other through well-defined channels. All containers are run by a single operating system kernel and are thus more lightweight than virtual machines. Containers are created from images that specify their precise contents. Images are often created by combining and modifying standard images downloaded from public repositories. I used this for the admin page creation and for storing the user data in a MySQL database. I created two containers, one for the admin page and one for the database. The admin page is written in Express JS and the database is MySQL.

#### 3.2.1 User database - MySQL

MySQL is an open-source relational database management system (RDBMS). Its name is a combination of "My", the name of co-founder Michael Widenius's daughter, and "SQL", the abbreviation for Structured Query Language. A relational database organizes data into one or more data tables in which data types may be related to each other; these relations help structure the data. SQL is a language programmers use to create, modify and extract data from the relational database, as well as control user access to the database. I have set up this database using Docker and I have created a table for the users. The table has the following columns: username, password. To create the container I first created the image, which is created from the Dockerfile. The Dockerfile I composed contains the fondamentals like it used mysql 8.2.0 and it exposes its port to 3306. After the creation I used the following command to update the database.

- docker run name mysql\_1 -p 3306:3306 -e MYSQLROOT\_PASSWORD=pwd -d mysql\_serve docker **exec** -i mysql\_1 mysql -u root -ppwd < db.sql
  - After I have successfuly created the container I tagged it and pushed it to the AWS ECR(Elastic Container Registry).

#### 3.2.2 Admin page - Express JS

The admin front end page was developed using Express JS. Express is a minimal and flexible Node.js web application framework that provides a robust set of features for web and mobile applications. On the we

### Presentation of finished work

In this section I will present and showcase my finished application. I will include screenshots to have a better representation and understanding for the reader. The camera function in the application allows you to capture the current state of the graphs, which in this case came in handy for documentation.



Figure 4.1: The main screen of the application.

As the attached images clearly show, the virtual 3D graph can be easily walked around and



Figure 4.2: The main screen of the application.

viewed from different angles, thereby giving users a new comparative perspective. It is possible to move and rotate the entire graph, as well as move the current exchange rate columns to make it easier to compare with other metrics. The move and rotate functions are only available in Spectate mode, for this you have to stop Live mode (or otherwise start Live mode) by pressing the button located in the upper left corner.

Currently, 2 currencies are available in the application, but of course this can be easily expanded at any time in the future. These two are EUR to HUF and USD to HUF. These can be displayed after selection and confirmation from the bottom bar. If the given exchange rate is already placed, it can no longer be added to the graph twice.



Figure 4.3: The main screen of the application.




Figure 4.4: The main screen of the application.



Figure 4.5: The main screen of the application.



Figure 4.6: The main screen of the application.

# Sources

Below I list the external links and sources used during the project and the report.

# Bibliography

- $[1] \begin{tabular}{l} Tech Target Amazon Web Services: $https://www.techtarget.com/searchaws/definition/Amazon-Web-Services \\ \end{tabular}$
- [2] Leslie Lamport (1994)  $\slash\hspace{-0.6em}PT_{\!E\!X}\hspace{-0.6em}:$  a document preparation system, Addison Wesley, Massachusetts, 2nd ed.