

1 Simple Stuff

Prerequisites: control flow (branching, iteration), IO, arithmetic, atomic types.

1.1 The Good Old Days ★★★★★

Input: An integer 4.

Output: The word "Elephant".

1.2 Equation of a Line ★★★★★

Input: Two integers k and b , $k \neq 0$.

Output: Such value x , that it satisfies the equation $kx + b = 0$.

1.3 Wait, what? ★★★★★

Input: Two integers a and b .

Output: The product of a and b .

Note: You may not use the multiplication operation.

1.4 Late'o'clock ★★★★★

Input: An integer $0 \leq h < 24$. Hours on a clock.

Note: Convert the given time h to the 12-hour clock format.

Output: First the time h in 12-hour clock format, then "am" or "pm" depending on the time.

1.5 Quadratic Equations ★★★★★

Input: Three integers a , b and c .

Output: Find all values of x , such that $ax^2 + bx + c = 0$.

Note: If there are no possible values of x output "NaN" (not a number). The values should not be repeated.

1.6 Qubic Equation ★★★★★

Input: Four integers a , b , c and d .

Output: Find all values of x , such that $ax^3 + bx^2 + cx + d = 0$.

Note: If there are no possible values of x output "NaN" (not a number). The values should not be repeated.

Hint: use Cardano's formula.

1.7 Euclid Approves ★★★★★

Input: Two integers a and b , sides of a right angled triangle.

Output: The hypotenuse c of the aforementioned triangle.

1.8 Euclid Disapproves ★★★★★

Input: Two integers a and b , sides of a right angled triangle and an integer angle θ (given in degrees) between them.

Output: The third side of the triangle.

Hint: You may use `import math` to get some functions you might want.

1.9 Everyone but Euclid Approves ★★★★★

Input: An integer n the amount of following lines, $3 \leq n \leq 100$. Each following line i contains a number $-100 \leq a_i \leq 100$, a component of the vector $\hat{v} = \{a_1, a_2, \dots, a_n\}$.

Output: The length of a vector $\|\hat{v}\|$.

1.10 Minmaxed ★★★★★

Input: Two integers, a and b .

Output: Two integers, first the largest of them two, next the smallest.

1.11 TreE ★★★★★

Input: An integer h , the height of the christmass tree.

Output: A christmas tree with total height $h + 1$, 1 being the trunk of said tree and h all the result of it.

```
e
a a
e e e
a a a a
a
```

1.12 Sigma for Sum ★★★★★

Input: An integer a such that $1 \leq a \leq 10^{10}$.

Output: The sum all the integers $1 + 2 + \dots + a$.

Hint: Loop isn't the only way to go.

1.13 Factor!al ★★★★★

Input: An integer a such that $1 \leq b \leq 10^5$.

Output: The product all the integers $1 \times 2 \times \dots \times b$.

Hint: Lookup the arguments for `range` in the official Python3.x documentation.

1.14 Minmaxed 2: The Sequel ★★★★★

Input: Two integers, a and b .

Output: Two integers, first the largest of them two, next the smallest.

Note: You may only use `min()` or `max()`, not both. You may not use branching.

1.15 Set Product ★★★★★

Input: Two integers, a and b where $a > 0$ and $b > 0$. They create sets of values:
 $A = \{0, 1, \dots, a - 1\}$ and $B = \{0, 1, \dots, b - 1\}$.

Output: Print out the product of the two sets.

Note: A product of two sets is a mapping of every element of one set to every element of another, e.g. for sets $C = \{1, 2\}$ and $D = \{3, 4\}$ the product is $C \times D = \{(1, 3), (1, 4), (2, 3), (2, 4)\}$.

2 Turtle or Tortoise?

Prerequisites: `turtle` module, the entire previous section.

2.1 Fair Square ★★★★★

Input: An integer A such that $10 \leq A \leq 100$.

Output: Using `from turtle import Turtle`'s methods like `forward` and `right` draw a square of length A .

2.2 Fair Ngon ★★★★★

Input: Two integers, A such that $10 \leq A \leq 100$ and N such that $2 \leq N \leq 20$.

Output: Using `Turtle` draw a regular polygon (an N -gon) with N sides and side length $5A$. Ensure that the turtle finishes in the same position as it started in. The turtle shouldn't draw over itself at any point.

Hint: Loops are your friend.

2.3 Trigonometry BFF ★★★★★

Input: Two integers, a and b .

Output: Using `Turtle` draw a graph of the function $y = a * \sin(\frac{\pi x}{10}) + b$. From 0 to 200 and a graph of the function $y = b$. Print the final position of the turtle.

Hint: You can get `sin` and π with `from math import pi, sin`, they are accurate enough for this purpose.

2.4 The Fair Ngon ★★★★★

Input: Two integers, A such that $10 \leq A \leq 100$ and N such that $2 \leq N \leq 20$.

Output: Using `Turtle` draw a regular polygon (an N -gon) with N sides and side length $10A$. Ensure that the turtle finishes in the same position as it started in. You are only allowed to control the turtle with `goto`.

Hint: Trigonometry might help.

2.5 Tick Space Tick Space Tick ★★★★★

Input: Two integers, $10 \leq L \leq 100$ and $1 \leq N \leq 15$.

Output: Draw a horizontal dotted line of N segments. The length of each segment should be L . The space between two segments should also be L .

Note: The turtle should start and end the drawing with a filled segment.

Hint: Make use of `turtle.penup`, `turtle.pendown` and `turtle.isdown`.

This work is licensed under a Creative Commons
“Attribution-NonCommercial 4.0 International” li-
cense.

