

TASK-08

03-07-2026

TOPIC: FILE PERMISSION IN AWS

Connect to the server:

- Open the AWS account click on the search bar enter the **EC2** on the search bar select the instance select the it start instance
- Copy the address from **"SSH CILENT"** paste the on the terminal

```
Windows PowerShell 5.1
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Karthik Reddy> cd downloads
PS C:\Users\Karthik Reddy\downloads> ssh -i "kittu.pem" ubuntu@ec2-50-19-177-7.compute-1.amazonaws.com
The authenticity of host 'ec2-50-19-177-7.compute-1.amazonaws.com (50.19.177.7)' can't be established.
ED25519 key fingerprint is SHA256:/OLau1LGc3QWsYY0DH17vXr2am42ijaqRMLQDkaGNwc.
This host key is known by the following other names/addresses:
  C:\Users\Karthik Reddy/.ssh/known_hosts:1: ec2-98-81-90-130.compute-1.amazonaws.com
  C:\Users\Karthik Reddy/.ssh/known_hosts:4: ec2-100-59-188-57.compute-1.amazonaws.com
  C:\Users\Karthik Reddy/.ssh/known_hosts:5: ec2-18-212-76-2.compute-1.amazonaws.com
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-50-19-177-7.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)
```

Create the user:

Command → **sudo adduser username**

Checking the user → **cat /etc/passwd**

```
Last login: Fri Oct 3 05:55:40 2026 from 1
ubuntu@ip-172-31-31-198:~$ cat /etc/passwd
```

```
ec2-instance-connect:x:104:65534:./nonexistent:/usr/sbin/nologin
ubuntu:x:1000:1000:Ubuntu:/home/ubuntu:/bin/bash
vishi:x:1001:1001:,,,:/home/vishi:/bin/bash
ajay:x:1002:1002:,,,:/home/ajay:/bin/bash
kittu:x:1005:1005:,,,:/home/kittu:/bin/bash
```

File Permission to know

Type of permission

1) Owner → 1st RWX

2) Group → 2nd RWX

3) Others → 3rd RWX

RWX → $2+4+1 = 7$

To give the full access to enter "7"

To give the read access to enter "2"

To give the write access to enter "4"

To give the execute access to enter "1"

Create the file :

Command : **sudo touch file name**

ls -l

```
ubuntu@ip-172-31-31-198:~$ sudo touch work.html
ubuntu@ip-172-31-31-198:~$ ls -l
total 4
-rw-r--r-- 1 root root 18 Jul  2 04:43 123.html
-rw-r--r-- 1 root root  0 Jul  3 04:40 devopls.txt
-rw-r--r-- 1 root root  0 Jul  3 04:41 work.html
```

To change the file permission:

Command → **sudo chmod 777 file name** it will give the full access

```
ubuntu@ip-172-31-31-198:~$ sudo chmod 777 work.html
ubuntu@ip-172-31-31-198:~$ ls -l
total 4
-rw-r--r-- 1 root root 18 Jul  2 04:43 123.html
-rw-r--r-- 1 root root  0 Jul  3 04:40 devopls.txt
-rwxrwxrwx 1 vishi vishi  0 Jul  3 04:41 work.html
```

Command → **sudo chmod 742 file name** it will give the it will

Owner access is full access

Group access is only write access

Others access is only read access

```
ubuntu@ip-172-31-31-198:~$ sudo chmod 742 work.html
ubuntu@ip-172-31-31-198:~$ ls -l
total 4
-rw-r--r-- 1 root root 18 Jul  2 04:43 123.html
-rw-r--r-- 1 root root  0 Jul  3 04:40 devopls.txt
-rwxr---w- 1 vishi vishi  0 Jul  3 04:41 work.html
```

To change the ownership:

Command → **sudo chown username:username filename**

```
ubuntu@ip-172-31-31-198:~$ sudo chown ajay:ajay work.html
ubuntu@ip-172-31-31-198:~$ ls -l
total 4
-rw-r--r-- 1 root root 18 Jul  2 04:43 123.html
-rw-r--r-- 1 root root  0 Jul  3 04:40 devopls.txt
-rwxr---w- 1 ajay ajay  0 Jul  3 04:41 work.html
```