WISPR FLOW HIRING CHALLENGE · GROWTH TEAM, INDIA

Out Loud

A voice-built growth portfolio

Application concept, specification and delivery plan



PREPARED FOR
Ansik Aryan Samal

CHALLENGE
Wispr Flow Hiring Challenge with Emergent

VERSION
1.0 · 31 October 2026

STATUS
Build-ready specification

Emergent | Wispr Flow | Voice-built | Growth

DOCUMENT CONTROL

Contents

1. Executive summary . . . 3
2. Challenge brief analysis . . . 4
3. Product concept . . . 5
4. Information architecture and UX . . . 7
5. Module specifications . . . 8
6. Voice-driven build strategy . . . 15
7. Technical architecture . . . 17
8. Delivery plan . . . 19
9. Quality assurance and launch checklist . . . 20
10. Risk register . . . 21
11. Submission package . . . 22
12. Success criteria and open inputs . . . 24
Appendix A · Voice content-capture questions . . . 26
Appendix B · Reference encoder and decoder . . . 26
Appendix C · Glossary . . . 28
Appendix D · Sources . . . 29

Document	Out Loud: application concept, specification and delivery plan
Version	1.0, build-ready · 31 October 2026 (Saturday)
Prepared for	Ansik Aryan Samal
Prepared with	Claude (Anthropic)
Challenge	Wispr Flow Hiring Challenge with Emergent, growth team India. Opens 28 Oct, submissions close 4 Nov 2026.
Inputs	The challenge page (re-read on 31 Oct), three résumé versions supplied by Ansik, and earlier ideation in this conversation.
How to use it	Sections 1–3 decide what to build. Sections 4–7 specify it. Sections 8–10 plan and de-risk it. Section 11 packages the submission. Section 12 lists what is still needed from you.

THE DECISION

1. Executive summary

More than 2,000 people applied to Wispr Flow's India roles in the week before this challenge, and the team says the applications were hard to tell apart: the same over-polished PDF résumés. So the format changed. The new brief is to build the most creative portfolio of yourself, with your voice, and to show the chances you took, the mistakes you learned from, what you care about and how you think.

Out Loud is a build-ready answer to that brief. It is a single-page interactive portfolio with three chapters and one proof layer, built on Emergent and spoken into existence with Wispr Flow.

3 + 1	5 days	< 3 min	≤ 3:00
chapters plus a proof layer	31 Oct to 4 Nov, one builder	to walk the whole site	submission video



Figure 1. Out Loud at a glance: three chapters, each proving something different, sitting on one proof-of-voice layer.

What the visitor gets

- **The Autopsy (spine).** A decision-by-decision teardown of a real product launch, the stock screener that reached about 10,000 views. Wins, misses, evidence badges on every number, and three proposals for growing Wispr Flow in India.
- **Voice-First Bharat (wow).** Speak, or dictate with Flow, in Hindi, Telugu or Odia and watch a structured job profile appear. It is the daily-wage-worker pitch from IIT Bombay, rebuilt with voice at the front door.
- **The Secret Layer (flair).** A message hidden in an image, three clues to find it, and a decoder that runs in the browser. Behind it sits the answer to the $3,000 question.
- **Voice Receipts (proof).** For each chapter: the audio, what Flow typed, what Emergent built, and a personal typing-versus-talking test with real timings.

> **The idea in one sentence**
>
> A portfolio you can walk through in under three minutes that proves ownership (a real launch, honestly dissected), insight (voice for people who cannot or will not type) and craft (a message you can decode), and that was itself built by speaking.

Why this combination wins

Reviewer's question	How Out Loud answers it
Can this person own an outcome?	The Autopsy shows decisions, trade-offs and results from a real launch, with verifiable numbers and honest gaps.
Do they understand our market?	Voice-First Bharat shows why voice matters where typing is hardest: regional languages, long forms, small screens.
Do they use voice naturally?	Every chapter ships with voice receipts, and the site's own copy was dictated in the author's words.
Is this memorable among 2,000 applicants?	A hidden-message puzzle is something people remember, screenshot and talk about, and it fits the creativity criterion.

Scope boundaries

In scope	Out of scope (deliberately)
One public page on Emergent; three chapters and the proof layer; a small server function for profile extraction; a 3-minute video; a LinkedIn or X post.	User accounts, storing visitor data, a general-purpose chatbot, payments, native apps, and any claim about Wispr Flow's internal data or metrics.

WHAT THEY ASKED FOR

2. Challenge brief analysis

The brief was re-read in full on 31 October. This section separates what is required from what is merely hinted at, then derives the design principles.

2.1 Requirements and the design response

Requirement	What the page says	Design response
A portfolio of you, built with voice	An interactive window into the chances you took, mistakes you learned from, what you care about, and how you think.	Chances and thinking: Autopsy decisions. Mistakes: the Mistakes panel. What you care about: Voice-First Bharat.
Public link, new build	Built on Emergent using Wispr Flow. No old portfolios. Publicly accessible.	A fresh project named Out Loud. Incognito and second-device checks before submitting.
Video, 3 minutes max	What you built, why, and the value you saw in voice. Clear communication is judged.	2:55 storyboard with a measured speed-test result (Section 11).
$3,000 grant answer	Your most oddly specific work requirement.	Unlocked by the Secret Layer, and also stated plainly in the About section (Section 11).
Proof of voice	Your recording, plus a check that your Flow account was active during the challenge.	Voice Receipts. Use Flow from day one, signed in with the same email you put on the form.
Evaluation	Creativity, use of voice, extreme ownership, work over credentials; independent building.	Coverage matrix in Section 12.
Logistics	Ideally start in November. Bangalore-based or willing to travel.	You are in Hyderabad today. Decide and state your availability honestly (Section 12).

2.2 Timeline

Date (2026)	Milestone	Implication
28 Oct	Challenge opens	Credits arrive at your registered email within 10 hours of registering.
Sat 31 Oct	Today	Four calendar days remain after today. Treat Tue 3 Nov night as the real deadline.
4 Nov	Submissions closed	The page lists a date but no time or time zone. Do not rely on the last day.
5 Nov	Shortlist contacted	Keep your phone and email reachable. Pin the portfolio link.
20 Nov	Hire announced	Keep improving quietly; do not change the submitted build without need.

2.3 Reading between the lines

- **Sameness is the enemy.** The first filter is distinctiveness. A clean but conventional portfolio loses to a specific, odd, memorable one.
- **It is a growth role.** The page says they want people who turn creative ideas into campaigns. The portfolio should show campaign thinking, not only engineering.
- **Voice is the product.** They will notice whether voice shaped the work or was bolted on. Show the process, not just the claim.
- **Interns need no channel history.** The FAQ says interns are judged in the context of their experience. Initiative, learning and follow-through carry the weight.
- **The page names formats it likes:** interactive timelines, choose-your-own-path stories, simulators, quizzes and ask-me-anything apps. Out Loud uses a timeline, a live demo and a puzzle.

2.4 Design principles

Principle	Meaning in practice
Specific over polished	Real decisions, real numbers, real mistakes. Rough edges are acceptable; vagueness is not.
Evidence over adjectives	Every number carries a badge: verified with a source, or marked not measured.
Voice as method	Dictate the copy, the prompts and the fixes. Keep the receipts.
One scroll, three minutes	A reviewer should reach the secret and the contact link in under three minutes.
Honest by default	Proposals are labelled as proposals. Samples are labelled as samples. No invented data.

WHAT OUT LOUD IS

3. Product concept

3.1 Vision and positioning

> **Positioning statement**
>
> For the Wispr Flow India growth team, who need to find one exceptional person among thousands of similar applications, Out Loud is an interactive portfolio that proves ownership, market insight and craft in three minutes. Unlike a résumé or a template site, it was built entirely by voice and lets the visitor test the ideas, not just read about them.

Tagline: *A portfolio you can walk through in three minutes, built by speaking.*

3.2 Audience

Persona	Needs	What Out Loud gives	Success signal
Primary: growth lead at Wispr Flow India	Fast proof of initiative and judgement; a reason to remember one applicant.	Evidence-badged decisions, a working voice demo, a puzzle worth screenshotting.	Reaches the Secret Layer or the contact link.
Secondary: founders and senior reviewers	Taste, authenticity, signs of independent building.	Plain-spoken copy, honest mistakes, a clean mobile experience.	Reads at least two Autopsy cards.
Tertiary: peers and the public on LinkedIn or X	Something shareable and fun.	A teaser image and a decode moment.	Shares, or tries the decoder.

3.3 Visitor journey




Figure 2. The intended three-minute journey. Times are targets for a first-time visitor; emotions are design intent.

3.4 Voice and tone of the copy

- First person, short sentences, spoken rhythm. If it sounds odd when read aloud, rewrite it.
- Numbers come with a badge and a source. Adjectives (“passionate”, “driven”) are banned.
- Mistakes are told as stories with a cost and a change, not as humble-brags.
- A few Hindi, Telugu or Odia phrases are welcome where natural, always with a plain-English gloss.

HOW IT IS ORGANISED

4. Information architecture and UX



Figure 3. Site map. One page with anchored chapters keeps the journey short and the link easy to share.

4.1 Page-by-page specification

Section	Purpose	Key elements	Primary call to action
0 · Hero	Hook in ten seconds.	One-line pitch, a 10-second voice intro with captions, “built by voice” badge, chapter links.	Scroll to The Autopsy.
1 · The Autopsy	Prove ownership.	Six decision cards, Mistakes panel, three Wispr India experiment cards.	Open a card; reach the next chapter.
2 · Voice-First Bharat	Prove market insight.	Origin story, language switcher, text box, sample chips, result card.	Run the demo.
3 · The Secret Layer	Be memorable; show craft.	Three clue breadcrumbs, decoder, spoiler path, unlocked content.	Decode the image.
4 · Voice Receipts	Prove use of voice.	Four to six receipts, personal speed test, how-it-was-built timeline.	Play a receipt.
5 · About and contact	Convert interest.	Five-line story, the $3,000 answer, email, LinkedIn, links to the video and post.	Contact.

4.2 Visual design system

The palette below is a proposal for the portfolio, not Wispr Flow's brand. A restrained dark base with four accent colours lets each chapter have its own identity while the whole stays coherent.

Ink	Indigo	Teal	Coral	Amber
#0F172A	#4F46E5	#0E9F9A	#F2603F	#F5A524
Base, text on light	The Autopsy	Voice-First Bharat	The Secret Layer	Voice Receipts

Area	Guideline
Typography	At most two families: a clear sans for text and one expressive weight for headings. Provide system-font fallbacks. Body text 16 px minimum on mobile.
Layout	Design at 390 px width first, since many reviewers open links on phones. One column on mobile, two columns from tablet width.
Motion	Small and purposeful: card expand, decode reveal. Honour the reduced-motion setting. No autoplay audio.
Accessibility	Contrast of at least 4.5:1, visible focus states, keyboard access to every control, transcripts or captions for all audio, alt text for images.
Imagery	No stock photos. Use your own screenshots, simple shapes and a waveform motif that echoes voice.

WHAT EACH CHAPTER DOES

5. Module specifications

5.1 Chapter 1 · The Autopsy (spine)

Reader question: can this person own an outcome? **Subject:** the Stock Screener SaaS client project. Known facts from the résumé: a customisable screener covering 5,300+ NSE and BSE stocks with live prices, watchlists and portfolio tracking; Free, Pro ($20/month) and Premium ($40/month) plans with discounted yearly rates; features such as stock search, watchlist count and automatic price refresh tied to each plan; payment approach chosen and documentation written; launched on a custom domain through Cloudflare; about 10,000 views in 3–4 months.




__Figure 4.__ Anatomy of a decision card. Each card is built from the same five parts so it can be read in under 20 seconds.

Decision cards: draft outline

#	Decision	Known facts	Capture by voice
1	Scope and audience	5,300+ NSE and BSE stocks; live prices, watchlists, portfolio tracking.	Who the user was; what you cut and why.
2	Plans and pricing	Free, Pro $20, Premium $40; discounted yearly.	Options you rejected; how you chose the numbers; what you would test.
3	Feature gating	Search, watchlist count and auto-refresh tied to plans.	Why those features; any user reaction.
4	Payments approach	Approach chosen; documentation written.	Alternatives, trade-offs, what went wrong.
5	Launch	Custom domain via Cloudflare.	Launch steps, channels, first-week actions.
6	Traffic	About 10,000 views in 3–4 months.	What drove views and what did not; what you would measure next. Attach the analytics export.

Mistakes panel

Three entries, each with: what happened, what it cost (time, money or users), and what you now do differently. Choose mistakes with real consequences; avoid disguised strengths.

Three proposals for Wispr Flow in India

These are hypotheses framed as small experiments, clearly labelled as proposals with assumptions, not data. Thresholds are illustrative and should be set before any test.

Proposal	Two-week test	Success metric	Kill criterion
H1 · Type versus Talk on campus, using Hinglish and regional passages	Run at two or three colleges with a tracked link and a result card.	Share rate of result cards; installs per 100 participants.	Under 5 installs per 100 participants (illustrative).
H2 · Write it by voice for freshers: cover letters, LinkedIn summaries	Offer through one placement cell and one bootcamp community.	Share of sign-ups who dictate within 24 hours.	Under 30 percent first-day activation (illustrative).
H3 · "I built it by talking" creator template	Brief five micro-creators with one 60-second format.	Cost per activated user.	Above a ceiling set before the test.

Requirements and acceptance

ID	Requirement	Acceptance check
A1	Six decision cards, keyboard and touch operable, each expandable and deep-linkable.	All cards open and close by keyboard; each has its own anchor.
A2	Every number carries an evidence badge: Verified (with source) or Not measured.	Zero unbadged numbers on the page.
A3	Mistakes panel with at least three entries.	Each entry states event, cost and change.
A4	Three experiment cards labelled as proposals.	Each has hypothesis, test, metric and kill criterion.
A5	Each card has a 20–40 second voice clip with transcript.	Audio plays on mobile; transcript is visible.

5.2 Chapter 2 · Voice-First Bharat (wow)

Reader question: does this person understand our market? **Origin story:** at the National Entrepreneurship Challenge E-Summit 2024 at IIT Bombay, the team's pitch ranked 4th in India. Ansik pitched a job-matching app for daily-wage and off-season workers with regional-language support, salary-negotiation help and planned tie-ups with government welfare schemes. Out Loud shows what that idea looks like when speech is the front door.




Figure 5. *The voice demo pipeline. Three input paths converge on an editable transcript; a validator guarantees the model never invents a value.*

Input modes

Mode	How it works	Strength	Limit
A · Flow dictation (primary)	The page offers a plain text box. A visitor with Wispr Flow dictates into it, because Flow works wherever you can type.	No custom speech code. Shows Flow's value in its natural setting.	Needs Flow installed on the visitor's device.
B · In-page mic (optional)	Browser speech recognition fills the same text box where supported.	Works without installing anything.	Support varies by browser and language; audio may go to the browser vendor.
C · Sample clips (always)	Pre-recorded clips with pre-computed results.	Always works, even offline from the model.	Not live; clearly labelled as samples.

Language policy

Hindi is the primary demo language (native). Telugu and Odia are conversational per the résumé, so label them "beta" and have a native speaker verify each sample. Before building around them, test ten sentences per language in Flow. If accuracy is poor, ship Hindi and Telugu live, keep Odia as sample-only, and say so on the page.

Profile schema returned by the extractor

Field	Type	Rule
full_name	string or null	Only if spoken. Never guessed.
primary_trade	string or null	Normalised to English (for example mistri to mason).
skills	string list	Only what was said.
experience_years	number or null	Spoken number words are converted and flagged as converted.
location_city	string or null	As spoken.
availability	full_day, part_day, seasonal or unknown	Unknown unless stated.
expected_wage	amount, unit (day, hour, month, unknown), currency INR	Null unless stated. Never inferred.
source_language, field_confidence, flags	enum, map, list	Flags include converted_number and low_confidence. Phone numbers and IDs are masked.

Sample utterances (illustrative: replace with native-verified recordings)

Language	Spoken (romanised)	Expected extraction
Hindi	“Mera naam Ramesh hai. Main das saal se mistri ka kaam kar raha hoon, Hyderabad mein. Rozana paanch sau rupaye leta hoon.”	Ramesh; mason; 10 years; Hyderabad; 500 INR per day (converted from words).
Telugu	“Naa peru Suresh. Nenu aidu years nundi electrician ga panichestunnanu, Hyderabad lo.”	Suresh; electrician; 5 years; Hyderabad; wage null (not stated).
Odia	“Mo naa Bijay. Mu pancha barsa dhari mason kama karuchi, Bhubaneswar re.”	Bijay; mason; 5 years; Bhubaneswar; wage null. Verify spelling with a native speaker.

Requirements and acceptance

ID	Requirement	Acceptance check
B1	Text box accepts typed or dictated input; mic button appears only where supported; sample chips always available.	Works on Android Chrome, iPhone Safari and desktop.
B2	Language selector sets the extraction hint; Hindi, Telugu and Odia, with English fallback.	Wrong-language input still returns a valid, mostly-null profile.
B3	Result card is editable, shows per-field confidence and flags converted values.	A visitor can fix any field in one tap.
B4	Validator rejects invented values; missing fields stay null and prompt the visitor to confirm.	Ten adversarial inputs with a missing wage produce zero invented wages.
B5	Privacy: nothing stored after the visit; disclaimer that this is a concept demo, not a hiring product; no real workers’ data.	No visitor text appears in logs or storage.
B6	Accuracy: at least 8 of 10 scripted samples per live language return correct name, trade, experience and city.	Recorded in the QA sheet.

5.3 Chapter 3 · The Secret Layer (flair)

Reader question: is there something here worth coming back to? The chapter turns your steganography internship project into a puzzle. A short message is hidden in the lowest bit of the colour values of a PNG. Visitors collect three clues, load the image into a browser decoder, enter a short passphrase, and unlock a bonus story and your answer to the $3,000 question.




Figure 6. How the hidden message is written and read. The worked example hides one letter in eight bytes; the real message uses the same method.

Mechanic and clue trail

Step	What the visitor sees	Where it lives
Clue 1	A line in the hero or first card: “One picture on this page is heavier than it looks.”	The Autopsy
Clue 2	A passphrase word spoken near the end of a voice clip, noted in its transcript.	Voice-First Bharat
Clue 3	A small “decode an image” tool appears in the footer of the receipts.	Voice Receipts
Spoiler path	A visible “skip the puzzle” link reveals the answer immediately.	Secret Layer and About

Design decision: never gate the essentials

Reviewers are time-poor. The $3,000 answer must also be readable without solving the puzzle, in the About section and the video. The puzzle rewards curiosity; it must never block information the brief asks for.

Technical specification

- **Carrier:** a lossless PNG. JPEG recompression rewrites pixel values and destroys the hidden bits. Test on the deployed URL.
- **Frame:** a 32-bit length, the UTF-8 message bytes, then a CRC-32 of the message, written most-significant bit first into the lowest bit of each R, G and B byte (alpha is skipped).
- **Lock:** an optional passphrase XOR-ed over the message. It is a puzzle lock, not security; a wrong passphrase fails the CRC and shows a friendly message.
- **Decoder:** runs entirely in the browser using a canvas; the image is never uploaded.
- **Reference code:** an encoder (Python) and decoder (JavaScript) are in Appendix B and were tested for a round trip, including wrong-passphrase handling and non-ASCII text.

Requirements and acceptance

ID	Requirement	Acceptance check
C1	The deployed PNG decodes correctly in three browsers on desktop and mobile.	SHA-256 of the served file equals the original; message matches exactly.
C2	Wrong passphrase gives a friendly retry; three failures offer a hint.	No error codes or stack traces visible.
C3	Reveal animation under 1.5 seconds, with a reduced-motion fallback.	Tested with the OS setting on and off.
C4	Hidden content: bonus story (up to 120 words), the $3,000 answer (up to 80 words), a one-line invitation.	Reads well aloud.

5.4 Proof layer · Voice Receipts

This layer answers the “use of voice” criterion directly. It shows, with evidence, that speaking shaped the work and what it added.

Element	Content	Rule
Receipts (4–6)	Short audio clip (up to 20 s), the text Flow produced, the Emergent result (screenshot or description), and one line on what changed.	Every audio has a transcript.
Personal speed test	The same three prompts typed and then spoken, each timed by you. Columns: prompt, words, typing time, speaking time, ratio.	Report only measured values and state the method. No borrowed multipliers.
How it was built	A day-by-day timeline of prompts and fixes, taken from the build log.	Plain and honest; include one thing voice did badly and how you handled it.

ID	Requirement	Acceptance check
D1	At least four receipts across at least two chapters.	Each shows audio, Flow text and the build result.
D2	Speed test with n of at least 3 and a method note.	Raw timings visible, not just the headline ratio.
D3	Flow account active on every build day, same email as on the form.	Usage visible on each of the five days.

HOW TO BUILD IT BY SPEAKING

6. Voice-driven build strategy



Figure 7. The build loop. Each pass produces a receipt, so the evidence for "use of voice" accumulates as a by-product.

6.1 Setup checklist (do this first)

Item	Why	Done when
Wispr Flow installed and signed in with the form email	They check that the account was active during the challenge.	A test dictation works in a browser text field and in Emergent.
Personal dictionary entries	Names and jargon are where dictation fails first.	Added: Emergent, Wispr, Out Loud, Autopsy, Bharat, NSE, BSE, place and trade names in your languages.
Emergent account on the same email, credits received	Credits arrive at the registered email within 10 hours.	You can start a new project.
Quiet room and a close microphone	Clean audio improves transcripts and the video.	A 30-second test is clear.
Screen-plus-audio recorder	Receipts and the video need raw captures.	A test file plays back.
Receipt folders by day	Evidence is easy to lose mid-build.	Folders day-1 to day-5 exist.

6.2 Dictation protocol

- **Order of a prompt:** goal, behaviour, content, constraints, acceptance check. One component per prompt, 60–90 seconds of speech.
- **Dictate the copy itself** in your own words (decision stories, mistakes, About). The site's text then is your voice, which is the point of the brief.
- **Review on a phone-sized viewport,** then speak the fix list in one pass instead of retyping edits.
- **After each step save a receipt:** the audio, the Flow text, and a screenshot of the result.

- **Do not dictate** the final passphrase or any private data into shared tools.

6.3 Prompt sequence for Emergent

Prompts specify behaviour, not libraries; let Emergent choose the scaffolding. Paste real content instead of placeholder text.

Step	Goal	Spoken prompt (condensed)
P0	Brief	“Build a single-page portfolio called Out Loud for a growth internship application at Wispr Flow India. Honest, curious, plain-spoken. Chapters: The Autopsy, Voice-First Bharat, The Secret Layer, Voice Receipts, About. Mobile first.”
P1	Design system	“Dark ink base, accents indigo, teal, coral and amber, one per chapter. Two font families with system fallbacks. Respect reduced motion. No stock photos.”
P2	Hero	“One-line pitch, a captioned 10-second voice intro, a built-by-voice badge, and links to each chapter.”
P3	Autopsy timeline	“Create six expandable decision cards from this JSON. Show context, options, decision, result with an evidence badge, and what I would change. Use only the content I provide.”
P4	Mistakes and proposals	“Add a mistakes panel and three experiment cards labelled as proposals, with hypothesis, test, metric and kill criterion.”
P5	Voice demo UI	“A text box that accepts typed or dictated text, a language selector, sample chips, an optional mic button shown only if supported, and an editable result card.”
P6	Extraction endpoint	“A server function that takes text and a language hint and returns this JSON schema. Unknown means null. Never invent a name or a wage. Cap input length and rate-limit.”
P7	Secret Layer	“A decoder that loads this PNG into a canvas, reads the lowest bit of R, G and B, rebuilds length, message and CRC-32, and checks an optional passphrase. Include a skip-the-puzzle link.”
P8	Receipts	“A receipts section: audio player, transcript, Flow text, build result, and a speed-test table filled from this data.”
P9	Polish and accessibility	“Keyboard navigation, focus states, contrast of 4.5 to 1, alt text, captions, reduced-motion fallback, and a social share image.”
P10	QA and deploy	“List everything you changed. Fix console errors. Confirm the PNG is served unmodified.”

6.4 Prompting rules of thumb

- One outcome per prompt, and ask Emergent to list what it changed.
- Give it your real content and say “do not invent facts”.
- Ask for explicit error and empty states in every interactive part.
- Keep a running decisions note; it becomes the how-it-was-built timeline.

HOW IT FITS TOGETHER

7. Technical architecture

The stack is deliberately left to Emergent. What matters is the shape: a static, fast client; a small server function for extraction; and all decoding on the client.



Visitor audio is never stored by Out Loud. Browser mic mode may use the browser vendor's speech service.

Figure 8. *Layered architecture. Only the extraction call leaves the app, and it carries typed or dictated text, never stored audio.*

7.1 Content data model

Keeping all copy in structured data lets you dictate content once and have Emergent render it everywhere.

```
Decision = { id, title, context, options[], decision, reason,
             result: { text, evidence: { type: "verified"|"not_measured", label, url? } },
             change, audio_url?, transcript? }
Mistake  = { id, what_happened, cost, change }
Proposal = { id, hypothesis, test, metric, kill_criterion, label: "proposal" }
Receipt  = { id, title, audio_url, flow_text, build_result, screenshot_url?, note }
SpeedTest= { prompt, words, typing_seconds, speaking_seconds }   // ratio computed, never typed
```

7.2 Extraction API contract

```
POST /api/extract
Request : { "text": "<up to 1,000 characters>", "language_hint": "hi" | "te" | "or" | "en" }
Response: { "profile": { "full_name": null, "primary_trade": "mason", "skills": [],
                         "experience_years": 10, "location_city": "Hyderabad",
                         "availability": "unknown",
                         "expected_wage": { "amount": 500, "unit": "day", "currency": "INR" },
                         "source_language": "hi" },
            "field_confidence": { "primary_trade": 0.9, "experience_years": 0.8 },
            "flags": ["converted_number"] }
Errors  : 400 invalid input | 422 failed validation (ask visitor to confirm) | 429 rate limited
```

7.3 Non-functional requirements

Area	Target
Performance	Largest contentful paint of 2.5 s or better on throttled 4G (target); compress all images except the carrier PNG, which must stay lossless.
Accessibility	WCAG 2.1 AA as the target; keyboard-only walkthrough and a screen-reader smoke test before launch.
Privacy	No accounts, no stored visitor text or audio. Disclose that browser mic mode may use the browser vendor’s speech service.
Security	API key server-side only; input length cap; per-session rate limit; escape all rendered output; same-origin requests.
Reliability	Graceful degradation: if the model or mic is unavailable, sample clips and pre-computed results still work.
Observability	Counts only: chapter views, card opens, demo runs, decode successes. No personal data.
Browsers	Latest two versions of Chrome, Edge, Firefox and Safari; Android Chrome and iPhone Safari.
Cost control	Cache sample extractions; cap model calls per session so credits last through review.

FIVE CALENDAR DAYS, ONE BUILDER

8. Delivery plan




Figure 9. Schedule from Saturday 31 October to Wednesday 4 November. The submit target is Tuesday night; Wednesday is buffer only.

8.1 Day-by-day plan

Day	Focus	Output	Exit check
Sat 31 Oct (today)	Setup, content capture, shell, and an early steganography test.	Flow and Emergent ready; about 25 spoken answers captured (Appendix A); design system and hero live; a test PNG decoded from a deployed URL.	You can open a deployed page and decode a test image.
Sun 1 Nov	The Autopsy in full.	Six cards with evidence badges, mistakes panel, three proposals, voice clips attached.	Every number has a badge.
Mon 2 Nov	Voice-First Bharat and the Secret Layer.	Demo live in at least Hindi and one more language; real encoded image and decoder.	The secret decodes on a phone from the live URL.
Tue 3 Nov	Receipts, QA, deploy, video, post.	Four receipts and speed test; checklist passed; video recorded; link frozen by midday; submit by night.	Public link opens in incognito on a second device.
Wed 4 Nov	Buffer only.	Fix and resubmit if needed. No new features.	Submission confirmed.

8.2 Scope-cut order if time slips

Cut strictly in this order, and never cut the items in the second list.

Cut first to last	Never cut
1. Third experiment card · 2. Odia live support (keep as sample-only) · 3. In-page mic button (keep text box and samples) · 4. Reveal animation · 5. Language switcher polish	Evidence badges on the Autopsy · Voice receipts and the speed test · Public-link and incognito check · The video · The spoiler path for the $3,000 answer

8.3 Stretch backlog (only after the core is frozen)

- Ask Ansik Anything: a chat grounded only in your spoken answers, with source notes and a refuse-to-guess rule.
- Growth data copilot: your Text-to-SQL guardrails on a clearly simulated campaign dataset, queried by voice.
- Price Wispr for India: a simple simulator with explicit assumptions.
- Influencer fit scorer: a transparent weighted rubric on hypothetical profiles.

Working agreements: time-box every module; log decisions by voice; freeze features on Tuesday at midday; after that, only fixes.

PRODUCTION READINESS

9. Quality assurance and launch checklist

9.1 Test matrix

Area	Test	Pass condition
Devices	Mid-range Android Chrome, iPhone Safari, desktop Chrome and Edge.	No layout breaks; all controls usable by touch.
Network	Throttle to 4G.	Hero usable within about three seconds.
Voice demo	Ten scripted samples per live language; ten adversarial inputs; mic denied; unsupported browser.	At least 8 of 10 correct; zero invented values; clear fallback messages.
Secret Layer	Decode on the live URL in three browsers; wrong passphrase; compare file hash with the original.	Exact message; identical SHA-256.
Accessibility	Keyboard-only run; screen-reader smoke test; contrast check; captions present.	Everything reachable and readable.
Content	Every number has a badge; names such as Wispr Flow and Emergent are spelled correctly; all links open.	Zero unbadged numbers; zero dead links.
Privacy	Scan the page for personal details and employer-confidential information.	No phone number, no private data, nothing confidential.
Public access	Open in incognito and on a different network and device; send to a friend.	Loads without sign-in.

9.2 Claims register

Every public claim needs evidence you can produce on request. Fill the last column before you submit.

Claim	Evidence to hold	Where shown	Status
About 10,000 views in 3–4 months	Analytics export with the date range.	Autopsy card 6	Open
5,300+ NSE and BSE stocks	Dataset count or product screenshot.	Autopsy card 1	Open
Free, Pro $20, Premium $40 plans	Pricing page screenshot.	Autopsy card 2	Open
4th in India, NEC E-Summit 2024 pitch	Certificate or results page.	Voice-First Bharat origin story	Open

Claim	Evidence to hold	Where shown	Status
Steganography tool from the internship	Repository or demo link.	Secret Layer	Open
Language levels	Self-assessed as on the résumé: English professional, Hindi native, Telugu and Odia conversational.	Demo language labels	Open
Speed-test ratios	Your own timing sheet.	Voice Receipts	Open

9.3 Pre-submission checklist

- Portfolio is a new build, public, and opens without sign-in.
- Flow account active on all build days, same email as on the form.
- Video is 2:55 or shorter and plays when logged out.
- The $3,000 answer is readable without solving the puzzle.
- No phone number or confidential employer detail is on the page.
- Link, video and post URLs are saved in one note, ready to paste into the form.

WHAT COULD GO WRONG

10. Risk register



Figure 10. *Risk heat map. R2 (solo time overrun) is the only high-likelihood, high-impact item.*

ID	Risk	L	I	Mitigation
R1	Telugu or Odia accuracy is uneven.	High	Med	Test ten sentences per language in Flow first; native-speaker check; ship sample-only if weak; label beta.
R2	Solo time overrun across five days.	High	High	Scope-cut order (Section 8.2); freeze on Tuesday midday; Wednesday is buffer only.
R3	Hosting recompresses the PNG and breaks decoding.	Med	High	Test on the deployed URL on Saturday; compare SHA-256; fall back to embedding the image as a data URI.

ID	Risk	L	I	Mitigation
R4	Claims cannot be evidenced.	Med	High	Claims register; mark “not measured” rather than estimate.
R5	Emergent credit or platform friction.	Med	Med	Register early; keep prompts small; keep a copy of all content as JSON.
R6	The model invents profile details.	High	Med	Strict schema, null for unknown, validator, adversarial tests.
R7	Browser mic unsupported or denied.	High	Low	Mic is optional; text box and samples always work.
R8	Visitor voice-privacy concern.	Low	High	Store nothing; plain disclosure; no mic by default.
R9	Public-link or “new build” rule breached.	Low	High	New project only; incognito check on a second device.
R10	Weak proof of voice use.	Med	High	Receipts every day; Flow active daily; speed test with raw timings.
R11	Personal or confidential data exposed.	Med	Med	Privacy scan; omit phone number; avoid employer-confidential detail.

WHAT YOU HAND IN

11. Submission package

11.1 Form fields (from the challenge page)

Field	What to prepare
Name; Flow account email	Use the same email you use to sign in to Wispr Flow. This is how they verify voice use.
Interest	Internship, full-time role, or open to either. Decide before you fill the form.
Start date	Earliest realistic joining date; a later start is welcome for the right person.
Portfolio URL	The new Emergent build. Public. Tested in incognito.
Recording URL	The 3-minute video, with a link that works when logged out.
LinkedIn profile	Your profile link; align the headline with the portfolio.
Oddly specific setup requirement	The $3,000 answer (see 11.3).
Okay to feature publicly?	Yes or No. Your choice; say so deliberately.

11.2 The 3-minute video




Figure 11. *Storyboard. The page says clear communication is judged, so plan beats rather than a word-for-word script.*

Time	On screen	Beat (say it in your own words)
0:00–0:15	You, then the hero	Who you are in one line, and the one-sentence idea.
0:15–0:40	Hero and the brief	Why you built this: you took the brief literally and made it about yourself.
0:40–1:15	One Autopsy card	A real decision, what you chose, the result and what you would change.
1:15–1:40	Voice demo	Speak a sentence; the profile appears. The IIT Bombay pitch in one line.
1:40–1:50	Secret Layer	Decode it live; the reveal.
1:50–2:30	Receipts and speed test	What voice added to the build, with your measured numbers and one honest limitation.
2:30–2:55	About	The $3,000 answer in one sentence, then how to reach you.

- Record screen and voice in one pass; show Wispr Flow in use at least once.
- Rehearse twice. Add captions. Keep to 2:55 or less so you are safely under the limit.
- Upload and test the link while logged out before pasting it into the form.

11.3 Framework for the $3,000 answer

The page asks for your most oddly specific work requirement. The strongest answers are concrete, tied to the job, and justified by something you have shown. Use this structure: **the requirement** in one sentence, **why it unlocks the work** in two lines, **an itemised cost** under the cap, and **what it enables in your first 90 days**.

Direction	Why it can be defended	Evidence in the build
Field voice-capture kit for regional-language testing	Voice-First Bharat shows regional accuracy is where growth is won or lost; a kit lets you gather and test real accents.	The demo, the language policy and the QA results.
Campus micro-campaign kit	Proposal H1 needs travel, printed QR cards and small prizes for a Type versus Talk challenge.	The experiment cards and the speed test.
Creator trial fund	Proposal H3 needs paid pilots with micro-creators to measure cost per activated user.	The creator-template proposal.

Decision needed: choose the one you can defend with a number, and write it in your own voice. These directions are prompts, not text to copy.

11.4 LinkedIn or X post (optional but recommended)

- **Hook:** a teaser that mentions the hidden message without spoiling it.
- **Story:** two or three sentences on what you built and what speaking changed.
- **Proof:** a short clip or image of the decode moment.
- **Link and tags:** the portfolio URL, tagging Wispr Flow and Emergent. Post once the link is frozen.

DEFINITION OF DONE

12. Success criteria and open inputs




Figure 12. Coverage of the four scored criteria. This shows design intent, not a prediction of scores.

Criterion	A reviewer should be able to say after three minutes	Self-check question
Creativity	"I have not seen a portfolio like this."	Would I screenshot this and send it to a friend?
Use of voice	"Voice shaped the work and the product thinking."	Can I show audio, Flow text and result for at least four steps?
Extreme ownership	"They made real calls and learned from them."	Does every decision card show my choice, my reason and my change?
Work over credentials	"The work speaks; the résumé hardly mattered."	Could someone follow the whole story without opening a PDF?

12.1 Definition of done

- Public Emergent link, new build, passes the incognito test on a second device.
- All three chapters and the proof layer live; the secret decodes on mobile; the spoiler path works.
- Every number has an evidence badge; claims register has no open items.
- Video of 2:55 or less recorded and tested logged out; post drafted.

- Form completed with the same email as the Flow account; submission confirmation saved.

12.2 Inputs still needed from you

Input	Why it matters	Needed by
Launch analytics export (views, sources, any sign-ups)	Decides how strong the Autopsy can be; avoids over-claiming.	Sat 31 Oct
Ten test sentences per language run through Flow, ideally checked by native speakers	Decides which languages go live.	Sat 31 Oct
Availability: Bangalore-based or willing to travel	A stated requirement; answer it honestly in the form and video.	Before submitting
Interest type and earliest start date	Required form fields.	Tue 3 Nov
Direction for the $3,000 answer	Needed for the Secret Layer content and the video.	Mon 2 Nov
Certificate or results link for the E-Cell pitch; repository link for the steganography project	Evidence for the claims register.	Sun 1 Nov
Permission choice for featuring the build publicly	A required form field.	Tue 3 Nov

RECORD THESE TODAY

Appendix A · Voice content-capture questions

Answer each out loud, one to two minutes, in your own words. Keep the audio; the transcripts become the site's copy and your receipts.

Group	Questions
The Autopsy	1. Who was the client and what did they ask for? 2. Why that scope and those 5,300+ stocks? 3. Walk me through how you chose the plans and prices. 4. What did you gate by plan, and why? 5. How did you decide on payments, and what went wrong? 6. How did you launch? 7. Where did the first 10,000 views come from, and what did not work? 8. What would you do differently on day one?
Mistakes	9. Tell me about a mistake that cost real time or money. 10. A second one. 11. A third one. For each: what it cost and what you do now.
Voice-First Bharat	12. What was the pitch at IIT Bombay and who was it for? 13. Why does speech matter for that user? 14. Say a sample sentence in Hindi, Telugu and Odia as a worker might. 15. What would break first in real life?
Why Wispr Flow	16. Where have you wished you could speak instead of type? 17. What would you try first to grow Flow in India, and how would you know it worked? 18. Why a growth role, after building software?
Receipts	19. Time yourself typing a 90-word prompt, then speaking the same prompt. 20. Repeat twice with different prompts. 21. What did voice do badly?

TESTED CODE

Appendix B · Reference encoder and decoder

Both listings were run and verified: a Python encode followed by a Python decode, and the same PNG decoded by the JavaScript routine fed with RGBA pixel data, including a wrong-passphrase check and non-ASCII text. Always save the carrier as PNG.

encode_secret.py (offline, run once)

```
"""Hide a short message in the lowest bit of every R, G, B byte of a PNG.
Usage: python encode_secret.py cover.jpg secret.png "Your message" [passphrase]
"""
import struct, sys, zlib
from PIL import Image

def encode(src, dst, message, passphrase=""):
    data = message.encode("utf-8")
    crc = zlib.crc32(data)
    if passphrase:                                  # optional puzzle lock (not real security)
        key = passphrase.encode("utf-8")
        data = bytes(b ^ key[i % len(key)] for i, b in enumerate(data))
    payload = struct.pack(">I", len(data)) + data + struct.pack(">I", crc)
    bits = [(byte >> i) & 1 for byte in payload for i in range(7, -1, -1)]
    img = Image.open(src).convert("RGB")
    flat = bytearray(img.tobytes())
    if len(bits) > len(flat):
        raise ValueError("Image too small for this message")
    for i, bit in enumerate(bits):
        flat[i] = (flat[i] & 0xFE) | bit
    Image.frombytes("RGB", img.size, bytes(flat)).save(dst, "PNG")   # lossless only

def decode(src, passphrase=""):
    flat = Image.open(src).convert("RGB").tobytes()
    def read(n_bytes, offset_bits):
        out = bytearray()
        for b in range(n_bytes):
            v = 0
            for k in range(8):
                v = (v << 1) | (flat[offset_bits + b * 8 + k] & 1)
            out.append(v)
        return bytes(out)
    n = struct.unpack(">I", read(4, 0))[0]
    data = read(n, 32)
    crc = struct.unpack(">I", read(4, 32 + n * 8))[0]
    if passphrase:
        key = passphrase.encode("utf-8")
        data = bytes(b ^ key[i % len(key)] for i, b in enumerate(data))
    if zlib.crc32(data) != crc:
        raise ValueError("Wrong passphrase or damaged image")
    return data.decode("utf-8")

if __name__ == "__main__":
    encode(sys.argv[1], sys.argv[2], sys.argv[3], sys.argv[4] if len(sys.argv) > 4 else "")
```

decode_secret.js (browser: pass the array from canvas getImageData)

```
// Browser-side decoder. `rgba` is ImageData.data from canvas.getImageData().
function decodeSecret(rgba, passphrase = "") {
  let idx = 0;                                  // position in the RGB-only stream
  const lsb = () => {
    const p = Math.floor(idx / 3) * 4 + (idx % 3);   // skip the alpha byte
    idx++;
    return rgba[p] & 1;
  };
  const readBytes = (n) => {
    const out = new Uint8Array(n);
    for (let i = 0; i < n; i++) {
      let v = 0;
      for (let k = 0; k < 8; k++) v = (v << 1) | lsb();
      out[i] = v;
    }
    return out;
  };
  const u32 = (b) => ((b[0] << 24) | (b[1] << 16) | (b[2] << 8) | b[3]) >>> 0;

  const n = u32(readBytes(4));
  if (n > ((rgba.length / 4) * 3) / 8) throw new Error("No hidden message found");
  let data = readBytes(n);
  const crc = u32(readBytes(4));
  if (passphrase) {
    const key = new TextEncoder().encode(passphrase);
    data = data.map((b, i) => b ^ key[i % key.length]);
  }
  // CRC-32 check (also detects a wrong passphrase)
  let c = 0xFFFFFFFF;
  for (const b of data) {
    c ^= b;
    for (let k = 0; k < 8; k++) c = c & 1 ? 0xEDB88320 ^ (c >>> 1) : c >>> 1;
  }
  if (((c ^ 0xFFFFFFFF) >>> 0) !== crc) throw new Error("Wrong passphrase or damaged image");
  return new TextDecoder().decode(data);
}
module.exports = { decodeSecret };
```

Usage: `python encode_secret.py cover.jpg secret.png "Your message" passphrase`. After deploying, download the served image and confirm that its SHA-256 matches your original.

TERMS

Appendix C · Glossary

Term	Meaning
Emergent	The vibe-coding tool the challenge provides credits for; it builds an app from spoken or typed prompts.
Wispr Flow	Voice dictation that works wherever you can type, on Mac, Windows, iOS and Android.
LSB	Least significant bit: the last binary digit of a byte, whose change is invisible in a colour value.
CRC-32	A checksum used here to confirm the decoded message is intact and the passphrase is right.
Evidence badge	A label on each number: Verified (with source) or Not measured.
Voice receipt	A bundle of audio, Flow text and build result proving a step was built by voice.
Kill criterion	A pre-agreed result at which an experiment is stopped.

REFERENCES

Appendix D · Sources

- Wispr Flow Hiring Challenge page: challenge.wisprflow.ai (read 31 October 2026): brief, submission requirements, evaluation criteria, timeline, FAQ and form fields.
- Wispr Flow product page for dictation use cases: wisprflow.ai (language coverage and personal dictionary, as seen in earlier research).
- Three résumé versions supplied by Ansik: project facts, languages and achievements used in Sections 5 and 9.
- Figures 1–12 were created for this report; numbers shown in them are design targets or illustrations unless stated otherwise.