


INTERNAL STUDY CODE: VV_ET-16/20DXT3(D)-A_723_22_001,
VV_ET-2/20DXT4(S)-B_723_22_001

Study report - Version No. 2

EVALUATION OF THE EFFICACY OF A COSMETIC PRODUCT UNDER DERMATOLOGICAL CONTROL

- Subjective appreciation of organoleptic characteristics and efficacy



Reception date: August 30 th , 2022	Experimental phase start date: September 16 th , 2022
Experimental phase end date: October 19 th , 2022	Report date: November 18 th , 2022

SPONSOR

S&J INTERNATIONAL ENTERPRISES CO., LTD.
600/4 Moo11, Sukaphiban 8 Rd., Nongkharm,
Sriracha, Chonburi, 20230, Thailand

Testing Facility

ZURKO RESEARCH S.L.
Avenida de la Osa Mayor 4, 28023, Madrid (España).
Tel: (+34) 91.521.15.88

Technical team

Head of Efficacy Department: Lorena Bellas Domínguez.
Efficacy department technical team: Lorena González Flores, Magdalena González Rodríguez, Sara Ruiz Mayorga, Patricia González García, Alicia Marcos Aranda.
- Dermatologist: Javier Pedraz Muñoz. Medical license number: 283706434.
Statistician: Raquel Chica Martínez.

Information provided by the client:**Tested product**

Name: **KJELDGAARD BARRIER DEFENSE**
Reference: **Formulation No. SBW006-05**

Zurko Research S.L. is not responsible for the data provided by the sponsor, included in this table.

REPORT TABLE OF CONTENTS

1. ABSTRACT	4
2. OBJECTIVE AND PRINCIPLE OF THE STUDY	5
3. PANELISTS.....	6
4. MATERIAL AND EQUIPMENT.....	8
5. METHODOLOGY	10
6. RESULTS.....	14
7. CONCLUSIONS.....	31
8. MODIFICATIONS.....	32
9. DEVIATIONS	32
10. CONSERVATION OF DOCUMENTATION AND SAMPLES	32
11. BIBLIOGRAPHIC REFERENCES	32
12. SIGNATURES	33
Annex I: Information about the panelists	35
Annex II: Results of the instrumental efficacy	36
Annex III: Subjective questionnaire for the panelists.....	39
Annex IV: Subjective questionnaire results	42

1. ABSTRACT

Panelists	Number of subjects enrolled: 23 Age range: 30 – 70 years old Gender: Women and men Number of subjects completed: 21
Experimental area	Face
Application	Frequency: Twice daily, morning and evening Duration: 28 days
Test execution	September 16 th , 2022 – October 19 th , 2022
Study parameters	Evaluation of fine lines and wrinkles with PRIMOS-CR® Evaluation of skin barrier function efficacy with Tewameter® TM 300 Subjective questionnaire Dermatological assessment of tolerance
Study design	<u>DOT0/ DO</u> (before the application of the product): Measurements of anti-wrinkle efficacy, measurements of transepidermal water loss efficacy and dermatological assessment of tolerance. <u>DOT4h</u> (after 4 hours of the application of the product): Measurements of transepidermal water loss efficacy. <u>D14</u> (14 days after the continuous use of the product): Measurements of anti-wrinkle efficacy and measurements of transepidermal water loss efficacy. <u>D28</u> (28 days after the continuous use of the product): Measurements of anti-wrinkle efficacy, measurements of transepidermal water loss efficacy, subjective questionnaire and dermatological assessment of tolerance.
Assessment	Descriptive statistics (average, standard deviation, variation percentages): Linear Mixed-Effects Model and Wilcoxon Signed- Rank Test. Graphic evaluation and percentage summary
<u>Results</u> All the results detailed below are statistically significant with a p-value lower than 0.05. <u>Instrumental efficacy</u> - After 4 hours of the application of the product, transepidermal water loss increases an average of 11% in relation to the baseline. “The product smooths out fine lines and wrinkles” (Average roughness decreases significantly (p-value<0.05) in relation to baseline). <u>Subjective efficacy</u> After 28 days of continuous use of the product, the organoleptic characteristic with the highest percent of satisfaction was texture, where 86% of the panelists had a positive opinion about it. In addition, 100% of the panelists were satisfied with the result of the product on the skin and 100% of the panelists had their expectations fulfilled. <u>Dermatological assessment of tolerance</u> According to the <u>clinical examination performed by the dermatologist</u>, none of the panelists showed any skin alteration after 28 days of continuous use of the product.	

2. OBJECTIVE AND PRINCIPLE OF THE STUDY

The objective of this study is to determine the efficacy, as well as the tolerance, of the cosmetic product **KJELDGAARD BARRIER DEFENSE**, reference: **Formulation no. SBW006-05**, in 20 panelists, after 28 days of continuous use of the product, according to the conditions stipulated by the customer.

To evaluate the efficacy of the product, the following measurements were carried out:

- **Evaluation of fine lines and wrinkles** by means of 3D image analysis with **PRIMOS-CR®**, on the first day before the application of the product (baseline), after 14 days of continuous use of the product and after 28 days of continuous use of the product.
- **Evaluation of the skin barrier function** by means of the transepidermal water loss with **Tewameter® TM 300** equipment, before product application (baseline), after 4 hours of the application of the product and after 14 days and 28 days of continuous use of the product.

Moreover, this study has as objective to evaluate the subjective efficacy after 28 days of continuous use of the product and to perform the dermatological following-up of the possible adverse symptoms that could appear with the use of the product.

The study was carried out in accordance with ethical principles registered in the latest version of the Declaration of Helsinki.

3. PANELISTS

3.1 Ethical aspects

Each panelist participating in the study has been informed before about the type and the procedures of the study, signing an informed consent before the beginning of the study. The original informed consents were archived in Zurko Research.

3.2 Number of panelists

23 panelists were included in the study. The number of panelists required at the end of the study was 20.

Two of the panelists (V15 and V20) left the study for reasons unrelated to it.

For the evaluation of skin barrier function: Long-term efficacy, the data at D28 from panelists V07, V08 and V21 were anomalous, so they were not considered for the statistical analysis.

Therefore, the efficacy and tolerance of the tested product were verified in 21 panelists, except for the evaluation of skin barrier function: Long-term efficacy, that was verified in 21 panelists at D0 and D14 and in 18 panelists at D28.

The participants panelists in the study complied with the following criteria of inclusion and exclusion, checked through the recruitment questionnaire. Information related to panelists in the study is included in Annex I.

3.3 Specific inclusion criteria

The specific inclusion criteria, defined in the protocol, were as follow:

- Age range: 30 – 70 years old.
- Gender: Women and men.
- Skin type: All skin types (sensitive and non- sensitive).
- Face skin condition: All skin conditions (dry, normal, mixed, oily).
- Body skin condition: All skin conditions (dry/ moisturized).
- Caucasian subjects would be preferred.
- Good health conditions.
- Availability during the duration of the test.
- Understanding the information provided about the objective and development of the study by signing the informed consent.

3.4 Specific exclusion criteria

The specific exclusion criteria, defined in the protocol, were as follow:

- Users that do not meet inclusion criteria.
- Panelists with skin conditions on the test area (i.e., rosacea, eczema).

- Presence of pathologies that may interfere with the study.
- Presence of relevant dermatological pathologies (atopic dermatitis, psoriasis, lupus rosacea, ringworm, etc.).
- Panelists who have been subjected to an extraction or transplantation of organs; panelists who have suffered a cranial trauma with lengthy loss of consciousness in the last five years, or subjects with cranial trauma with current sequelae.
- Pregnant or breastfeeding panelists during a period of sexual activity without emergency contraception.
- Presence of cardiovascular, digestive, neurological, psychiatric, genital, urinary, hematological or endocrine progressive alteration.
- Presence of immunodeficiency.
- Presence of previous history of medicinal, cosmetics, healthcare, household, industrial products (especially latex, aluminum or nickel) intolerance.
- Presence of previous history of allergies, photosensitivity or phototoxicity.
- Presence of progressive cutaneous alteration.
- Presence of progressive febrile process.
- Presence of metabolic photodermatitis: porphyria, tryptophan metabolism disorders.
- Panelists who are treated with antibiotics, antihistaminics, corticosteroids, beta blockers, retinoid, azelaic acid, anti-acne treatments or for which treatment is completed during the 15 previous days to the study.
- Intense sunlight or UV exposure during the study or taking sunbaths or UV rays during the month prior study in the test area.
- Application of other similar topical product in the experimental area during the study.
- Application of other cosmetic types not used usually in the experimental area.
- Presence of allergy to this type of cosmetic product.
- Participation in any study that would interfere with the current study.
- Refusal to sign the informed consent (form).

The panelists were warned about the possible adverse or disgusting reactions of the product and its reversibility. In case of some adverse reaction or doubt of it, the panelists were advised to contact the center.

4. MATERIAL AND EQUIPMENT


Device PRIMOS-CR®: Measurement of the fine lines and wrinkles evaluation

Wrinkles were evaluated with the **PRIMOS-CR®** device on the crow's feet of the panelists.

PRIMOS-CR® is an optical system that generates measurements in three dimensions on the surface of the skin. A pattern of parallel bands is projected onto the surface of the skin by micro mirrors contained in a digital projector. A highly sensitive high-speed camera collects this image using an optical sensor. These data are sent to a personal computer. To evaluate the wrinkles, PRIMOS makes a series of measurements from the photos taken.

Average roughness was assessed by means of the parameter Ra, that is defined as the average of the absolute values of the profile heights of the roughness profile.

The lower the value Ra, the lower roughness and the better anti-wrinkle efficacy.


PRIMOS-CR®		
Panelist	Age Gender Number of panelists	30 – 70 years old Women and men 21
Test site	Anatomical location	Crow's feet 
Environmental conditions	Room temperature Ambient air relative humidity	18°C – 25°C 35-65%
Experimental times	General Duration of the study	D0T0/ D0 D0T4h D14 D28
Measurement	Number of consecutive measurements	1
Statistical study	Statistical analysis	Wilcoxon Signed-Rank Test
	P-value	P<0.05 (confidence interval 95%).

Device Tewameter® TM 300: Measurements of skin barrier function efficacy

The skin was evaluated with **Tewameter® TW 300** (Courage + Khazaka electronic GmbH, Germany).

Transepidermal water loss measurements were done on the forehead of the panelists with a reference template. The Tewameter measures the density of the evaporating gradient of the skin water indirectly with a pair on sensor (temperature and relative humidity).

The lower the TEWL value, the lower the transepidermal water loss.

Tewameter® TM 300		
Panelist	Age Gender Number of panelists	30 – 70 years old Women and men D0T0/D0, D0T4h and D14: n=21 D28: n=18
Test site	Anatomical location	Forehead 
Environmental conditions	Room temperature Ambient air relative humidity	18 °C – 25 °C 35-65%
Experimental times	General Duration of the study	D0T0/ D0 D0T4h D14 D28
Measurement	Number of consecutive measurements	1
Statistical study	Analysis	Linear Mixed - Effects Model
	P-value	P<0.05 (confidence interval 95%).

5. METHODOLOGY

5.1 Criteria for product application

Product type: Leave on gel.

Experimental area: Face.

Frequency of application: Twice daily, morning and evening.

Duration of the study: 28 days.

Recommended amount: As needed.

Instructions for use: Gently massage into skin.

5.2 Experimental procedure

D0T0/ D0	23 panelists signed the informed consent form and filled in a recruitment questionnaire	
	Verification of inclusion criteria	The researcher verified the specific inclusion and exclusion criteria of the panelists
	Evaluation of fine lines and wrinkles	PRIMOS-CR®
	Evaluation of skin barrier function efficacy	Tewameter® TM 300
	Tolerance	Dermatological assessment of tolerance
D0T4h	Evaluation of skin barrier function efficacy	Tewameter® TM 300
D14	Evaluation of fine lines and wrinkles	PRIMOS-CR®
	Evaluation of skin barrier function efficacy	Tewameter® TM 300
D28	Evaluation of fine lines and wrinkles	PRIMOS-CR®
	Evaluation of skin barrier function efficacy	Tewameter® TM 300
	Subjective efficacy	Subjective questionnaire 28 days after the continuous use of the product
	Tolerance	Dermatological assessment of tolerance

5.3 Biometric measurements

Environmental conditions:

During the measurements, the panelists who participated in the study, stayed 20-30 minutes in an acclimated room, with these conditions:

Temperature 18 – 25°C and relative humidity 35 – 65%.

5.4 Dermatological tolerance evaluation

On the first day of attendance at the center, the dermatologist, together with the researcher, verified the inclusion and exclusion criteria defined for the study. In case of non-compliance with any criteria the panelist (s) involved would be excluded before starting the study. At the same time, a visual evaluation of the skin of the panelist in the experimental area was carried out, evaluating the type of skin and possible alterations that could be present before the use of the product.

At the end of the study, the dermatologist and the researcher in charge of the study performed the same evaluation as at the beginning.

The alterations evaluated will be desquamation, dryness, acne prone skin, redness, spots, oedema, vesicles and others on a five-point scale (0: absence, 1: very slight, 2: slight, 3: moderate, 4: intense). In those cases where the panelists would show a different skin alteration, the dermatologist would also take a note of it. It will be also indicated if the observed alterations could be related to the use of the product, according to the scale Not related, Improbable, Possible, Probable, Sure or Not Valuable.

The interpretation of the results of the dermatological examination was collected in individual evaluation sheets.

5.5 Subjective evaluation

At the end of the study, when the participants visited the center, they completed a questionnaire answering questions concerning the acceptability, efficacy and tolerance of the product.

For the global opinion and organoleptic characteristics of the product and global opinion and characteristics of the container, a hedonic scale of five points is used:

- 5: Like it a lot,
- 4: Like a little,
- 3: Neither like nor dislike,
- 2: Dislike a little,
- 1: Dislike a lot.

Panelists with opinions between 4 and 5 are considered satisfied.

For the efficacy of the product, a hedonic scale of five points is used:

- 5: Strongly agree,
- 4: Agree,
- 3: Neither agree nor disagree,
- 2: Disagree,
- 1: Strongly disagree.

Panelists with opinions between 4 and 5 are considered satisfied.

In the questionnaire of subjective evaluation that the panelists completed at the end, also answered questions relative to the easy application of the makeup over the product (if they regularly use makeup), result of the product after the continuous use of the product, fulfillment of expectations, purchase intention and undesired effects (subjective efficacy). In case of unwanted symptoms, the specialist will fill out an Unwanted Effects Notification Form.

5.6 Statistical study of the results

Descriptive statistics of results from biometric parameters were reported for treatment and control groups and for each experimental time, including average, standard deviation and absolute variation with respect to control and with respect to baseline. In addition, graphical figures are added in order to show the average tendency on the response variables.

For the identification of outliers, the data are represented in the form of a boxplot. Thus, values distant from the rest of the data, either because they are higher or lower, are observed graphically. In addition, the third quartile (value under which 75% of the values of the panelist are found when arranged in increasing order) is calculated and those values that are higher than three times the third quartile are identified as critical outliers. For values considered outliers, the environment of that data is studied to decide whether to eliminate it.

Panelists data are included in the Annex II for control and treatment groups at each experimental time.

Linear mixed-effects models (LMM) are fitted to evaluate the effect of treatment with respect to control at each experimental time. Multiple measures taken over time (consecutive measures for each panelist), and thus correlated with each other, are considered by including random effects for each panelist, allowing the intercept to vary at random between panelists. Every model used for data analysis is contained in the lme function of the nlme package of the R software.

To evaluate the effect of the treatment with respect to the control at each experimental time when data could not be fitted by LMM, either a Student's t-test is used if the data follow a normal distribution, or the Wilcoxon signed-rank test is used if the data do not follow a normal distribution.

If the null hypothesis of no difference between the treatment and control groups at each experimental time is rejected, it can be concluded that there are significant differences among treatment and control at that experimental time.

Linear mixed-effects models (LMM) are fitted to compare experimental times with respect to baseline for the treatment and control groups. To compare experimental times with respect to baseline for the treatment and control groups when data could not be fitted by LMM, either a paired panelists Student's t-test is used if the data follow a normal distribution, or the paired panelists Wilcoxon signed-rank test is used if the data do not follow a normal distribution.

If the null hypothesis of no difference between the experimental time under assessment and baseline is rejected, it can be concluded that there are significant differences between that timepoint and the baseline.

For the ordinal scaled data, the paired samples Wilcoxon signed-rank test is used to evaluate the effect of the treatment on the response variable by comparing the experimental times with respect to the baseline time, since LMM cannot be fitted with these data. In addition, the paired samples Wilcoxon signed-rank test is used to evaluate the effect of the treatment with respect to the control at each experimental time.

Significance level is established in 0.05 (95% confidence interval) for each statistical test performed in this study.

6. RESULTS

6.1 Dermatological assessment of tolerance

Evaluation of alterations associated with the use of the product:

28 days after the continuous use of the product, the dermatologist evaluated the alterations presented in the panelists and indicate those related with the use of the product.

None of the panelists presented skin alterations associated with the use of the product.




Figure 1. Alterations associated with the use of product by the dermatologist (n=21).




Figure 2. Alterations associated with the use of product by the dermatologist (n=21).

6.2 Instrumental efficacy

6.2.1 Evaluation of the fine lines and wrinkles

The individual data (average values for each experimental time) at different times are included in Annex II.

Evaluation of fine lines and wrinkles			
	D0	D14	D28
Average	5.82	4.76	4.25
Standard deviation	2.64	1.80	1.77
% of variation absolute with respect to D0	-	-18%	-27%
% of panelists with improvement	-	81%	100%
WILCOXON SIGNED-RANK TEST (Di Vs D0)			
V	-	207.00	231.00
p value	-	1.56E-03	6.41E-05
Significance	-	S	S

Table 1. Descriptive results and significance for the evaluation of fine lines and wrinkles (n=21).

- After 14 days of continuous use of the product, average roughness decreases by 18% in relation to baseline. This difference is statistically significant with a p-value lower than 0.05.
- After 28 days of continuous use of the product, average roughness decreases by 27% in relation to baseline. This difference is statistically significant with a p-value lower than 0.05.




Figure 3. Ra value $\pm$ SD at different experimental times (D0, D14 and D28).




Figure 4. % of panelist with fine lines and wrinkles improvement (D14 and D28).

6.2.2 Evaluation of the skin barrier function efficacy

6.2.2.1 Evaluation of skin barrier function: Short- term efficacy

The individual data (average values for each experimental time) at different times are included in Annex II.

Evaluation of skin barrier function efficacy		
	D0T0	D0T4h
Average	16.03	17.74
Standard deviation	3.84	4.62
% of variation absolute respect to D0T0	-	11%
% of panelists with improvement	-	33%
LINEAR MIXED-EFFECTS MODEL (D0T4h Vs D0T0)		
Predicted average	16.03	17.74
Standard error	0.84	0.78
t value	-	2.18
p-value	-	0.04
Significance	-	S

Table 2. Descriptive results and significance for the evaluation of the skin barrier function efficacy (n=21).

- After 4 hours of the application of the product, transepidermal water loss increases an average of 11% in relation to the baseline. This difference is statistically significant with a p-value lower than 0.05.




Figure 5. Average TW value $\pm$ SD over time (D0T0 and D0T4h).




Figure 6. % of panelists with skin barrier improvement (D0T4h).

6.2.2.2 Evaluation of skin barrier function: Long- term efficacy

The individual data (average values for each experimental time) at different times are included in Annex II.

Evaluation of skin barrier function efficacy			
	D0	D14	D28
Average	16.03	17.93	14.81
Standard deviation	3.84	4.87	4.19
% of variation absolute respect to D0	-	12%	-8%
% of panelists with improvement	-	33%	56%
LINEAR MIXED-EFFECTS MODEL (Di Vs D0)			
Predicted average	15.92	17.68	14.87
Standard error	0.90	0.99	0.99
t value	-	1.76	-1.06
p-value	-	0.09	0.30
Significance	-	NS	NS

Table 3. Descriptive results and significance for the evaluation of the skin barrier function efficacy (D0 and D14: n=21; D28: n=18).

- After 14 days of continuous use of the product, transepidermal water loss increases an average of 12% in relation to the baseline. This difference is not statistically significant with a p-value higher than 0.05.
- After 28 days of continuous use of the product, transepidermal water loss decreases an average of 8% in relation to the baseline. This difference is not statistically significant with a p-value higher than 0.05.




Figure 7. Average TW value $\pm$ SD over time (D0, D14 and D28).




Figure 8. % of panelists with skin barrier improvement (D14 and D28).

6.3 Subjective evaluation of the product by the panelists

- **Global opinion and organoleptic characteristics of the product**

The following figure shows the percentage of panelists satisfied with the global opinion and organoleptic characteristics of the product, after 28 days of continuous use of the product.




Figure 9. Percentage of panelists satisfied with the global opinion and organoleptic characteristics of the product (n=21).

- **Global opinion and characteristics of the container**

The following figure shows the percentage of panelists satisfied with the global opinion and characteristics of the container, after 28 days of continuous use of the product.




Figure 10. Percentage of panelists satisfied with the global opinion and characteristics of the container (n=21).

- **Efficacy**

The following figures show the percentage of panelists satisfied with the efficacy of the product, after 28 days of continuous use of the product.




Figure 11. Percentage of panelists satisfied with efficacy of the product (n=21).




Figure 12. Percentage of panelists satisfied with efficacy of the product (n=21).

- **Easily application of the makeup over the product**

The panelists that regularly use makeup answered if they can easily apply makeup over the product.

24% of panelists strongly agree that they can easily apply makeup over product, 24% of the panelists agree they can easily apply makeup over product, 48% of the panelists neither agree nor disagree about if they can easily apply makeup over product and 4% of the panelists disagree that they can easily apply the makeup over the product.




Figure 13. Subjective evaluation about the easily application of the makeup over the product (n=21).

- **Result on the skin**

Panelists were asked about their grade of satisfaction with the result of the product on the skin, after 28 days of continuous use of the product.

14% of panelists were very satisfied and 86% of the panelists were satisfied with the result of the product on the skin.




Figure 14. Subjective evaluation about the result of the product on the skin by the panelists (n=21).

- **Fulfillment of expectations**

Panelists were asked if the product had met their expectations, after 28 days of continuous use of the product.

100% of panelists answered that the product had met their expectations.




Figure 15. Subjective evaluation about the fulfillment of expectations (n=21).

Among the reasons of the fulfillment of the expectations expressed by panelists, were included:

- "It leaves the skin hydrated and soft. In addition is easy to apply",
- "It spreads well and the smell is pleasant",
- "I like its texture and the feeling that leaves on my skin. I have noticed a reduction in my wrinkles".

- **Purchase intention**

Panelists were asked if they would buy the product instead of their habitual one, in case the price was adequate, after 28 days of continuous use of the product.

24% of panelists answered that, surely, they would buy the product, 62% of panelists answered that, probably, they would buy the product, 10% of the panelists answered that they did not know and 5% of panelists answered that, probably, they wouldn't buy the product.




Figure 16. Purchase intention by the panelists after the use of the product (n=21).

Between the reasons for having the panelists the intention to purchase the product were:

- "I've noticed an improvement in my skin",
- "The texture is very soft and my skin feels nice after using the product".

Between the reasons for not having the panelists the intention to purchase the product were:

- "I don't like the dosage",
- "It leaves my skin sticky, and the product doesn't absorb quickly".

- **Undesired effects (subjective evaluation)**

Panelists were asked if they have noticed any undesired effect (eg: itch, irritation, dryness, pimples, etc.) during the use of the product, after 28 days of continuous use of the product.

100% of panelists answered that they didn't have undesired effects.




Figure 17. Undesired effects (subjective evaluation) (n=21).

6.4 PRIMOS-CR® photographs

The photographs of the most representative panelists taken with the PRIMOS-CR® device are attached in the link below.

[Click here](#)

7. CONCLUSIONS

The results obtained in the laboratory and included in this report correspond to the sample analyzed in the laboratory.

This study had as objective to determine the efficacy, as well as the tolerance, of the cosmetic product **KJELDGAARD BARRIER DEFENSE**, reference: **Formulation no. SBW006-05**, in 20 panelists, 28 days after the continuous use of the product, according to the conditions stipulated by the customer.

Under the experimental conditions adopted and taking into account the defined instrumental parameters and dermatological evaluations, it can be concluded:

Results

All the results detailed below are statistically significant with a p-value lower than 0.05.

Instrumental efficacy

- **After 4 hours of the application of the product, transepidermal water loss increases an average of 11% in relation to the baseline.**

“The product smooths out fine lines and wrinkles”

(Average roughness decreases significantly (p-value<0.05) in relation to baseline).

Subjective efficacy

After 28 days of continuous use of the product, the organoleptic characteristic with the highest percent of satisfaction was texture, where 86% of the panelists had a positive opinion about it. In addition, 100% of the panelists were satisfied with the result of the product on the skin and 100% of the panelists had their expectations fulfilled.

Dermatological assessment of tolerance

According to the clinical examination performed by the dermatologist, none of the panelists showed any skin alteration after 28 days of continuous use of the product.

8. MODIFICATIONS

Version	Description	Date
01	Realisation of the report	November 4 th , 2022
02	The client requested to modify the conclusion	November 17 th , 2022
03	The client requested to change the product's name and the researcher's signature was changed	November 18 th , 2022

The new report versions replace the previous one.

9. DEVIATIONS

There were no deviations during the study.

10. CONSERVATION OF DOCUMENTATION AND SAMPLES

The study documentation will be stored at Zurko Research facilities.

The test documents will be stored for 10 years.

The tested product will be stored in the Zurko Research sample library for 1 year. After this time, it will be disposed of by the usual waste management procedure for this type of product.

11. BIBLIOGRAPHIC REFERENCES

1. SCCS (Scientific Committee on Consumer Safety), SCCS Notes of Guidance for the Testing of Cosmetic Ingredients and their Safety Evaluation 11th revision, 30-31 March 2021, SCCS/1628/21.
2. De Paepe, K., Houben, E., Adam, R., Wiesenmann, F., & Rogiers, V. (2005). Validation of the VapoMeter, a closed unventilated chamber system to assess transepidermal water loss vs. the open chamber Tewameter®. Skin research and technology, 11(1), 61-69.
3. Rogiers, V. (2001). EEMCO guidance for the assessment of transepidermal water loss in cosmetic sciences. Skin Pharmacology and Physiology, 14(2), 117-128.
4. Jang, S. I., Kim, E. J., Park, H., Kim, H. J., Suk, J. M., Kim, B. J., ... & Lee, H. K. (2015). A quantitative evaluation method using processed optical images and analysis of age-dependent changes on nasolabial lines. Skin Research and Technology, 21(2), 201-206.
5. Fujimura, T., Haketa, K., Hotta, M., & Kitahara, T. (2007). Global and systematic demonstration for the practical usage of a direct in vivo measurement system to evaluate wrinkles. International journal of cosmetic science, 29(6), 423-436.

12. SIGNATURES

The undersigned declare that this study has been conducted in accordance with the principles of Good Clinical Practice (Structure and content of clinical study reports from ICH Harmonised Tripartite Guideline Topic E3; Guideline for good clinical practice E6(R2) of June 14th, 2017; Regulation (EU) No 536/2014 of the European Parliament and of the council of 16 April 2014).

The results presented accurately and completely reflect the data from the study.

Leading researcher: Aitana Ajona Jover. I, the undersigned, declare that this study has been carried out under my liability.

Signature

Dermatology team: The Zurko dermatology team, led by Javier Pedraz (medical license number: 283706434), and Natalia Zawierta, as attending dermatologist, declare that this study has been reviewed under their responsibility. On behalf of,

Signature

ANNEXES

Annex I: Information about the panelists

Panelists		Age (Years)	Gender F= Female M=Male	Skin type (R/S)	Habitual use	Brand
Ref.	Acronym					
1	V01	49	F	S	Yes	Deliplus
2	V02	64	M	R	No	-
3	V03	42	M	R	Yes	Instituto Español
4	V04	66	M	S	Yes	Instituto Español
5	V05	57	F	S	Yes	L'Oréal
6	V06	32	M	S	No	-
7	V07	47	M	S	No	-
8	V08	51	F	S	Yes	Embryolisse
9	V09	46	F	R	Yes	Vichy
10	V10	31	F	S	No	-
11	V11	51	M	R	No	-
12	V12	40	F	R	Yes	L'Oréal
13	V13	60	F	S	Yes	Deliplus
14	V14	40	F	S	Yes	Esthederm
15	V16	53	F	S	Yes	Diadermine
16	V17	64	F	S	Yes	Nivea
17	V18	53	M	S	No	-
18	V19	41	F	R	Yes	Cien
19	V21	68	M	S	Yes	Deliplus
20	V22	41	M	R	Yes	Clinique
21	V23	45	M	R	No	-

R = Non- sensitive S = Sensitive

Annex II: Results of the instrumental efficacy

Instrumental efficacy

- Evaluation of the anti-wrinkle efficacy

Acronym	Ra value (mm)		
	D0	D14	D28
V01	8.33	6.42	5.68
V02	4.94	3.78	3.39
V03	7.01	5.34	4.96
V04	13.33	9.16	9.25
V05	4.85	4.51	4.34
V06	6.84	4.82	4.88
V07	4.64	3.67	3.67
V08	8.64	7.73	6.85
V09	6.10	7.66	5.79
V10	3.36	3.28	2.85
V11	7.78	5.43	5.48
V12	1.37	1.45	1.21
V13	4.55	3.99	3.23
V14	4.38	4.49	3.52
V16	4.96	4.71	4.39
V17	4.17	3.29	3.22
V18	4.59	4.35	2.51
V19	2.94	2.30	1.99
V21	9.64	4.95	4.38
V22	4.37	4.51	4.11
V23	5.53	4.07	3.44

- Evaluation of the skin barrier function: Short-term efficacy

Acronym	TW value (g/h/m ²)	
	D0T0	D0T4h
V01	11.66	15.57
V02	13.76	16.99
V03	15.10	15.40
V04	25.10	25.62
V05	17.27	23.04
V06	22.85	22.06
V07	19.01	26.12
V08	16.51	21.28
V09	13.81	21.12
V10	12.59	12.27
V11	16.56	18.91
V12	15.34	19.17
V13	11.05	17.85
V14	15.36	11.53
V16	12.58	8.92
V17	13.79	15.24
V18	18.51	16.94
V19	22.11	21.81
V21	13.42	13.96
V22	18.13	13.44
V23	12.07	15.20

- Evaluation of the skin barrier function: Long-term efficacy

Acronym	TW value (g/h/m ²)		
	D0	D14	D28
V01	11.66	9.17	16.59
V02	13.76	15.44	16.35
V03	15.10	17.54	9.96
V04	25.10	32.17	22.64
V05	17.27	14.92	12.37
V06	22.85	22.70	20.14
V07	19.01	19.71	-
V08	16.51	24.14	-
V09	13.81	13.31	10.08
V10	12.59	14.68	12.01
V11	16.56	15.21	11.27
V12	15.34	22.98	15.91
V13	11.05	17.37	15.00
V14	15.36	19.01	19.51
V16	12.58	15.84	8.03
V17	13.79	12.38	16.07
V18	18.51	19.27	11.85
V19	22.11	15.69	10.84
V21	13.42	19.99	-
V22	18.13	18.38	19.20
V23	12.07	16.71	18.79

“-“: Anomalous data

Annex III: Subjective questionnaire for the panelists

Annex VIII
Version 03
Date 28.12.2021
Page 1 of 4



SUBJECTIVE EVALUATION QUESTIONNAIRE AFTER PRODUCT APPLICATION

Study reference:

TEST PRODUCT:	KJELDGAARD BARRIER DEFENSE	Volunteer number (number that appears on the container)	
DATE:			

SUBJECTIVE EVALUATION QUESTIONS TO BE ANSWERED AFTER PRODUCT APPLICATION

Please, tick your preferred option with an X (select a single answer from the options).

GLOBAL OPINION AND ORGANOLEPTIC CHARACTERISTICS OF THE PRODUCT					
	Like a lot	Like a little	Neither like nor dislike	Dislike a little	Dislike a lot
	5	4	3	2	1
1. COLOR					
2. ODOR					
3. TEXTURE					
4. FAST ABSORBING					
5. GREASY FEELING					

GLOBAL OPINION AND CHARACTERISTICS OF THE CONTAINER					
	Like a lot	Like a little	Neither like nor dislike	Dislike a little	Dislike a lot
	5	4	3	2	1
6. PROPER DOSAGE					
7. EASY TO USE					
8. DOESN'T LEAK					

NOTE: this questions will be used in case we assess the definitive container.

SUBJECTIVE EVALUATION QUESTIONNAIRE AFTER PRODUCT APPLICATION

Study reference:

EFFICACY*					
(*) TO GET HONEST AND ACCURATE ANSWERS, WE RECOMMEND YOU TO FORMULATE UP TO A MAXIMUM OF 15 CONCISE QUESTIONS.	Strongly agree 5	Agree 4	Neither agree nor disagree 3	Disagree 2	Strongly disagree 1
1. It doesn't leave a stick/heavy feeling on skin					
2. Product doesn't leave a greasy feeling					
3. Skin is hydrated					
4. Skin is nurtured					
5. The skin is glowing					
6. The product is non irritating					
7. Fine lines and wrinkles have faded					
8. Skin texture has improved					
9. Skin looks smoother					
10. Skin is softer					
11. The product provides 24hr hydration					
12. Pigmentation has improved					
13. The product scent is comfortable					
14. The product texture is soft and comfortable to apply					

Please answer the following question if you use makeup regularly

	Strongly agree	Agree	Neither agree nor disagree	Disagree	Strongly disagree
1. You can easily apply makeup over product					

Very satisfying	Satisfying	Indifferent	Unsatisfactory	Very unsatisfactory

SUBJECTIVE EVALUATION QUESTIONNAIRE AFTER PRODUCT APPLICATION

Study reference:

Result on the skin.					
---------------------	--	--	--	--	--

FULFILLEMENT OF EXPECTATIONS

	Yes	No
Does the product meet your expectations?		

What do you LIKE about the product? :	
What do you NOT LIKE about the product? :	

PURCHASE INTENTION (IN THE FUTURE)

	Surely yes	Probably yes	I don't know	Probably not	Surely not
If the Price was adequate, would you buy this product instead of your habitual one?					

UNDESIRE EFFECTS (SUBJECTIVE EVALUATION)

	Yes	No	
Have you noticed any undesired effect during the use of the product? (eg.: itch, irritation, dryness, pimples, etc.)			If you have replied "Yes", you must fill out a <u>adverse effects notification form</u> with the assistance of a specialist.

Annex IV: Subjective questionnaire results

- Global opinion and organoleptic characteristics of the product

Topic	Color					Odor				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	6	6	8	1	0	6	4	5	4	2
% of panelists	29%	29%	38%	5%	0%	29%	19%	24%	19%	10%
Topic	Texture					Fast absorbing				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	11	7	2	1	0	9	8	1	3	0
% of panelists	52%	33%	10%	5%	0%	43%	38%	5%	14%	0%
Topic	Greasy feeling									
Opinion	5	4	3	2	1					
Number of panelists	7	4	8	0	2					
% of panelists	33%	19%	38%	0%	10%					

- Global opinion and characteristics of the container

Topic	Proper dosage					Easy to use				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	10	7	2	2	0	11	6	2	2	0
% of panelists	48%	33%	10%	10%	0%	52%	29%	10%	10%	0%
Topic	Doesn't leak									
Opinion	5	4	3	2	1					
Number of panelists	10	6	3	2	0					
% of panelists	48%	29%	14%	10%	0%					

- Efficacy

Topic	It doesn't leave a stick/heavy feeling on skin					Product doesn't leave a greasy feeling				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	8	8	4	0	1	8	7	5	1	0
% of panelists	38%	38%	19%	0%	5%	38%	33%	24%	5%	0%
Topic	Skin is hydrated					Skin is nurtured				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	10	10	1	0	0	10	11	0	0	0
% of panelists	48%	48%	5%	0%	0%	48%	52%	0%	0%	0%
Topic	The skin is glowing					The product is non irritating				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	7	12	2	0	0	15	4	0	2	0
% of panelists	33%	57%	10%	0%	0%	71%	19%	0%	10%	0%
Topic	Fine lines and wrinkles have faded					Skin texture has improved				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	4	6	9	1	1	8	9	3	1	0
% of panelists	19%	29%	43%	5%	5%	38%	43%	14%	5%	0%
Topic	Skin looks smoother					Skin is softer				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	7	9	5	0	0	8	11	2	0	0
% of panelists	33%	43%	24%	0%	0%	38%	52%	10%	0%	0%
Topic	The product provides 24hr hydration					Pigmentation has improved				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	7	10	3	1	0	1	10	8	2	0
% of panelists	33%	48%	14%	5%	0%	5%	48%	38%	10%	0%

Topic	The product scent is comfortable					The product texture is soft and comfortable to apply				
Opinion	5	4	3	2	1	5	4	3	2	1
Number of panelists	6	7	1	4	3	9	9	2	1	0
% of panelists	29%	33%	5%	19%	14%	43%	43%	10%	5%	0%