

# GIS

## Execution Environment

Host name	kashif - localhost
Local OS	Mac OS X 64bit
Katalon version	8.5.5.208
Browser	Chrome 110.0.0.0

## Summary

ID	Test Suites/GIS		
Description			
Total	15		
Passed	15	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	2023-02-23 11:17:51	End	2023-02-23 11:41:08
Elapsed	23m - 16.849s		

#	ID	Description	Status
1	Test Cases/GiS/Work order/Work_order_Yearly		PASSED
2	Test Cases/GiS/Work order/Work_order_dailly_2		PASSED
3	Test Cases/GiS/Work order/Work_order_monthly		PASSED
4	Test Cases/GiS/Work order/Work_order_Weekly		PASSED
5	Test Cases/GiS/Work order/Work_order_Biweekly		PASSED
6	Test Cases/GiS/Layers/Statistics on GIS layer		PASSED
7	Test Cases/GiS/EBP_Inflation/EBP_Inflation		PASSED
8	Test Cases/GiS/EBP_Inflation/EBP_Inflation_default_inflation		PASSED
9	Test Cases/GiS/Compare Scenarios/CS_Single_Budget - Sidewalk		PASSED
10	Test Cases/GiS/Compare Scenarios/CS_Three_Budgets_Sidewalk		PASSED
11	Test Cases/GiS/Compare Scenarios/CS_Single_Budget		PASSED
12	Test Cases/GiS/Compare Scenarios/CS_Three_Budgets		PASSED
13	Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_Basic		PASSED
14	Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_With_Equipements		PASSED
15	Test Cases/GiS/Budget Estimator/Budget_Estimator_1year		PASSED

# Work\_order\_Yearly

## Information

ID	Test Cases/GiS/Work order/Work_order_Yearly		
Description			
Tag			
Start	2023-02-23 11:17:51	End	2023-02-23 11:18:57
Elapsed	1m - 5.324s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	5.189s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	7.097s	PASSED
3	println(countBefore)	0.008s	PASSED
4	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon' is clicked on	3.862s	PASSED
5	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown' is clicked on	10.081s	PASSED
6	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection' is clicked on	0.950s	PASSED

## Work\_order\_Yearly

#	Description	Elapsed	Status
7	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width"), "Bridge maintenance")  Text 'Bridge maintenance' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width'	3.610s	PASSED
8	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance' is clicked on	0.997s	PASSED
9	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete' is clicked on	2.030s	PASSED
10	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.730s	PASSED
11	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete' is clicked on	0.850s	PASSED
12	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.545s	PASSED
13	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance' is clicked on	0.530s	PASSED

## Work\_order\_Yearly

#	Description	Elapsed	Status
14	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address"), "12")  Text '12' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address'	0.877s	PASSED
15	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476' is clicked on	0.510s	PASSED
16	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test"), "Test")  Text 'Test' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test'	1.601s	PASSED
17	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent' is clicked on	0.617s	PASSED
18	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High' is clicked on	0.561s	PASSED
19	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder' is clicked on	0.856s	PASSED
20	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily' is clicked on	0.693s	PASSED

## Work\_order\_Yearly

#	Description	Elapsed	Status
21	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Weekly"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Weekly' is clicked on	0.578s	PASSED
22	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment' is clicked on	0.794s	PASSED
23	delay(3)  Delayed 3 second(s)	3.020s	PASSED
24	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip' is clicked on	0.409s	PASSED
25	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15' is clicked on	0.623s	PASSED
26	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material' is clicked on	0.808s	PASSED
27	delay(3)  Delayed 3 second(s)	3.007s	PASSED

## Work\_order\_Yearly

#	Description	Elapsed	Status
28	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material' is clicked on	0.407s	PASSED
29	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22' is clicked on	0.550s	PASSED
30	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor' is clicked on	0.836s	PASSED
31	<code>delay(3)</code>  Delayed 3 second(s)	3.008s	PASSED
32	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor' is clicked on	0.505s	PASSED
33	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30' is clicked on	0.541s	PASSED
34	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item' is clicked on	0.720s	PASSED

## Work\_order\_Yearly

#	Description	Elapsed	Status
35	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save' is clicked on	0.570s	PASSED
36	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	6.225s	PASSED
37	println(countAfter)	0.000s	PASSED
38	if (countAfter == countBefore + 1)	0.001s	PASSED
39	closeBrowser()  Browser is closed	0.162s	PASSED
40	Video  Video recording for test case 'Test Cases/GiS/Work order/Work_order_Yearly' .	0.000s	PASSED

# Work\_order\_daily\_2

## Information

ID	Test Cases/GiS/Work order/Work_order_daily_2		
Description			
Tag			
Start	2023-02-23 11:18:57	End	2023-02-23 11:19:47
Elapsed	50.002s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.753s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.946s	PASSED
3	println(countBefore)	0.002s	PASSED
4	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon' is clicked on	2.771s	PASSED
5	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown' is clicked on	1.739s	PASSED
6	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection' is clicked on	1.058s	PASSED



## Work\_order\_daily\_2

#	Description	Elapsed	Status
7	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width"), "Bridge maintenance")  Text 'Bridge maintenance' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width'	2.218s	PASSED
8	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance' is clicked on	0.639s	PASSED
9	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete' is clicked on	2.362s	PASSED
10	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.834s	PASSED
11	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete' is clicked on	0.694s	PASSED
12	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.674s	PASSED
13	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance' is clicked on	0.575s	PASSED

## Work\_order\_daily\_2

#	Description	Elapsed	Status
14	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address"), "12")  Text '12' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address'	0.856s	PASSED
15	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476' is clicked on	0.503s	PASSED
16	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test"), "Test")  Text 'Test' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test'	1.618s	PASSED
17	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent' is clicked on	0.546s	PASSED
18	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High' is clicked on	0.518s	PASSED
19	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder' is clicked on	0.845s	PASSED
20	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment' is clicked on	0.710s	PASSED

## Work\_order\_daily\_2

#	Description	Elapsed	Status
21	delay(3)  Delayed 3 second(s)	3.006s	PASSED
22	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip' is clicked on	0.413s	PASSED
23	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15' is clicked on	0.594s	PASSED
24	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material' is clicked on	0.782s	PASSED
25	delay(3)  Delayed 3 second(s)	3.008s	PASSED
26	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material' is clicked on	0.394s	PASSED
27	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22' is clicked on	0.491s	PASSED

## Work\_order\_daily\_2

#	Description	Elapsed	Status
28	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor' is clicked on	0.697s	PASSED
29	delay(3)  Delayed 3 second(s)	3.007s	PASSED
30	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor' is clicked on	0.396s	PASSED
31	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30' is clicked on	0.504s	PASSED
32	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save' is clicked on	0.809s	PASSED
33	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	6.595s	PASSED
34	println(countAfter)	0.000s	PASSED
35	if (countAfter == countBefore + 6)	0.001s	PASSED

# Work\_order\_daily\_2

#	Description	Elapsed	Status
36	closeBrowser()  Browser is closed	0.166s	PASSED
37	Video  Video recording for test case 'Test Cases/GiS/Work order/Work_order_daily_2' .	0.001s	PASSED

# Work\_order\_monthly

## Information

ID	Test Cases/GiS/Work order/Work_order_monthly		
Description			
Tag			
Start	2023-02-23 11:19:47	End	2023-02-23 11:20:37
Elapsed	50.234s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.607s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.994s	PASSED
3	println(countBefore)	0.003s	PASSED
4	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon' is clicked on	1.885s	PASSED
5	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown' is clicked on	1.113s	PASSED
6	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection' is clicked on	1.056s	PASSED

## Work\_order\_monthly

#	Description	Elapsed	Status
7	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width"), "Bridge maintenance")  Text 'Bridge maintenance' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width'	2.384s	PASSED
8	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance' is clicked on	0.622s	PASSED
9	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete' is clicked on	2.474s	PASSED
10	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	1.149s	PASSED
11	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete' is clicked on	0.428s	PASSED
12	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.738s	PASSED
13	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance' is clicked on	0.599s	PASSED

## Work\_order\_monthly

#	Description	Elapsed	Status
14	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address"), "12")  Text '12' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address'	1.149s	PASSED
15	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476' is clicked on	0.558s	PASSED
16	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test"), "Test")  Text 'Test' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test'	1.683s	PASSED
17	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent' is clicked on	0.454s	PASSED
18	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High' is clicked on	0.631s	PASSED
19	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder' is clicked on	0.827s	PASSED
20	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily' is clicked on	0.610s	PASSED



## Work\_order\_monthly

#	Description	Elapsed	Status
21	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Monthly"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Monthly' is clicked on	0.500s	PASSED
22	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment' is clicked on	0.935s	PASSED
23	delay(3)  Delayed 3 second(s)	3.007s	PASSED
24	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip' is clicked on	0.501s	PASSED
25	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15' is clicked on	0.534s	PASSED
26	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material' is clicked on	0.838s	PASSED
27	delay(3)  Delayed 3 second(s)	3.007s	PASSED

## Work\_order\_monthly

#	Description	Elapsed	Status
28	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material' is clicked on	0.506s	PASSED
29	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22' is clicked on	0.539s	PASSED
30	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor' is clicked on	0.784s	PASSED
31	<code>delay(3)</code>  Delayed 3 second(s)	3.007s	PASSED
32	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor' is clicked on	0.496s	PASSED
33	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30' is clicked on	0.588s	PASSED
34	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save' is clicked on	0.725s	PASSED

## Work\_order\_monthly

---

#	Description	Elapsed	Status
35	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.785s	PASSED
36	println(countAfter)	0.001s	PASSED
37	if (countAfter == countBefore + 1)	0.001s	PASSED
38	closeBrowser()  Browser is closed	0.210s	PASSED
39	Video  Video recording for test case 'Test Cases/GiS/Work order/Work_order_monthly' .	0.001s	PASSED

# Work\_order\_Weekly

## Information

ID	Test Cases/GiS/Work order/Work_order_Weekly		
Description			
Tag			
Start	2023-02-23 11:20:37	End	2023-02-23 11:21:30
Elapsed	52.746s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.732s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.886s	PASSED
3	println(countBefore)	0.004s	PASSED
4	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon' is clicked on	2.568s	PASSED
5	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown' is clicked on	2.544s	PASSED
6	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection' is clicked on	0.971s	PASSED

## Work\_order\_Weekly

#	Description	Elapsed	Status
7	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width"), "Bridge maintenance")  Text 'Bridge maintenance' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width'	2.211s	PASSED
8	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance' is clicked on	0.636s	PASSED
9	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete' is clicked on	2.490s	PASSED
10	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.789s	PASSED
11	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete' is clicked on	0.683s	PASSED
12	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.603s	PASSED
13	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance' is clicked on	0.611s	PASSED

## Work\_order\_Weekly

#	Description	Elapsed	Status
14	<p>setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address"), "12")</p> <p>Text '12' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address'</p>	1.073s	PASSED
15	<p>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476"))</p> <p>Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476' is clicked on</p>	0.602s	PASSED
16	<p>setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test"), "Test")</p> <p>Text 'Test' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test'</p>	1.676s	PASSED
17	<p>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent"))</p> <p>Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent' is clicked on</p>	0.536s	PASSED
18	<p>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High"))</p> <p>Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High' is clicked on</p>	0.568s	PASSED
19	<p>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder"))</p> <p>Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder' is clicked on</p>	0.848s	PASSED
20	<p>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily"))</p> <p>Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily' is clicked on</p>	0.748s	PASSED

## Work\_order\_Weekly

#	Description	Elapsed	Status
21	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Weekly"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Weekly' is clicked on	0.480s	PASSED
22	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment' is clicked on	0.874s	PASSED
23	delay(3)  Delayed 3 second(s)	3.007s	PASSED
24	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip' is clicked on	0.494s	PASSED
25	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15' is clicked on	0.558s	PASSED
26	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material' is clicked on	0.782s	PASSED
27	delay(3)  Delayed 3 second(s)	3.007s	PASSED

## Work\_order\_Weekly

#	Description	Elapsed	Status
28	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material' is clicked on	0.393s	PASSED
29	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22' is clicked on	0.540s	PASSED
30	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor' is clicked on	0.783s	PASSED
31	delay(3)  Delayed 3 second(s)	3.007s	PASSED
32	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor' is clicked on	0.400s	PASSED
33	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30' is clicked on	0.534s	PASSED
34	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item' is clicked on	0.794s	PASSED



## Work\_order\_Weekly

---

#	Description	Elapsed	Status
35	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save' is clicked on	0.603s	PASSED
36	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	6.246s	PASSED
37	println(countAfter)	0.001s	PASSED
38	if (countAfter == countBefore + 1)	0.001s	PASSED
39	closeBrowser()  Browser is closed	0.139s	PASSED
40	Video  Video recording for test case 'Test Cases/GiS/Work order/Work_order_Weekly' .	0.000s	PASSED

# Work\_order\_Biweekly

## Information

ID	Test Cases/GiS/Work order/Work_order_Biweekly		
Description			
Tag			
Start	2023-02-23 11:21:30	End	2023-02-23 11:22:24
Elapsed	54.577s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.348s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.847s	PASSED
3	println(countBefore)	0.001s	PASSED
4	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/WO icon' is clicked on	4.464s	PASSED
5	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Group Dropdown' is clicked on	1.995s	PASSED
6	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Bridge Inspection' is clicked on	0.893s	PASSED

## Work\_order\_Biweekly

#	Description	Elapsed	Status
7	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width"), "Bridge maintenance")  Text 'Bridge maintenance' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Filter by form name_standard-full-width'	4.289s	PASSED
8	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Bridge Maintenance' is clicked on	0.610s	PASSED
9	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Select Assignee_assignee-autocomplete' is clicked on	2.126s	PASSED
10	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.772s	PASSED
11	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Collaborators_collaborators-autocomplete' is clicked on	0.728s	PASSED
12	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_ami admin' is clicked on	0.573s	PASSED
13	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/h6_Bridge Maintenance' is clicked on	0.593s	PASSED

## Work\_order\_Biweekly

#	Description	Elapsed	Status
14	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address"), "12")  Text '12' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/input_Address_asset-id-address'	0.988s	PASSED
15	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_12TH STREET CONNECTOR From CHESTNUT ST To MAGAZINE ST - 20476' is clicked on	0.531s	PASSED
16	setText(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test"), "Test")  Text 'Test' is set on object 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/textarea_Test'	1.580s	PASSED
17	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_Urgent' is clicked on	0.534s	PASSED
18	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_High' is clicked on	0.540s	PASSED
19	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Upload_repeatingWorkOrder' is clicked on	0.865s	PASSED
20	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/div_Daily' is clicked on	0.726s	PASSED

## Work\_order\_Biweekly

#	Description	Elapsed	Status
21	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Biweekly"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Biweekly' is clicked on	0.516s	PASSED
22	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Statement Field Test_equipment' is clicked on	0.806s	PASSED
23	delay(3)  Delayed 3 second(s)	3.006s	PASSED
24	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_equip' is clicked on	0.505s	PASSED
25	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Snow Plow - 15' is clicked on	0.541s	PASSED
26	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_material' is clicked on	0.796s	PASSED
27	delay(3)  Delayed 3 second(s)	3.007s	PASSED

## Work\_order\_Biweekly

#	Description	Elapsed	Status
28	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_material' is clicked on	0.391s	PASSED
29	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Asphalt - 22' is clicked on	0.556s	PASSED
30	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/input_Add Item_labor' is clicked on	0.814s	PASSED
31	<code>delay(3)</code>  Delayed 3 second(s)	3.006s	PASSED
32	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/Page_Streetlogix/div_labor' is clicked on	0.393s	PASSED
33	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/li_Supervisor - 30' is clicked on	0.538s	PASSED
34	<code>click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item"))</code>  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Add Item' is clicked on	0.792s	PASSED

## Work\_order\_Biweekly

---

#	Description	Elapsed	Status
35	click(findTestObject("Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save"))  Object: 'Object Repository/Work order 4.0/Page_Streetlogix/Workorder page objects/Page_Streetlogix/span_Save' is clicked on	0.640s	PASSED
36	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	5.859s	PASSED
37	println(countAfter)	0.001s	PASSED
38	if (countAfter == countBefore + 1)	0.001s	PASSED
39	closeBrowser()  Browser is closed	0.158s	PASSED
40	Video  Video recording for test case 'Test Cases/GiS/Work order/Work_order_Biweekly' .	0.001s	PASSED

# Statistics on GIS layer

## Information

ID	Test Cases/GiS/Layers/Statistics on GIS layer		
Description			
Tag			
Start	2023-02-23 11:22:24	End	2023-02-23 11:23:53
Elapsed	1m - 28.911s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.409s	PASSED
2	click(findTestObject("Page_Streetlogix/img_Search_rail-icon"))  Object: 'Object Repository/Page_Streetlogix/img_Search_rail-icon' is clicked on	6.334s	PASSED
3	delay(5)  Delayed 5 second(s)	5.012s	PASSED
4	pci = getText(findTestObject("Object Repository/Page_Streetlogix/h6_Pavement Average Condition 58"))  Text of object 'Object Repository/Page_Streetlogix/h6_Pavement Average Condition 58' is: 'Pavement Average Condition PCI: 11'	0.704s	PASSED
5	pciAvg = pci.replaceAll("[^0-9]", "")	0.003s	PASSED
6	avgPCI = database_keywords.test.Database_Keywords.getAveragePCI()  database_keywords.test.Database_Keywords.getAveragePCI is PASSED	12.490s	PASSED
7	println(avgPCI)	0.019s	PASSED



## Statistics on GIS layer

#	Description	Elapsed	Status
8	verifyMatch(pciAvg, avgPCI, false)  Actual text '11' and expected text '11' are matched	0.029s	PASSED
9	milespci = getText(findTestObject("Object Repository/Page_Streetlogix/p_Total Length 2,148 miles"))  Text of object 'Object Repository/Page_Streetlogix/p_Total Length 2,148 miles' is: 'Total Length: 2,317 miles'	0.485s	PASSED
10	pciMiles = milespci.replaceAll("[^0-9]", "")	0.001s	PASSED
11	totalMilesPCI = database_keywords.test.Database_Keywords.getPavementMiles()  database_keywords.test.Database_Keywords.getPavementMiles is PASSED	3.298s	PASSED
12	verifyMatch(pciMiles, totalMilesPCI, false)  Actual text '2317' and expected text '2317' are matched	0.002s	PASSED
13	backlogPCI = getText(findTestObject("Object Repository/Page_Streetlogix/p_Total Backlog 1,189,007,890"))  Text of object 'Object Repository/Page_Streetlogix/p_Total Backlog 1,189,007,890' is: 'Total Backlog: \$640,107,921'	0.366s	PASSED
14	pciBacklog = backlogPCI.replaceAll("[^0-9]", "")	0.001s	PASSED
15	totalBacklogPCI = database_keywords.test.Database_Keywords.getPavementBacklog()  database_keywords.test.Database_Keywords.getPavementBacklog is PASSED	3.138s	PASSED
16	verifyMatch(pciBacklog, totalBacklogPCI, false)  Actual text '640107921' and expected text '640107921' are matched	0.001s	PASSED

## Statistics on GIS layer

#	Description	Elapsed	Status
17	<code>click(findTestObject("Object Repository/Page_Streetlogix/circle"))</code>  Object: 'Object Repository/Page_Streetlogix/circle' is clicked on	0.387s	PASSED
18	<code>delay(5)</code>  Delayed 5 second(s)	5.017s	PASSED
19	<code>sci = getText(findTestObject("Object Repository/Page_Streetlogix/h6_Sidewalk Average Condition 54"))</code>  Text of object 'Object Repository/Page_Streetlogix/h6_Sidewalk Average Condition 54' is: 'Sidewalk Average Condition SCI: 54'	0.475s	PASSED
20	<code>sciAvg = sci.replaceAll("[^0-9]", "")</code>	0.001s	PASSED
21	<code>avgSCI = database_keywords.test.Database_Keywords.getAverageSCI()</code>  database_keywords.test.Database_Keywords.getAverageSCI is PASSED	38.785s	PASSED
22	<code>verifyMatch(sciAvg, avgSCI, false)</code>  Actual text '54' and expected text '54' are matched	0.001s	PASSED
23	<code>milesSCI = getText(findTestObject("Object Repository/Page_Streetlogix/p_Total Length 1,868 miles"))</code>  Text of object 'Object Repository/Page_Streetlogix/p_Total Length 1,868 miles' is: 'Total Length: 1,868 miles'	0.366s	PASSED
24	<code>sciMiles = milesSCI.replaceAll("[^0-9]", "")</code>	0.000s	PASSED
25	<code>totalMilesSCI = database_keywords.test.Database_Keywords.getSidewalkMiles()</code>  database_keywords.test.Database_Keywords.getSidewalkMiles is PASSED	4.507s	PASSED

## Statistics on GIS layer

#	Description	Elapsed	Status
26	verifyMatch(sciMiles, totalMilesSCI, false)  Actual text '1868' and expected text '1868' are matched	0.001s	PASSED
27	backlogSCI = getText(findTestObject("Object Repository/Page_Streetlogix/p_Total Backlog 222,017,072"))  Text of object 'Object Repository/Page_Streetlogix/p_Total Backlog 222,017,072' is: 'Total Backlog: \$119,833'	0.464s	PASSED
28	sciBacklog = backlogSCI.replaceAll("[^0-9]", "")	0.000s	PASSED
29	totalBacklogSCI = database_keywords.test.Database_Keywords.getSidewalkBacklog()  database_keywords.test.Database_Keywords.getSidewalkBacklog is PASSED	3.191s	PASSED
30	verifyMatch(sciBacklog, totalBacklogSCI, false)  Actual text '119833' and expected text '119833' are matched	0.001s	PASSED
31	closeBrowser()  Browser is closed	0.167s	PASSED
32	Video  Video recording for test case 'Test Cases/GiS/Layers/Statistics on GIS layer' .	0.000s	PASSED

# EBP\_Inflation

## Information

ID	Test Cases/GiS/EBP_Inflation/EBP_Inflation		
Description			
Tag			
Start	2023-02-23 11:23:53	End	2023-02-23 11:25:39
Elapsed	1m - 45.870s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.548s	PASSED
2	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Menubar-icon"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Menubar-icon' is clicked on	4.635s	PASSED
3	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Budgeting-icon"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Budgeting-icon' is clicked on	2.555s	PASSED
4	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/EBP_Pavemnet dropdown"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Pavemnet dropdown' is clicked on	1.855s	PASSED
5	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/li_Pavement Maintenance"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/li_Pavement Maintenance' is clicked on	5.315s	PASSED

# EBP\_Inflation

#	Description	Elapsed	Status
6	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	1.037s	PASSED
7	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	0.407s	PASSED
8	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), "EBP_Inflation 7.5")  Text 'EBP_Inflation 7.5' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	0.824s	PASSED
9	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.393s	PASSED
10	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.306s	PASSED
11	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), "100,000")  Text '100,000' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.870s	PASSED
12	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.499s	PASSED

# EBP\_Inflation

#	Description	Elapsed	Status
13	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.457s	PASSED
14	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), "5")  Text '5' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.840s	PASSED
15	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.393s	PASSED
16	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.452s	PASSED
17	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), "7.5")  Text '7.5' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.854s	PASSED
18	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Apply_Button"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Apply_Button' is clicked on	0.413s	PASSED
19	delay(50)  Delayed 50 second(s)	50.011s	PASSED

## EBP\_Inflation

#	Description	Elapsed	Status
20	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Load")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Load' is clicked on	0.566s	PASSED
21	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_7.5")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_7.5' is clicked on	1.933s	PASSED
22	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_7.5")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_7.5' is clicked on	2.429s	PASSED
23	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_5 Year(s)")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_5 Year(s)' is clicked on	0.859s	PASSED
24	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_500,000")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_500,000' is clicked on	0.975s	PASSED
25	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_7.5")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_7.5' is clicked on	0.684s	PASSED
26	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0' is clicked on	0.482s	PASSED
27	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_DT for testing")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_DT for testing' is clicked on	0.634s	PASSED
28	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Total_Repairs")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/Total_Repairs' is clicked on	0.748s	PASSED

# EBP\_Inflation

#	Description	Elapsed	Status
29	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Asset_name"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Asset_name' is clicked on	0.369s	PASSED
30	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Budget_Criteria_Summary"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Budget_Criteria_Summary' is clicked on	0.489s	PASSED
31	click(findTestObject("EBP_Object/Page_Streetlogix/View_Graph_dropdown"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/View_Graph_dropdown' is clicked on	0.509s	PASSED
32	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/li_Table"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/li_Table' is clicked on	0.565s	PASSED
33	delay(5)  Delayed 5 second(s)	5.006s	PASSED
34	year1 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year1_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year1_total_budget' is: '99,632'	0.473s	PASSED
35	yr1 = year1.replaceAll(",", "")	0.000s	PASSED
36	y1 = yr1.toInteger()	0.001s	PASSED
37	verifyGreaterThan(y1, 98000)  Actual number '99,632' is greater than expected number '98,000'	0.009s	PASSED



## EBP\_Inflation

#	Description	Elapsed	Status
38	year2 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year2_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year2_total_budget' is: '99,651'	0.464s	PASSED
39	yr2 = year2.replaceAll(",", "")	0.001s	PASSED
40	y2 = yr2.toInteger()	0.000s	PASSED
41	verifyGreaterThan(y2.toInteger(), 98000)  Actual number '99,651' is greater than expected number '98,000'	0.002s	PASSED
42	year3 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year3_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year3_total_budget' is: '99,748'	0.357s	PASSED
43	yr3 = year3.replaceAll(",", "")	0.000s	PASSED
44	y3 = yr3.toInteger()	0.000s	PASSED
45	verifyGreaterThan(y3.toInteger(), 98000)  Actual number '99,748' is greater than expected number '98,000'	0.001s	PASSED
46	year4 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year4_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year4_total_budget' is: '99,682'	0.464s	PASSED

## EBP\_Inflation

#	Description	Elapsed	Status
47	yr4 = year4.replaceAll(", ", "")	0.000s	PASSED
48	y4 = yr4.toInteger()	0.000s	PASSED
49	verifyGreaterThan(y4.toInteger(), 98000)  Actual number '99,682' is greater than expected number '98,000'	0.001s	PASSED
50	year5 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year5_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year5_total_budget' is: '99,882'	0.466s	PASSED
51	yr5 = year5.replaceAll(", ", "")	0.000s	PASSED
52	y5 = yr5.toInteger()	0.000s	PASSED
53	verifyGreaterThan(y5.toInteger(), 98000)  Actual number '99,882' is greater than expected number '98,000'	0.002s	PASSED
54	Totalyears = y1 + y2 + y3 + y4 + y5	0.000s	PASSED
55	verifyLessThanOrEqual(Totalyears, 500000)  Actual number '498,595' is less than or equal to expected number '500,000'	0.005s	PASSED
56	verifyGreaterThan(Totalyears, 495000)  Actual number '498,595' is greater than expected number '495,000'	0.002s	PASSED

# EBP\_Inflation

#	Description	Elapsed	Status
57	click(findTestObject("EBP_Object/Page_Streetlogix/Close_button"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Close_button' is clicked on	0.543s	PASSED
58	click(findTestObject("EBP_Object/Page_Streetlogix/span_Load"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Load' is clicked on	0.889s	PASSED
59	click(findTestObject("EBP_Object/Page_Streetlogix/Delete_Scenario_1"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Delete_Scenario_1' is clicked on	1.888s	PASSED
60	click(findTestObject("EBP_Object/Page_Streetlogix/span_Yes"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Yes' is clicked on	0.700s	PASSED
61	delay(3)  Delayed 3 second(s)	3.007s	PASSED
62	database_keywords.test.Database_Keywords.deletebudgets()  database_keywords.test.Database_Keywords.deletebudgets is PASSED	4.126s	PASSED
63	closeBrowser()  Browser is closed	0.226s	PASSED
64	Video  Video recording for test case 'Test Cases/GiS/EBP_Inflation/EBP_Inflation' .	0.000s	PASSED

# EBP\_Inflation\_default\_inflation

## Information

ID	Test Cases/GiS/EBP_Inflation/EBP_Inflation_default_inflation		
Description			
Tag			
Start	2023-02-23 11:25:39	End	2023-02-23 11:27:23
Elapsed	1m - 44.292s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	4.295s	PASSED
2	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Menubar-icon"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Menubar-icon' is clicked on	9.026s	PASSED
3	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Budgeting-icon"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Budgeting-icon' is clicked on	1.386s	PASSED
4	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/EBP_Pavemnet dropdown"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Pavemnet dropdown' is clicked on	1.776s	PASSED
5	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/li_Pavement Maintenance"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/li_Pavement Maintenance' is clicked on	1.580s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
6	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	1.684s	PASSED
7	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	0.370s	PASSED
8	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), "EBP_Inflation 2")  Text 'EBP_Inflation 2' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	0.785s	PASSED
9	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.391s	PASSED
10	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.403s	PASSED
11	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets"), "100,000")  Text '100,000' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Budget_budgets'	0.845s	PASSED
12	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.386s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
13	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.400s	PASSED
14	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), "5")  Text '5' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.952s	PASSED
15	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Apply_Button"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Apply_Button' is clicked on	0.415s	PASSED
16	delay(50)  Delayed 50 second(s)	50.007s	PASSED
17	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Load"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Load' is clicked on	0.450s	PASSED
18	click(findTestObject("EBP_Object/Page_Streetlogix/EBP_Inflation_2"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_2' is clicked on	1.990s	PASSED
19	click(findTestObject("EBP_Object/Page_Streetlogix/EBP_Inflation_2"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/EBP_Inflation_2' is clicked on	2.483s	PASSED
20	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_5 Year(s)"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_5 Year(s)' is clicked on	0.765s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
21	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_500,000")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_500,000' is clicked on	0.720s	PASSED
22	click(findTestObject("EBP_Object/Page_Streetlogix/Inflation_default")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/Inflation_default' is clicked on	0.689s	PASSED
23	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0' is clicked on	0.459s	PASSED
24	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_DT for testing")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_DT for testing' is clicked on	0.622s	PASSED
25	TRC = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Total_Repairs")) Text of object 'Object Repository/EBP_Object/Page_Streetlogix/Total_Repairs' is: '24'	0.681s	PASSED
26	total_repair = TRC.toInteger()	0.000s	PASSED
27	verifyGreaterThan(total_repair, 20) Actual number '24' is greater than expected number '20'	0.001s	PASSED
28	verifyLessThanOrEqual(total_repair, 30) Actual number '24' is less than or equal to expected number '30'	0.001s	PASSED
29	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Asset_name")) Object: 'Object Repository/EBP_Object/Page_Streetlogix/Asset_name' is clicked on	0.366s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
30	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Budget_Criteria_Summary"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Budget_Criteria_Summary' is clicked on	0.486s	PASSED
31	click(findTestObject("EBP_Object/Page_Streetlogix/View_Graph_dropdown"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/View_Graph_dropdown' is clicked on	0.543s	PASSED
32	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/li_Table"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/li_Table' is clicked on	0.569s	PASSED
33	delay(5)  Delayed 5 second(s)	5.008s	PASSED
34	year1 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year1_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year1_total_budget' is: '99,940'	0.486s	PASSED
35	yr1 = year1.replaceAll(",", "")	0.000s	PASSED
36	y1 = yr1.toInteger()	0.001s	PASSED
37	verifyGreaterThan(y1, 98000)  Actual number '99,940' is greater than expected number '98,000'	0.001s	PASSED
38	year2 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year2_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year2_total_budget' is: '99,950'	0.461s	PASSED



## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
39	yr2 = year2.replaceAll(", ", "")	0.000s	PASSED
40	y2 = yr2.toInteger()	0.000s	PASSED
41	verifyGreaterThan(y2.toInteger(), 98000)  Actual number '99,950' is greater than expected number '98,000'	0.001s	PASSED
42	year3 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year3_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year3_total_budget' is: '99,521'	0.462s	PASSED
43	yr3 = year3.replaceAll(", ", "")	0.000s	PASSED
44	y3 = yr3.toInteger()	0.000s	PASSED
45	verifyGreaterThan(y3.toInteger(), 98000)  Actual number '99,521' is greater than expected number '98,000'	0.001s	PASSED
46	year4 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year4_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year4_total_budget' is: '99,796'	0.359s	PASSED
47	yr4 = year4.replaceAll(", ", "")	0.000s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
48	y4 = yr4.toInteger()	0.000s	PASSED
49	verifyGreaterThan(y4.toInteger(), 98000)  Actual number '99,796' is greater than expected number '98,000'	0.001s	PASSED
50	year5 = getText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year5_total_budget"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/5_year_budget_year5_total_budget' is: '99,669'	0.467s	PASSED
51	yr5 = year5.replaceAll(",", "")	0.001s	PASSED
52	y5 = yr5.toInteger()	0.000s	PASSED
53	verifyGreaterThan(y5.toInteger(), 98000)  Actual number '99,669' is greater than expected number '98,000'	0.002s	PASSED
54	Totalyears = y1 + y2 + y3 + y4 + y5	0.000s	PASSED
55	verifyLessThanOrEqual>Totalyears, 500000)  Actual number '498,876' is less than or equal to expected number '500,000'	0.001s	PASSED
56	verifyGreaterThan>Totalyears, 495000)  Actual number '498,876' is greater than expected number '495,000'	0.001s	PASSED
57	click(findTestObject("EBP_Object/Page_Streetlogix/Close_button"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Close_button' is clicked on	0.546s	PASSED

## EBP\_Inflation\_default\_inflation

#	Description	Elapsed	Status
58	click(findTestObject("EBP_Object/Page_Streetlogix/span_Load"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Load' is clicked on	0.814s	PASSED
59	click(findTestObject("EBP_Object/Page_Streetlogix/Delete_Scenario_1"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Delete_Scenario_1' is clicked on	2.279s	PASSED
60	click(findTestObject("EBP_Object/Page_Streetlogix/span_Yes"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Yes' is clicked on	0.644s	PASSED
61	delay(3)  Delayed 3 second(s)	3.007s	PASSED
62	database_keywords.test.Database_Keywords.deletebudgets()  database_keywords.test.Database_Keywords.deletebudgets is PASSED	3.824s	PASSED
63	closeBrowser()  Browser is closed	0.154s	PASSED
64	Video  Video recording for test case 'Test Cases/GiS/EBP_Inflation/EBP_Inflation_default_inflation' .	0.000s	PASSED

# CS\_Single\_Budget - Sidewalk

## Information

ID	Test Cases/GiS/Compare Scenarios/CS_Single_Budget - Sidewalk		
Description			
Tag			
Start	2023-02-23 11:27:23	End	2023-02-23 11:30:33
Elapsed	3m - 9.740s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.462s	PASSED
2	delay(15)  Delayed 15 second(s)	15.014s	PASSED
3	click(findTestObject("Object Repository/Compare Scenarios/Menubar-icon"))  Object: 'Object Repository/Compare Scenarios/Menubar-icon' is clicked on	0.515s	PASSED
4	click(findTestObject("Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon"))  Object: 'Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon' is clicked on	0.605s	PASSED
5	click(findTestObject("Compare Scenarios/div_Pavement Maintenance"))  Object: 'Object Repository/Compare Scenarios/div_Pavement Maintenance' is clicked on	1.164s	PASSED
6	click(findTestObject("Compare Scenarios/li_Sidewalk Maintenance"))  Object: 'Object Repository/Compare Scenarios/li_Sidewalk Maintenance' is clicked on	1.104s	PASSED

## CS\_Single\_Budget - Sidewalk

#	Description	Elapsed	Status
7	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	3.420s	PASSED
8	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.818s	PASSED
9	setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.058s	PASSED
10	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.415s	PASSED
11	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.305s	PASSED
12	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 1")  Text 'Compare Scenario 1' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	1.031s	PASSED
13	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "30,000")  Text '30,000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	0.871s	PASSED
14	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.550s	PASSED

## CS\_Single\_Budget - Sidewalk


#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.424s	PASSED
16	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "5")  Text '5' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.837s	PASSED
17	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.487s	PASSED
18	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.422s	PASSED
19	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.570s	PASSED
20	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.403s	PASSED
21	setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.831s	PASSED
22	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.490s	PASSED

## CS\_Single\_Budget - Sidewalk

#	Description	Elapsed	Status
23	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.448s	PASSED
24	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 2")  Text 'Compare Scenario 2' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.687s	PASSED
25	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "10,000")  Text '10,000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	1.206s	PASSED
26	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.667s	PASSED
27	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.500s	PASSED
28	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "7")  Text '7' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.833s	PASSED
29	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.369s	PASSED
30	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.424s	PASSED

## CS\_Single\_Budget - Sidewalk

#	Description	Elapsed	Status
31	delay(120)  Delayed 120 second(s)	2m - 0.011s	PASSED
32	click(findTestObject("Object Repository/Compare Scenarios/span_Compare"))  Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.553s	PASSED
33	click(findTestObject("Compare Scenarios/div_Compare Scenario 1"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 1' is clicked on	2.671s	PASSED
34	click(findTestObject("Compare Scenarios/div_Compare Scenario 2"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 2' is clicked on	0.538s	PASSED
35	click(findTestObject("Compare Scenarios/span_Compare_loadscreen"))  Object: 'Object Repository/Compare Scenarios/span_Compare_loadscreen' is clicked on	0.612s	PASSED
36	takeFullPageScreenshot()  Taking screenshot successfully	3.701s	PASSED





## CS\_Single\_Budget - Sidewalk

#	Description	Elapsed	Status
37	click(findTestObject("Object Repository/Compare Scenarios/button")) Object: 'Object Repository/Compare Scenarios/button' is clicked on	4.620s	PASSED
38	click(findTestObject("Object Repository/Compare Scenarios/div_Save as JPEG")) Object: 'Object Repository/Compare Scenarios/div_Save as JPEG' is clicked on	0.528s	PASSED
39	click(findTestObject("Compare Scenarios/span_Close")) Object: 'Object Repository/Compare Scenarios/span_Close' is clicked on	1.162s	PASSED
40	click(findTestObject("Object Repository/Compare Scenarios/span_Compare")) Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.921s	PASSED
41	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	1.511s	PASSED
42	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.717s	PASSED
43	delay(3) Delayed 3 second(s)	3.007s	PASSED
44	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	0.402s	PASSED
45	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.600s	PASSED
46	delay(3) Delayed 3 second(s)	3.007s	PASSED

## CS\_Single\_Budget - Sidewalk

---

#	Description	Elapsed	Status
47	database_keywords.test.Database_Keywords.deletebudgets()  database_keywords.test.Database_Keywords.deletebudgets is PASSED	3.723s	PASSED
48	closeBrowser()  Browser is closed	0.235s	PASSED
49	Video  Video recording for test case 'Test Cases/GiS/Compare Scenarios/CS_Single_Budget - Sidewalk' .	0.001s	PASSED

# CS\_Three\_Budgets\_Sidewalk

## Information

ID	Test Cases/GiS/Compare Scenarios/CS_Three_Budgets_Sidewalk		
Description			
Tag			
Start	2023-02-23 11:30:33	End	2023-02-23 11:33:41
Elapsed	3m - 8.318s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.854s	PASSED
2	delay(15)  Delayed 15 second(s)	15.007s	PASSED
3	click(findTestObject("Object Repository/Compare Scenarios/Menubar-icon"))  Object: 'Object Repository/Compare Scenarios/Menubar-icon' is clicked on	0.412s	PASSED
4	click(findTestObject("Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon"))  Object: 'Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon' is clicked on	0.586s	PASSED
5	click(findTestObject("Compare Scenarios/div_Pavement Maintenance"))  Object: 'Object Repository/Compare Scenarios/div_Pavement Maintenance' is clicked on	1.639s	PASSED
6	click(findTestObject("Compare Scenarios/li_Sidewalk Maintenance"))  Object: 'Object Repository/Compare Scenarios/li_Sidewalk Maintenance' is clicked on	1.043s	PASSED

## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
7	<code>sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))</code>  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	2.282s	PASSED
8	<code>sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))</code>  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.740s	PASSED
9	<code>setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")</code>  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.984s	PASSED
10	<code>sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))</code>  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.404s	PASSED
11	<code>sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))</code>  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.400s	PASSED
12	<code>setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 1")</code>  Text 'Compare Scenario 1' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.899s	PASSED
13	<code>click(findTestObject("Object Repository/Compare Scenarios/span_Add Scenario"))</code>  Object: 'Object Repository/Compare Scenarios/span_Add Scenario' is clicked on	0.510s	PASSED
14	<code>click(findTestObject("Object Repository/Compare Scenarios/span_Add Scenario"))</code>  Object: 'Object Repository/Compare Scenarios/span_Add Scenario' is clicked on	0.561s	PASSED

## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.620s	PASSED
16	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.512s	PASSED
17	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), "Compare Scenario 2")  Text 'Compare Scenario 2' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.837s	PASSED
18	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	0.507s	PASSED
19	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	0.439s	PASSED
20	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), "Compare Scenario 3")  Text 'Compare Scenario 3' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	1.032s	PASSED
21	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "3000")  Text '3000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	0.767s	PASSED


## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
22	setText(findTestObject("Compare Scenarios/input_Annual Budget_budget_2"), "2000")  Text '2000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget_2'	0.858s	PASSED
23	setText(findTestObject("Compare Scenarios/input_Annual Budget_budget_3"), "1000")  Text '1000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget_3'	0.915s	PASSED
24	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.537s	PASSED
25	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.432s	PASSED
26	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "5")  Text '5' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.831s	PASSED
27	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.390s	PASSED
28	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.430s	PASSED
29	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), "7")  Text '7' is set on object 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.853s	PASSED

## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
30	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.495s	PASSED
31	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.464s	PASSED
32	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), "0")  Text '0' is set on object 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.828s	PASSED
33	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.489s	PASSED
34	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.479s	PASSED
35	delay(120)  Delayed 120 second(s)	2m - 0.015s	PASSED
36	click(findTestObject("Object Repository/Compare Scenarios/span_Compare"))  Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.473s	PASSED
37	click(findTestObject("Compare Scenarios/div_Compare Scenario 1"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 1' is clicked on	2.264s	PASSED
38	click(findTestObject("Compare Scenarios/div_Compare Scenario 2"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 2' is clicked on	0.544s	PASSED

## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
39	click(findTestObject("Compare Scenarios/div_Compare Scenario 3"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 3' is clicked on	0.638s	PASSED
40	click(findTestObject("Compare Scenarios/span_Compare_loadscreen"))  Object: 'Object Repository/Compare Scenarios/span_Compare_loadscreen' is clicked on	0.617s	PASSED
41	takeFullPageScreenshot()  Taking screenshot successfully	2.435s	PASSED
			
42	click(findTestObject("Object Repository/Compare Scenarios/button"))  Object: 'Object Repository/Compare Scenarios/button' is clicked on	0.667s	PASSED
43	click(findTestObject("Object Repository/Compare Scenarios/div_Save as JPEG"))  Object: 'Object Repository/Compare Scenarios/div_Save as JPEG' is clicked on	0.539s	PASSED
44	click(findTestObject("Compare Scenarios/span_Close"))  Object: 'Object Repository/Compare Scenarios/span_Close' is clicked on	1.375s	PASSED



## CS\_Three\_Budgets\_Sidewalk

#	Description	Elapsed	Status
45	click(findTestObject("Object Repository/Compare Scenarios/span_Compare")) Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.770s	PASSED
46	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	2.229s	PASSED
47	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.732s	PASSED
48	delay(3) Delayed 3 second(s)	3.007s	PASSED
49	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	0.494s	PASSED
50	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.643s	PASSED
51	delay(3) Delayed 3 second(s)	3.006s	PASSED
52	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	0.518s	PASSED
53	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.634s	PASSED
54	database_keywords.test.Database_Keywords.deletebudgets() database_keywords.test.Database_Keywords.deletebudgets is PASSED	4.144s	PASSED

## CS\_Three\_Budgets\_Sidewalk

---

#	Description	Elapsed	Status
55	closeBrowser()  Browser is closed	0.214s	PASSED
56	Video  Video recording for test case 'Test Cases/GiS/Compare Scenarios/CS_Three_Budgets_Sidewalk' .	0.000s	PASSED

# CS\_Single\_Budget

## Information

ID	Test Cases/GiS/Compare Scenarios/CS_Single_Budget		
Description			
Tag			
Start	2023-02-23 11:33:41	End	2023-02-23 11:35:30
Elapsed	1m - 48.617s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.462s	PASSED
2	delay(15)  Delayed 15 second(s)	15.025s	PASSED
3	click(findTestObject("Object Repository/Compare Scenarios/Menubar-icon"))  Object: 'Object Repository/Compare Scenarios/Menubar-icon' is clicked on	0.511s	PASSED
4	click(findTestObject("Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon"))  Object: 'Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon' is clicked on	0.570s	PASSED
5	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.683s	PASSED
6	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	0.600s	PASSED

## CS\_Single\_Budget

#	Description	Elapsed	Status
7	setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.389s	PASSED
8	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.365s	PASSED
9	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.494s	PASSED
10	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 1")  Text 'Compare Scenario 1' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.999s	PASSED
11	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "30,000")  Text '30,000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	0.864s	PASSED
12	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.393s	PASSED
13	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.512s	PASSED
14	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "5")  Text '5' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.718s	PASSED

## CS\_Single\_Budget


#	Description	Elapsed	Status
15	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.483s	PASSED
16	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.508s	PASSED
17	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.594s	PASSED
18	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	2.115s	PASSED
19	setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.505s	PASSED
20	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.508s	PASSED
21	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.525s	PASSED
22	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 2")  Text 'Compare Scenario 2' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.900s	PASSED

## CS\_Single\_Budget

#	Description	Elapsed	Status
23	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "10,000")  Text '10,000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	0.875s	PASSED
24	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.399s	PASSED
25	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.402s	PASSED
26	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "7")  Text '7' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.840s	PASSED
27	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.476s	PASSED
28	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.548s	PASSED
29	delay(50)  Delayed 50 second(s)	50.008s	PASSED
30	click(findTestObject("Object Repository/Compare Scenarios/span_Compare"))  Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.556s	PASSED
31	click(findTestObject("Compare Scenarios/div_Compare Scenario 1"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 1' is clicked on	2.045s	PASSED

# CS\_Single\_Budget

#	Description	Elapsed	Status
32	click(findTestObject("Compare Scenarios/div_Compare Scenario 2"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 2' is clicked on	0.661s	PASSED
33	click(findTestObject("Compare Scenarios/span_Compare_loadscreen"))  Object: 'Object Repository/Compare Scenarios/span_Compare_loadscreen' is clicked on	0.534s	PASSED
34	takeFullPageScreenshot()  Taking screenshot successfully	2.004s	PASSED
35	click(findTestObject("Object Repository/Compare Scenarios/button"))  Object: 'Object Repository/Compare Scenarios/button' is clicked on	0.483s	PASSED
36	click(findTestObject("Object Repository/Compare Scenarios/div_Save as JPEG"))  Object: 'Object Repository/Compare Scenarios/div_Save as JPEG' is clicked on	0.570s	PASSED
37	click(findTestObject("Compare Scenarios/span_Close"))  Object: 'Object Repository/Compare Scenarios/span_Close' is clicked on	1.105s	PASSED



## CS\_Single\_Budget

#	Description	Elapsed	Status
38	click(findTestObject("Object Repository/Compare Scenarios/span_Compare")) Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.836s	PASSED
39	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	1.908s	PASSED
40	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.977s	PASSED
41	delay(3) Delayed 3 second(s)	3.007s	PASSED
42	database_keywords.test.Database_Keywords.deletebudgets() database_keywords.test.Database_Keywords.deletebudgets is PASSED	4.242s	PASSED
43	closeBrowser() Browser is closed	0.179s	PASSED
44	Video Video recording for test case 'Test Cases/GiS/Compare Scenarios/CS_Single_Budget' .	0.000s	PASSED



# CS\_Three\_Budgets

## Information

ID	Test Cases/GiS/Compare Scenarios/CS_Three_Budgets		
Description			
Tag			
Start	2023-02-23 11:35:30	End	2023-02-23 11:37:32
Elapsed	2m - 1.824s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.843s	PASSED
2	delay(15)  Delayed 15 second(s)	15.007s	PASSED
3	click(findTestObject("Object Repository/Compare Scenarios/Menubar-icon"))  Object: 'Object Repository/Compare Scenarios/Menubar-icon' is clicked on	1.030s	PASSED
4	click(findTestObject("Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon"))  Object: 'Object Repository/Compare Scenarios/img_Compare_Scenario_rail-icon' is clicked on	0.733s	PASSED
5	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.652s	PASSED
6	sendKeys(findTestObject("Compare Scenarios/input_Program duration_duration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Program duration_duration'	8.139s	PASSED

## CS\_Three\_Budgets

#	Description	Elapsed	Status
7	setText(findTestObject("Compare Scenarios/input_Program duration_duration"), "3")  Text '3' is set on object 'Object Repository/Compare Scenarios/input_Program duration_duration'	1.322s	PASSED
8	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.535s	PASSED
9	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.378s	PASSED
10	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name"), "Compare Scenario 1")  Text 'Compare Scenario 1' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name'	0.703s	PASSED
11	click(findTestObject("Object Repository/Compare Scenarios/span_Add Scenario"))  Object: 'Object Repository/Compare Scenarios/span_Add Scenario' is clicked on	0.424s	PASSED
12	click(findTestObject("Object Repository/Compare Scenarios/span_Add Scenario"))  Object: 'Object Repository/Compare Scenarios/span_Add Scenario' is clicked on	0.678s	PASSED
13	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.668s	PASSED
14	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.395s	PASSED

## CS\_Three\_Budgets

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2"), "Compare Scenario 2")  Text 'Compare Scenario 2' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_2'	0.818s	PASSED
16	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	0.503s	PASSED
17	sendKeys(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	0.398s	PASSED
18	setText(findTestObject("Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3"), "Compare Scenario 3")  Text 'Compare Scenario 3' is set on object 'Object Repository/Compare Scenarios/input_Scenario Name_scenario_name_3'	1.017s	PASSED
19	setText(findTestObject("Object Repository/Compare Scenarios/input_Annual Budget_budget"), "30,000")  Text '30,000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget'	0.778s	PASSED
20	setText(findTestObject("Compare Scenarios/input_Annual Budget_budget_2"), "20000")  Text '20000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget_2'	0.879s	PASSED
21	setText(findTestObject("Compare Scenarios/input_Annual Budget_budget_3"), "10000")  Text '10000' is set on object 'Object Repository/Compare Scenarios/input_Annual Budget_budget_3'	0.993s	PASSED

## CS\_Three\_Budgets

#	Description	Elapsed	Status
22	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.363s	PASSED
23	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation'	0.510s	PASSED
24	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation"), "5")  Text '5' is set on object 'Object Repository/Compare Scenarios/Input_Inflation'	0.831s	PASSED
25	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.409s	PASSED
26	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.501s	PASSED
27	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_2"), "7")  Text '7' is set on object 'Object Repository/Compare Scenarios/Input_Inflation_2'	0.910s	PASSED
28	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.478s	PASSED
29	sendKeys(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.531s	PASSED

## CS\_Three\_Budgets

#	Description	Elapsed	Status
30	setText(findTestObject("Object Repository/Compare Scenarios/Input_Inflation_3"), "0")  Text '0' is set on object 'Object Repository/Compare Scenarios/Input_Inflation_3'	0.828s	PASSED
31	click(findTestObject("Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c"))  Object: 'Object Repository/Compare Scenarios/div_Select layerPavement MaintenanceFilter _a98a8c' is clicked on	0.503s	PASSED
32	click(findTestObject("Object Repository/Compare Scenarios/Apply_button"))  Object: 'Object Repository/Compare Scenarios/Apply_button' is clicked on	0.417s	PASSED
33	delay(50)  Delayed 50 second(s)	50.008s	PASSED
34	click(findTestObject("Object Repository/Compare Scenarios/span_Compare"))  Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	0.560s	PASSED
35	click(findTestObject("Compare Scenarios/div_Compare Scenario 1"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 1' is clicked on	1.969s	PASSED
36	click(findTestObject("Compare Scenarios/div_Compare Scenario 2"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 2' is clicked on	0.594s	PASSED
37	click(findTestObject("Compare Scenarios/div_Compare Scenario 3"))  Object: 'Object Repository/Compare Scenarios/div_Compare Scenario 3' is clicked on	0.470s	PASSED
38	click(findTestObject("Compare Scenarios/span_Compare_loadscreen"))  Object: 'Object Repository/Compare Scenarios/span_Compare_loadscreen' is clicked on	0.632s	PASSED

# CS\_Three\_Budgets

#	Description	Elapsed	Status
39	takeFullPageScreenshot()  Taking screenshot successfully	1.814s	PASSED
40	click(findTestObject("Object Repository/Compare Scenarios/button"))  Object: 'Object Repository/Compare Scenarios/button' is clicked on	0.470s	PASSED
41	click(findTestObject("Object Repository/Compare Scenarios/div_Save as JPEG"))  Object: 'Object Repository/Compare Scenarios/div_Save as JPEG' is clicked on	0.517s	PASSED
42	click(findTestObject("Compare Scenarios/span_Close"))  Object: 'Object Repository/Compare Scenarios/span_Close' is clicked on	1.382s	PASSED
43	click(findTestObject("Object Repository/Compare Scenarios/span_Compare"))  Object: 'Object Repository/Compare Scenarios/span_Compare' is clicked on	1.025s	PASSED
44	click(findTestObject("Compare Scenarios/Delete_Scenario_1"))  Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	2.135s	PASSED

## CS\_Three\_Budgets

#	Description	Elapsed	Status
45	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.592s	PASSED
46	delay(3) Delayed 3 second(s)	3.009s	PASSED
47	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	0.396s	PASSED
48	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.666s	PASSED
49	delay(3) Delayed 3 second(s)	3.005s	PASSED
50	click(findTestObject("Compare Scenarios/Delete_Scenario_1")) Object: 'Object Repository/Compare Scenarios/Delete_Scenario_1' is clicked on	0.421s	PASSED
51	click(findTestObject("Compare Scenarios/span_Yes")) Object: 'Object Repository/Compare Scenarios/span_Yes' is clicked on	0.590s	PASSED
52	database_keywords.test.Database_Keywords.deletebudgets() database_keywords.test.Database_Keywords.deletebudgets is PASSED	3.927s	PASSED
53	closeBrowser() Browser is closed	0.164s	PASSED
54	Video Video recording for test case 'Test Cases/GiS/Compare Scenarios/CS_Three_Budgets' .	0.001s	PASSED

# Create\_WO\_System\_Forms\_Basic

## Information

ID	Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_Basic		
Description			
Tag			
Start	2023-02-23 11:37:32	End	2023-02-23 11:38:18
Elapsed	45.936s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURLWO()  gis_url.test.URL.redirectURLWO is PASSED	3.374s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	12.381s	PASSED
3	println(countBefore)	0.001s	PASSED
4	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Create"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Create' is clicked on	0.601s	PASSED
5	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Group_mui-33912"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Group_mui-33912' is clicked on	1.019s	PASSED
6	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Bridge Inspection"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Bridge Inspection' is clicked on	0.569s	PASSED



## Create\_WO\_System\_Forms\_Basic

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Form_mui-83086"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Form_mui-83086' is clicked on	0.616s	PASSED
8	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Bridge Maintenance"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Bridge Maintenance' is clicked on	0.704s	PASSED
9	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Next"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Next' is clicked on	2.070s	PASSED
10	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Assignee_combo-box-demo"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Assignee_combo-box-demo' is clicked on	2.016s	PASSED
11	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Dev Admin"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Dev Admin' is clicked on	0.566s	PASSED
12	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Collaborators_checkboxes-tags-demo"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Collaborators_checkboxes-tags-demo' is clicked on	0.622s	PASSED
13	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Aami admin"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Aami admin' is clicked on	0.541s	PASSED

## Create\_WO\_System\_Forms\_Basic

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Due Date_due_date"), "22/01/2024")  Text '22/01/2024' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Due Date_due_date'	1.486s	PASSED
15	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/Priority_field"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/Priority_field' is clicked on	0.492s	PASSED
16	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Medium"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Medium' is clicked on	0.608s	PASSED
17	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/input_Search by Asset ID_mui-40471"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Search by Asset ID_mui-40471' is clicked on	0.878s	PASSED
18	setText(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), "12")  Text '12' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field'	0.986s	PASSED
19	focus(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is focused	0.526s	PASSED
20	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is clicked on	0.698s	PASSED

## Create\_WO\_System\_Forms\_Basic

#	Description	Elapsed	Status
21	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is clicked on	2.453s	PASSED
22	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/li_12"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_12' is clicked on	0.468s	PASSED
23	address = getAttribute(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/address_field2"), "value")  Attribute 'value' of object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/address_field2' is: 'TYLER AVE From 31ST ST To 32ND ST - 12'	0.469s	PASSED
24	Searchedtext = "TYLER AVE From 31ST ST To 32ND ST - 12"	0.002s	PASSED
25	println(address)	0.000s	PASSED
26	verifyMatch(address, Searchedtext, false)  Actual text 'TYLER AVE From 31ST ST To 32ND ST - 12' and expected text 'TYLER AVE From 31ST ST To 32ND ST - 12' are matched	0.002s	PASSED
27	setText(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/textarea_New"), "New")  Text 'New' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/textarea_New'	1.006s	PASSED
28	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/Toggle_Equipment"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/Toggle_Equipment' is clicked on	0.717s	PASSED

## Create\_WO\_System\_Forms\_Basic

#	Description	Elapsed	Status
29	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/svg_Equipment_MuiSvgIcon-root"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/svg_Equipment_MuiSvgIcon-root' is clicked on	0.658s	PASSED
30	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Axe-Ton-20"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Axe-Ton-20' is clicked on	0.709s	PASSED
31	setText(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input__MuiInputBase-input MuiOutlinedInput-_2734f2"), "10")  Text '10' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input__MuiInputBase-input MuiOutlinedInput-_2734f2'	1.058s	PASSED
32	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Add Item"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Add Item' is clicked on	0.569s	PASSED
33	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/btn_workorder_create"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/btn_workorder_create' is clicked on	0.611s	PASSED
34	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	6.126s	PASSED
35	println(countAfter)	0.001s	PASSED
36	if (countAfter == countBefore + 1)	0.001s	PASSED

## Create\_WO\_System\_Forms\_Basic

---

#	Description	Elapsed	Status
37	closeBrowser()  Browser is closed	0.109s	PASSED
38	Video  Video recording for test case 'Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_Basic' .	0.000s	PASSED

# Create\_WO\_System\_Forms\_With\_Equipements

## Information

ID	Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_With_Equipements		
Description			
Tag			
Start	2023-02-23 11:38:18	End	2023-02-23 11:39:07
Elapsed	49.303s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURLWO()  gis_url.test.URL.redirectURLWO is PASSED	2.982s	PASSED
2	countBefore = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	16.152s	PASSED
3	println(countBefore)	0.000s	PASSED
4	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Create"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Create' is clicked on	0.642s	PASSED
5	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Group_mui-33912"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Group_mui-33912' is clicked on	0.730s	PASSED
6	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Bridge Inspection"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_Bridge Inspection' is clicked on	0.601s	PASSED

## Create\_WO\_System\_Forms\_With\_Equipements

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Form_mui-83086"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Form_mui-83086' is clicked on	0.623s	PASSED
8	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Bridge Maintenance"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Bridge Maintenance' is clicked on	0.600s	PASSED
9	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Next"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Next' is clicked on	2.066s	PASSED
10	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Assignee_combo-box-demo"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Select Assignee_combo-box-demo' is clicked on	2.067s	PASSED
11	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Dev Admin"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Dev Admin' is clicked on	0.689s	PASSED
12	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Collaborators_checkboxes-tags-demo"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Collaborators_checkboxes-tags-demo' is clicked on	0.656s	PASSED
13	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Aami admin"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/div_Aami admin' is clicked on	0.643s	PASSED

## Create\_WO\_System\_Forms\_With\_Equipements

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Due Date_due_date"), "22/01/2024")  Text '22/01/2024' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Due Date_due_date'	1.435s	PASSED
15	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/Priority_field"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/Priority_field' is clicked on	0.509s	PASSED
16	click(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Medium"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/span_Medium' is clicked on	0.558s	PASSED
17	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/input_Search by Asset ID_mui-40471"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/input_Search by Asset ID_mui-40471' is clicked on	0.906s	PASSED
18	setText(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), "12")  Text '12' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field'	1.062s	PASSED
19	focus(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is focused	0.402s	PASSED
20	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is clicked on	0.493s	PASSED



## Create\_WO\_System\_Forms\_With\_Equipements

#	Description	Elapsed	Status
21	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/asse_field"), STOP_ON_FAILURE)  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/asse_field' is clicked on	2.573s	PASSED
22	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/li_12"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/li_12' is clicked on	0.574s	PASSED
23	address = getAttribute(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/address_field2"), "value")  Attribute 'value' of object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/address_field2' is: 'TYLER AVE From 31ST ST To 32ND ST - 12'	0.487s	PASSED
24	Searchedtext = "TYLER AVE From 31ST ST To 32ND ST - 12"	0.000s	PASSED
25	println(address)	0.001s	PASSED
26	verifyMatch(address, Searchedtext, false)  Actual text 'TYLER AVE From 31ST ST To 32ND ST - 12' and expected text 'TYLER AVE From 31ST ST To 32ND ST - 12' are matched	0.001s	PASSED
27	setText(findTestObject("Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/textarea_New"), "New")  Text 'New' is set on object 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/textarea_New'	0.960s	PASSED
28	click(findTestObject("WO_Dashboard/Page_Streetlogix Dashboard/btn_workorder_create"))  Object: 'Object Repository/WO_Dashboard/Page_Streetlogix Dashboard/btn_workorder_create' is clicked on	0.697s	PASSED

## Create\_WO\_System\_Forms\_With\_Equipements

---

#	Description	Elapsed	Status
29	countAfter = database_keywords.test.Database_Keywords.getWorkOrdersCount()  database_keywords.test.Database_Keywords.getWorkOrdersCount is PASSED	9.878s	PASSED
30	println(countAfter)	0.000s	PASSED
31	if (countAfter == countBefore + 1)	0.001s	PASSED
32	closeBrowser()  Browser is closed	0.114s	PASSED
33	Video  Video recording for test case 'Test Cases/Dashboard/Work Orders/Create_WO_System_Forms_With_Equipements' .	0.001s	PASSED

# Budget\_Estimator\_1year

## Information

ID	Test Cases/GiS/Budget Estimator/Budget_Estimator_1year		
Description			
Tag			
Start	2023-02-23 11:39:07	End	2023-02-23 11:41:07
Elapsed	2m - 0.339s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	gis_url.test.URL.redirectURL()  gis_url.test.URL.redirectURL is PASSED	3.486s	PASSED
2	delay(15)  Delayed 15 second(s)	15.007s	PASSED
3	click(findTestObject("EBP_Object/Page_Streetlogix/Menubar-icon"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Menubar-icon' is clicked on	0.519s	PASSED
4	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/div_Budget Estimator"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/div_Budget Estimator' is clicked on	0.588s	PASSED
5	Scenarioname = "EST 1"	0.000s	PASSED
6	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	2.278s	PASSED

## Budget\_Estimator\_1year

#	Description	Elapsed	Status
7	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	1.845s	PASSED
8	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName"), Scenarioname)  Text 'EST 1' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Scenario Name_scenarioName'	0.945s	PASSED
9	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.506s	PASSED
10	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.399s	PASSED
11	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration"), "1")  Text '1' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Program duration_programDuration'	0.824s	PASSED
12	AvgCI = getText(findTestObject("EBP_Object/Page_Streetlogix/Average_condition_index"))  Text of object 'Object Repository/EBP_Object/Page_Streetlogix/Average_condition_index' is: '27.92'	0.475s	PASSED
13	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Target Condition Index_target_rating"), "29")  Text '29' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Target Condition Index_target_rating'	0.801s	PASSED

## Budget\_Estimator\_1year

#	Description	Elapsed	Status
14	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), Keys.chord(COMMAND, "a"))  Keys 'COMMAND + a' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.506s	PASSED
15	sendKeys(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), Keys.chord(DELETE))  Keys 'DELETE + ' sent to object: 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.486s	PASSED
16	setText(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation"), "5")  Text '5' is set on object 'Object Repository/EBP_Object/Page_Streetlogix/input_Annual Inflation_annualInflation'	0.743s	PASSED
17	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Calculate"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Calculate' is clicked on	0.498s	PASSED
18	delay(20)  Delayed 20 second(s)	20.006s	PASSED
19	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Load"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Load' is clicked on	0.531s	PASSED
20	click(findTestObject("EBP_Object/Page_Streetlogix/Load_ScenarioName"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Load_ScenarioName' is clicked on	2.113s	PASSED
21	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_default scenario"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_default scenario' is clicked on	3.377s	PASSED

## Budget\_Estimator\_1year

#	Description	Elapsed	Status
22	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Estimator_summary"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Estimator_summary' is clicked on	0.814s	PASSED
23	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Estimator_summary"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Estimator_summary' is clicked on	0.852s	PASSED
24	click(findTestObject("EBP_Object/Page_Streetlogix/Asset_name"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Asset_name' is clicked on	0.784s	PASSED
25	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Program_duration_1year"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Program_duration_1year' is clicked on	0.497s	PASSED
26	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Total cost estimated"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Total cost estimated' is clicked on	0.485s	PASSED
27	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Inflation_5"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Inflation_5' is clicked on	0.620s	PASSED
28	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_pci 0' is clicked on	0.827s	PASSED
29	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/h6_DT with PCI ranges"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/h6_DT with PCI ranges' is clicked on	0.605s	PASSED

## Budget\_Estimator\_1year

#	Description	Elapsed	Status
30	click(findTestObject("EBP_Object/Page_Streetlogix/View_Graph_dropdown"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/View_Graph_dropdown' is clicked on	0.804s	PASSED
31	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/li_Table"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/li_Table' is clicked on	0.535s	PASSED
32	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/Final_Rating"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/Final_Rating' is clicked on	2.520s	PASSED
33	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Report"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Report' is clicked on	0.437s	PASSED
34	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Export"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Export' is clicked on	0.693s	PASSED
35	delay(50)  Delayed 50 second(s)	50.006s	PASSED
36	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Report"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Report' is clicked on	0.392s	PASSED
37	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Word"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Word' is clicked on	0.711s	PASSED
38	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Export"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Export' is clicked on	0.392s	PASSED

## Budget\_Estimator\_1year

---

#	Description	Elapsed	Status
39	click(findTestObject("Object Repository/EBP_Object/Page_Streetlogix/span_Close"))  Object: 'Object Repository/EBP_Object/Page_Streetlogix/span_Close' is clicked on	1.738s	PASSED
40	isFileDownloaded("Streetlogix-EST-1.pdf")	0.004s	PASSED
41	downloadPath = "/Users/kashif/Downloads"	0.001s	PASSED
42	dir = new java.io.File(downloadPath)	0.001s	PASSED
43	files = dir.listFiles()	0.003s	PASSED
44	for (File file : files)	0.131s	PASSED
45	closeBrowser()  Browser is closed	0.208s	PASSED
46	Video  Video recording for test case 'Test Cases/GIS/Budget Estimator/Budget_Estimator_1year' .	0.001s	PASSED