

CMDB Health Dashboard

- A Central location to view health reports of CMDB.
- It helps in taking remediate actions for CMDB related issues.
- Health indicators such as duplicate CIs, required CI fields, and audits contribute to calculate health scorecards.

KPIs to monitor and reporting health of CMDB data

- **Completeness** - CIs are checked for recommended and required field population.
- **Correctness** - CIs are checked if they are duplicate, stale or orphan CIs.
- **Compliance** - CIs are checked for pre-defined certificates. eg: All workstations have antivirus installed or not?
- **Relationship** - CI relationships are checked for duplicates, orphan relationships and compliance with suggested relationships.

Setup and configure CMDB Health

Enable and configure a CMDB Health Dashboard job that process CMDB health tests, to start calculating CMDB health scores for the completeness, compliance, correctness, and relationship KPI.

- Navigate to Configuration > CMDB Dashboard > CMDB View
- Click CMDB Health Dashboard Jobs
- Select the jobs and enable it.
- Execute the jobs.

CMDB Health Dashboard Jobs

- **Completeness Score Calculation** - calculating the completeness KPI of CMDB health.
- **Compliance Score Calculation** - calculating the compliance KPI of CMDB health.
- **Correctness Score Calculation** - calculating the correctness KPI of CMDB health.
- **Relationship Score Calculation** - calculating the CI relationships KPI of CMDB health.
- **Relationship Compliance Processor** - calculating compliance of relationships with suggested relationships

After enabling CMDB Health Dashboard jobs, result scores will be displayed on CMDB Health Dashboard

Role required - Asset, ITIL User

Configure CMDB Health scorecard thresholds

Scorecard thresholds define the overall metric status and consist of upper and lower thresholds. For instance, in scorecards relating to completeness:

- (0 to lower threshold): Indicates the best state
- (Lower threshold to upper threshold): Represents an at-risk state
- (Upper threshold to 100): Indicates a critical state

1. Navigate to All > Configuration > CI Class Manager.
2. Click Hierarchy and Expand Health list.
3. Select KPIs and set thresholds.

ITIL_ADMIN role is required to configure.

Set a CI field to be recommended

Define the recommended fields for a CI which should be populated by data source (eg: Discovery)

1. Navigate to All > Configuration > CI Class Manager.
2. Click Hierarchy and Expand Health list.
3. Select Completeness.
4. Select recommended fields and save.

Create a CMDB Health orphan rule

Orphan rule determines the percentage of orphan CIs.

1. Navigate to All > Configuration > CI Class Manager.
2. Click Hierarchy and Expand Health list.
3. Select Correctness and select Orphan Rule tab .
4. Click New and fill the form.

Attributes - Filter the CIs applicable for Orphan rules.

Relationship - Condition for relationship which must fail to make CI Orphan.

eg: Any class and any relationship type. This will make CIs orphan which don't have any relationship record.

Create health inclusion rule

Filter the CIs to be included in CMDB health calculations and visible on CMDB health dashboards. Evaluation for the required, orphan, recommended, duplicate and staleness health metrics, will apply only to CIs that satisfy health inclusion rules

1. Navigate to All > Configuration > CI Class Manager.
2. Click Hierarchy and Expand Health list.
3. Select Health Inclusion Rules.
4. Click New and then fill out the Health Inclusion Rules form.

Non-compliant relationship

- If a relationship record is created not in line with the recommended relationship rule (cmdb_rel_type_suggest), it will be classified as a Non-compliant relationship.
- In case Non-compliant relationships appear on the CMDB health dashboard, review the relationship records based on the cmdb_rel_type_suggest rule or create relationships within the cmdb_rel_type_suggest table for the missing relationship types.

