


CMDB Class Manager



view, create, or edit basic class definitions, and class settings for identification, reconciliation, and CMDB Health.

Navigate to All > Configuration > CI Class Manager



- **Add Child Class** - Can create a new CMDB class under selected class.
- **Basic Info** - provides the requisite information about the CI class.
- **Attributes** - View derived fields and add new fields.
- **Identification Rules** - Identification rules are what the IRE uses to find CIs in the CMDB
- **Reconciliation Rules** - Determine which discovery sources are allowed to populate attributes and in which order.
- **Suggested Relationships** - Create relationship types to select from when building relationships for this class. (*cmdb_rel_type_suggest*)
- **All Relationship rules** - Show all relationship types for selected class.
- **CI List** - Show records for selected class.
- **Health** - To monitoring and maintaining the health of the CMDB by configuring rules for the KPIs (*Completeness, Compliance, Correctness*)
eg: Setup threshold for CMDB health Dashboard, Configure Orphan Rules



Identification and Reconciliation engine (IRE)


IRE provides a centralized framework to perform identification and reconciliation processes across different data sources.

- IRE prevents duplicate CIs by uniquely identifying CIs.
- IRE reconciles CI attributes by allowing only authoritative data sources to write to CMDB.


Identification Rules: Identification rules are used to uniquely identify CIs in the CMDB.

Reconciliation Rules: Determine which discovery sources can update CI attributes. (Eg: ImportSet, ManualEntry, Servicenow).

CI Identification and Reconciliation



CI Identification and Reconciliation Example



CI Identification and Reconciliation

Example

- Create one CI Identification Rule for windows Server(Name, Serial Number).
- Run Discovery to create windows Server(10.0.0.6).
- Create import set to update same discovered Windows CI.
- Configure transform map with *onBefore* transform script to use IRE in import set.
- Run transform map to check if CI is updated?
- Configure reconciliation rule for Windows Server for RAM attribute.
- Re-run Discovery or script Transform map and check results.



IdentificationEngineScriptableApi

```
var payload = {
  "items": [
    {
      "className": "cmdb_ci_win_server",
      "values": {
        "short_description": "Updated by Manual Entry",
        "name": "snow911",
        "ram":1092,
        "serial_number":"0000-0011-6608-7808-9234-0119-27"
      }
    }
  ]
};
var input = new JSON().encode(payload);
var output = SNC.IdentificationEngineScriptableApi.createOrUpdateCI('Manual Entry', input);
gs.print(JSON.strinify(output));
```

