

Haute Ecole d'Ingénierie
Hochschule für Ingenieurwissenschaften

OT Security

PEN-testing and security about embedded devices

Rémi Heredero

Tuesday, September 10 2024









OT vs IT





OT vs IT

- Information Technology (IT)
 - = CPU





OT vs IT

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU





OT vs IT

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU
- World of embedded systems





OT vs IT

Security

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU
- World of embedded systems





OT vs IT

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU
- World of embedded systems

Security

• Before: IT wall





OT vs IT

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU
- World of embedded systems

Security

- Before: IT wall
- Now: IoT everywhere





OT vs IT

- Information Technology (IT)
 - = CPU
- Operational Technology (OT)
 - = MCU
- World of embedded systems

Security

- Before: IT wall
- Now: IoT everywhere
- \Rightarrow Time to put Security in OT














• Labo OT Security - I6








- Labo OT Security I6
- Security scenarios
 - Unsecure situation
 - Attack
 - Safe solution







- Labo OT Security I6
- Security scenarios
 - Unsecure situation
 - Attack
 - Safe solution
- Industrial partner training

Replay scenario
























7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical







The Flipper modulation


Hochschule für Ingenieurwissenschaften

The Flipper modulation



The Flipper modulation













Transceiver 433 MHz





Transceiver 433 MHz

• OOK





Transceiver 433 MHz

- OOK
- Serial



Transceiver 433 MHz

- OOK
- Serial
- Preamble





Transceiver 433 MHz

- OOK
- Serial
- Preamble
- Start & Stop characters





Transceiver 433 MHz

- OOK
- Serial
- Preamble
- Start & Stop characters

Security





Transceiver 433 MHz

- OOK
- Serial
- Preamble
- Start & Stop characters

Security

• Different messages



Transceiver 433 MHz

- OOK
- Serial
- Preamble
- Start & Stop characters

Security

- Different messages
- Rolling code





Transceiver 433 MHz

- OOK
- Serial
- Preamble
- Start & Stop characters

Security

- Different messages
- Rolling code
- Signature

Man in the Middle (MitM) scenario




Home I/O



Home I/O



Home I/O






Architecture


Architecture

Hochschule für Ingenieurwissenschaften



Architecture

Hochschule für Ingenieurwissenschaften






ARP Poisoning

11


ARP Poisoning

Hochschule für Ingenieurwissenschaften





ARP Poisoning




7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical


Hochschule für Ingenieurwissenschaften

Attack on Modbus/TCP

















Hochschule für Ingenieurwissenschaften

Attack on Modbus/TCP

Summary



Summary

• On the fly

Summary

- On the fly
- On TCP layer

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical

Summary

- On the fly
- On TCP layer
- No need to decrypt

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical



• Encrypt session

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical

• Encrypt session

X.509

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical

• Encrypt session

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical

X.509

- Owner
 - Public key

• Encrypt session

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical
	-

X.509

- Owner
 - Public key
- Certificate authority

• Encrypt session

7	Application
6	Presentation
5	Session
4	Transport
3	Network
2	Data Link
1	Physical


X.509

- Owner
 - Public key
- Certificate authority
- Signature

Hochschule für Ingenieurwissenschaften


Attack on Modbus/TLS

Attack on Modbus/TLS



Hochschule für Ingenieurwissenschaften

Attack on Modbus/TLS





The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

Aapo Oksman proved it still holds

The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

Aapo Oksman proved it still holds last year



The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

Aapo Oksman proved it still holds **last year**



The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

Aapo Oksman proved it still holds last year





The most dangerous code in the world: validating SSL certificates in non-browser software

— Martin Georgiev - 2012

Aapo Oksman proved it still holds last year







Questions?