

---

# OT Security

Presentation and choice of attack scenarios


---

Rémi Heredero

Monday, 3rd of June 2024


# Sniffing

- Intercept packets and analyze them




# Sniffing

- Intercept packets and analyze them
- For other attacks or industrial spying



# Sniffing


- Intercept packets and analyze them
- For other attacks or industrial spying
- Wifi usually with password
  - Or assume password is known



# Sniffing

- Intercept packets and analyze them
- For other attacks or industrial spying
- Wifi usually with password
  - Or assume password is known

SOL : Use encryption like modbus over TLS



# Spoofing

- Create a fake WiFi hotspot

# Spoofing

- Create a fake WiFi hotspot
- Easy way for do a get information for succed a MitM


# Spoofing

- Create a fake WiFi hotspot
- Easy way for do a get information for succeed a MitM
- More IT world




# DoS

- Denial of Service




# DoS

- Denial of Service
- Spam or Ping of Death



# DoS


- Denial of Service
- Spam or Ping of Death
- DDoS more IT world



# DoS


- Denial of Service
- Spam or Ping of Death
- DDoS more IT world

SOL : Ban IP by the transport layer (or lower)




# Replay attack

- Replay a packet




# Replay attack

- Replay a packet
- Need sniffing



# Replay attack

- Replay a packet
- Need sniffing
- Understand or not the packet




# Replay attack

- Replay a packet
- Need sniffing
- Understand or not the packet

SOL : Add a signed timestamp


SOL : Rolling code






# Man in the middle - Connected

- Send custom packets



# Man in the middle - Connected


- Send custom packets
- Better with sniffing



# Man in the middle - Connected


- Send custom packets
- Better with sniffing

SOL : Use encryption with symmetric key. Keys exchange with Diffie-Hellman




# Man in the middle - Full interception

- Send custom packets




# Man in the middle - Full interception

- Send custom packets
- Intercept everything




# Man in the middle - Full interception

- Send custom packets
- Intercept everything
- Better with sniffing



# Man in the middle - Full interception

- Send custom packets
- Intercept everything
- Better with sniffing



SOL : Use encryption like modbus over TLS

# Attack scenarios

- DoS by external sensor (external temp by example)



# Attack scenarios

- DoS by external sensor (external temp by example)
- Wireless Replay attack (868 MHz)

# Attack scenarios

- DoS by external sensor (external temp by example)
- Wireless Replay attack (868 MHz)
- Man in the middle on Modbus over TCP

# Attack scenarios

- DoS by external sensor (external temp by example)
- Wireless Replay attack (868 MHz)
- Man in the middle on Modbus over TCP
- Man in the middle on Modbus over TCP with standard encryption

