



SHELTER PLATFORM

WEB APP

SHELTER PLATFORM


**This web application is meant for use
of MSF staff and shelters Manufacturers.**

The main page should be split in two parts:

- MSF staff area with login option and register option
- Manufacturer part with login option and register option

In addition to this, there will be a text area with information for visitors, disclaimer and FAQs registration related.

THE PLATFORM



The image shows a laptop screen displaying a web application interface. The top portion of the screen features a white background with a red horizontal bar at the top. In the top-left corner, the Médecins Sans Frontières (MSF) logo is visible. Below the logo, the text "Please choose an access typology" is centered. Underneath this text are two red rectangular buttons, each containing a white icon and the word "User" or "Manufacturer". The left button has a user profile icon, and the right button has a clipboard icon with a house symbol. At the bottom of the screen, there is a footer area with social media icons (Facebook, Twitter, LinkedIn) and the text "International website of Médecins Sans Frontières (MSF)" followed by "Copyright 2017". The laptop is positioned on a dark blue surface, and its base is visible at the bottom.

Please choose an access typology

User

Manufacturer

International website of Médecins Sans Frontières (MSF)
Copyright 2017


THE PLATFORM

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Homepage

A screenshot of the platform's web interface. At the top left is the "MEDECINS SANS FRONTIERES" logo. At the top right, the text "LOGGED IN AS: user@msf.com" is displayed. The main area features a grid of 12 shelter products, each with a thumbnail image, the shelter name, and its overall rating (from 1 to 5 stars). On the left side of the grid, there are several dropdown menus and checkboxes for filtering: "MANUFACTURER", "SHAPE", "PRICE", "SETUP TIME", "MATERIAL", "DELIVER TIME", "PRODUCTION CAPACITY", "OVERALL RATING", "PVC" (checked), "PVC + METAL", "METAL", "> 10 PATIENTS" (checked), "10 - 15 PATIENTS" (checked), and "15+ PATIENTS".

NAME OF THE SHELTER	Rating
NAME OF THE SHELTER 1	★★★★★
NAME OF THE SHELTER 2	★★★★★
NAME OF THE SHELTER 3	★★★★★
NAME OF THE SHELTER 4	★★★★★
NAME OF THE SHELTER 5	★★★★★
NAME OF THE SHELTER 6	★★★★★
NAME OF THE SHELTER 7	★★★★★
NAME OF THE SHELTER 8	★★★★★
NAME OF THE SHELTER 9	★★★★★
NAME OF THE SHELTER 10	★★★★★
NAME OF THE SHELTER 11	★★★★★
NAME OF THE SHELTER 12	★★★★★

THE PLATFORM

Selected Shelter

 BACK TO SHELTERS

LOGGED IN AS: user@msf.com

Gaptek prefab module

Description
Gaptek specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

44% First characteristic
21% Second characteristic
35% Third characteristic

 Download Product Summary

◀ BACK TO SHELTERS

LOGGED IN AS user@msf.com

Gaptek prefab module

Description
Gaptek specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

44% First characteristic
21% Second characteristic
35% Third characteristic

 Download Product Summary

Physical Characteristics ★★★★
HQ Information
Field Feedback

DIMENSIONS
ENVIRONMENTAL CHARACTERISTICS
ADDITIONAL ADD-ONS AND THEIR FIXTURE
ACCUMULATION
SAFETY AND ROBUSTNESS
Installation ★★★★
HQ Information
Field Feedback

Transport and Pricing ★★★★
HQ Information
Field Feedback

Additional comments by HQ referent and/or MSF supply
Rapid implementation. Low complexity.
Light weight.
Little maintenance of walls.
Budget friendly.
Stackable up to 3 floors.
Additionnal cost for OT.
Needs additional improvement for better adaptability (ex: from pvc cover to sandwich panel).

SIMILAR SHELTERS

NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location

SAME MANUFACTURER


NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location


NAME OF THE SHELTER
Manufacturer Location

THE PLATFORM



Physical Characteristics

★★★★★

HQ information Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.	Field feedback Ut enim ad minim veniam, quis nostrud exercitation ulamco laboris nisi ut aliquip ex ea commodo consequat eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.		
DIMENSIONS			
SHAPE Rectangular module with 3d modularity	DIMENSIONS IN M Module 2.4 x 2.4 x 3	COVERED SURFACE IN M² Max 12 between columns	OUTHER STRUCTURE MATERIAL Extruded alu structure + sandwich dubbel panels or pvc canvas
ENVELOPE CHARACTERISTICS		INTERCHANGEABILITY (EASE OF CUSTOMIZATION)	
TYPE Hanging inner tent	MATERIAL Extruded alu structure + sandwich dubbel panels or pvc canvas	STANDARD CONNECTING COMPONENTS Yes	EXTENDABILITY Yes, extendable modules
WINDOWS Yes	FLOOR SURFACE PVC	OPENINGS/DOORS Yes	WASHABLE SURFACES Yes, chlorine resistant & washable
ADDITIONAL ADD-ONS AND THEIR FIXTURE		POSSIBLE TO REPLACE PARTS WITH LOCAL PARTS Yes	
SHADOW NET, WINTERIZATION KIT, FLOORING, PARTITIONING Yes		POSSIBLE TO REPLACE MATERIALS WITH LOCAL MATERIALS Yes	

Selected Shelter

LOGGED IN AS user-jpm.com

BACK TO SHELTERS

Gaptek prefab module

Description
Gaptek specializes in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

40% First characteristic
25% Second characteristic
35% Third characteristic

Download Product Summary

CHOOSE COMPARE

Physical Characteristics

★★★★★

HQ information Ut enim ad minim veniam, quis nostrud exercitation ulamco laboris nisi ut aliquip ex ea commodo consequat eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.	Field feedback Ut enim ad minim veniam, quis nostrud exercitation ulamco laboris nisi ut aliquip ex ea commodo consequat eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.		
DIMENSIONS			
SHAPE Rectangular module with 3d modularity	DIMENSIONS IN M Module 2.4 x 2.4 x 3	COVERED SURFACE IN M² Max 12 between columns	OUTHER STRUCTURE MATERIAL Extruded alu structure + sandwich dubbel panels or pvc canvas
ENVELOPE CHARACTERISTICS		INTERCHANGEABILITY (EASE OF CUSTOMIZATION)	
TYPE Hanging inner tent	MATERIAL Extruded alu structure + sandwich dubbel panels or pvc canvas	STANDARD CONNECTING COMPONENTS Yes	EXTENDABILITY Yes, extendable modules
WINDOWS Yes	FLOOR SURFACE PVC	OPENINGS/DOORS Yes	WASHABLE SURFACES Yes, chlorine resistant & washable
ADDITIONAL ADD-ONS AND THEIR FIXTURE		POSSIBLE TO REPLACE PARTS WITH LOCAL PARTS Yes	
SHADOW NET, WINTERIZATION KIT, FLOORING, PARTITIONING Yes		POSSIBLE TO REPLACE MATERIALS WITH LOCAL MATERIALS Yes	
ACCLIMATIZATION		INTERCHANGEABILITY (EASE OF CUSTOMIZATION)	
INSULATION Yes	MULTILAYER ROOF Yes	INSULATION LINER? No	BOX-IN-BOX SYSTEM? No
SAFETY AND ROBUSTNESS	ROOF ZONE VENTILATION? Yes	ADAPTABLE TO HEATING SYSTEM? Yes	SECURITY Yes
Installation		POSSIBLE TO DISMANTLE? Yes	
NO. OF ASSEMBLY PIECES 20	ASSEMBLY MANUAL Yes	PEOPLE REQUIRED 2 people + 1 ladder	ESTIMATED SET UP TIME 10 days
GROUND PROPERTIES REQUIRED Incl. ground prep		FIELD FEEDBACK Ut enim ad minim veniam, quis nostrud exercitation ulamco laboris nisi ut aliquip ex ea commodo consequat eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.	
Transport and Pricing		POSSIBLE TO DISMANTLE? Yes	
PRICE 5000/m ² for PVC canvas 6000/m ² for sandwich panel	PACKAGING DIMENSIONS (M) 2.4 x 2.4 x 3	LOADING VOLUME (M³) per m ² box container	LOADING WEIGHT (KG) 300
SPECIAL / SENSITIVE PARTS Yes	LIFESPAN 250	WARRANTY Yes, 30 Years	IN USE BY MSF? Yes
Additional comments by HQ referend and/or MSF supply			
<p>Rapid implementation (low complexity) Light weight Little maintenance of walls Rigid structure Stackable up to 10 floors Additional space for O/T Needs additional improvement for better adaptability (ex. from pvc cover to sandwich panel)</p>			
SIMILAR SHELTERS		NAME OF THE SHELTER Manufacturer Location	
SAME MANUFACTURER		NAME OF THE SHELTER Manufacturer Location	

THE PLATFORM

Additional comments by HQ referend and/or MSF supply

- Rapid implementation (low complexity)
- Light transport
- Little maintenance of walls
- Resistant, high insulation, no rust
- Stackable up to 3 floors
- Additional floor finishing for OT
- Needs additional improvement for better adaptability (ex: from pvc cover to sandwich panel)

SIMILAR SHELTERS



NAME OF THE SHELTER



NAME OF THE SHELTER



NAME OF THE SHELTER
Manufacturer
Location



NAME OF THE SHELTER

SAME MANUFACTURER



[BACK TO SHELTERS](#)

LOGGED IN AS: user@msf.com

Gaptex prefab module

Description

Gaptex specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

44% First characteristic
21% Second characteristic
35% Third characteristic

[Download Product Summary](#)

[CHOOSE](#)

[COMPARE](#)

★★★★★

Physical Characteristics

HQ information

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

Field feedback

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

DIMENSIONS

SHAPE
Rectangular module with 3d modularity

DIMENSIONS IN M
Module 2,4 x 2,4 x 3

COVERED SURFACE IN M²
Max 12 between columns

OTHER STRUCTURE MATERIAL
Extruded alu structure + sandwich dubbel panels or pvc canvas

ENVELOPE CHARACTERISTICS

TYPE
Hanging inner tent

MATERIAL
Extruded alu structure + sandwich dubbel panels or pvc canvas

STANDARD CONNECTING COMPONENTS
Yes

EXTENDABILITY
Yes, extendable modules

WINDOWS
Yes

FLOOR SURFACE
PVC

OPENINGS/DOORS
Yes

WASHABLE SURFACES
Yes, chlorine resistant & washable

ADDITIONAL ADD-ONS AND THEIR FIXTURE

SHADOW NET, WINTERIZING KIT, FLOORING, PARTITIONING
Yes

FURNITURE INCLUDED
No

INTERCHANGEABILITY (EASE OF CUSTOMIZATION)

POSSIBLE TO REPLACE PARTS WITH LOCAL PARTS
Yes

POSSIBLE TO REPLACE MATERIALS WITH LOCAL MATERIALS
Yes

ACCLIMATIZATION

INSULATION
Yes

MULTILAYER ROOF?
Yes

INSULATION LINER?
No

BOX-IN-BOX SYSTEM?
No

ROOF ZONE VENTILATION?
Yes

ADAPTABLE TO HEATING SYSTEM?
Yes

SAFETY AND ROBUSTNESS

FIRE RESISTANCE (EU NORM OR EQUIVALENT)
Yes

SNOW LOAD
No

WIND RESISTANCE
Yes

SECURITY
Yes

Installation

★★★★★

HQ information

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

Field feedback

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

NO. OF ASSEMBLY PIECES

20

ASSEMBLY MANUAL

Yes

PEOPLE REQUIRED

8 no specialized workers + 1 leader

ESTIMATED SET UP TIME

16 (2 days)

GROUND PROPERTIES REQUIRED INCL. GROUND PREP
Yes

EQUIPMENT REQUIRED
Ladder, specialized tools, manual

Possible to dismantle?
Yes

Transport and Pricing

★★★★★

HQ information

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

Field feedback

Ut enim ad minim veniam, quis nostrud exercitation ul
lance laboris nisi ut aliquip ex ea comodo consequat
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud.

PRICE

300€/m² for PVC canvas
600€/m² for sandwich panel

PACKAGING DIMENSIONS (M)

5 x 2 x 0,5

LOADING VOLUME (M³)

50m³ in 3x20' container

LOADING WEIGHT (KG)

180

SPECIAL/ SENSITIVE PARTS
Yes

LIFESPAN
360

WARRANTY
Yes, 30 Years

IN USE BY MSF?
Yes

Additional comments by HQ referend and/or MSF supply

Rapid implementation (low complexity)
Light transport
Little maintenance of walls
Resistant, high insulation, no rust
Stackable up to 3 floors
Additional floor bracing for OT
Needs additional improvement for better adaptability (ex: from pvc cover to sandwich panel)


SIMILAR SHELTERS

NAME OF THE SHELTER
Manufacturer Location

SAME MANUFACTURER

NAME OF THE SHELTER
Manufacturer Location

THE PLATFORM



The image shows a composite view of a product summary download interface. On the left, a sidebar displays 'Physical Characteristics' with a list of items: 'All the images' (unchecked), 'Physical Characteristics' (checked with a red square), 'Installation' (checked with a red square), 'Transport and Pricing' (unchecked), 'Additional Comments' (unchecked), and 'Similar Shelters' (checked with a red square). In the center, a large white box contains the heading 'Download Product Summary PDF'. Below it is a thumbnail image of the Gaptex prefab module. The text 'Gaptek prefab module' and 'Description' (Gaptek specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure) are also visible. At the bottom of this box, there is a section for selecting information to include in the summary, with checkboxes for 'All the images', 'Physical Characteristics', 'Installation', 'Transport and Pricing', 'Additional Comments', and 'Similar Shelters'. A 'DOWNLOAD' button is located at the bottom right of this section. On the far right, a vertical sidebar shows a five-star rating icon.

Pdf Download

CREATE A COMPANY INVITATION

Level **HQ** > Actor Group **MSF** > Actor Role **Administrator**



LOG-IN




CREATE AN INVITATION

CREATE A COMPANY INVITATION

An administrator (Back Office construction referent with support of the market surveyor) clicks on the "company registration".

An external account and invitation link is generated and sent to the new supplier.



The screenshot shows a web application interface for 'MEDECINS SANS FRONTIERES'. The top navigation bar includes links for MANUFACTURERS, USERS, SHELTERS, FEEDBACK, LOGS, and a logged-in user 'admin@msf.com'. The main content area displays a table of company registrations. The columns are 'NAME' and 'CONTACT'. A red call-to-action button at the top right of the table header offers options to 'INVITE COMPANY', 'DELETE COMPANY', or 'EDIT COMPANY'. The data in the table is as follows:

NAME	CONTACT
Gaptek prefab module	Gaptek info@gaptek.es +34 972 445 072 +34 674 258 572
Deltawood prefab module	Deltawood info@deltawood.nl, +31 (0)548 - 539 539
Losberger Easyflex	Losberger Jochen Kleh, jochenkleh@losberger-rds.com <phone number>
Hospitainer	Hospitainer -
Dome family tent	NRS Internat -
Polycotton Family Tent	NRS International /Alpinter Ester Giger: esther.giger@nrs-international.com Chima Nzeakor: chima.nzeakor@nrs-international.com
Transhome	NRS International -
Better Shelter	Better Shelter -
Versatube HASS	Versatube -
Life Shelter	Evershelter - BestnetEurope -
Design Shelter MLH1950 Portable Shelter	Design Shelter Inc -
Intershelter	Intershelter Inc -
Giertsen Hall NG1	W. Giertsen HallSystem AS -
NRSInternational MW10x12 Hospital tent	NRS International -
Mobile Mobilar Unit WRG	- -
PVC Multipurpose tent	- -

Level HQ

Actor Group MSF

Actor Role Administrator

PRODUCT REGISTRATION VALIDATION

Level **HQ** > Actor Group **MSF** > Actor Role **Administrator**




LOG-IN



VALIDATE PRODUCT REGISTRATION

PRODUCT REGISTRATION VALIDATION

An administrator gets an email notification about a new catalogue entry. She/he will validate the supplier/manufacturer inputs and will add information about the use of the product within MSF movement.



The screenshot shows a web-based application for managing shelter products. At the top, there is a logo for "MEDECINS SANS FRONTIERES" and a navigation bar with links for MANUFACTURERS, USERS, SHELTERS (highlighted in red), FEEDBACK, LOGS, and a user LOGGED IN AS: admin@msf.com.

The main content area displays a table of products:

VALIDATE	NAME	SUPPLIER
<input checked="" type="checkbox"/>	Gaptek prefab module	Gaptek
<input checked="" type="checkbox"/>	Deltawood prefab module	Deltawood
<input checked="" type="checkbox"/>	Losberger Easyflex	Losberger
<input type="checkbox"/>	Hospitainer	Hospitainer
<input type="checkbox"/>	Dome family tent	NRS Internat
<input checked="" type="checkbox"/>	Polycotton Family Tent	NRS International /Alpinter
<input type="checkbox"/>	Transhome	NRS International
<input checked="" type="checkbox"/>	Better Shelter	Better Shelter
<input checked="" type="checkbox"/>	Versatube HASS	Versatube
<input type="checkbox"/>	Life Shelter	Evershelter - BestnetEurope

A red sidebar on the right side of the table contains the following buttons:

- VALIDATE PENDING
- DELETE SHELTER
- EDIT SHELTER
- RATE SHELTER

At the bottom of the page, there is a dark footer with the Apple logo.

PRODUCT VALIDATION (QUALITATIVE CRITERIA)

Level **HQ** > Actor Group **MSF** > Actor Role **Administrator**



LOG-IN



FILL UP QUALITATIVE CRITERIA



MAKE THE PRODUCT VISIBLE

PRODUCT VALIDATION

(QUALITATIVE CRITERIA)

An administrator fills up the qualitative criteria and allows the product to be visible for the future requester.

The screenshot shows a web-based application for managing shelters. At the top, there is a navigation bar with the Médecins Sans Frontières logo and links for MANUFACTURERS, USERS, SHELTERS, FEEDBACK, LOGS, and a logged-in user account. A red sidebar on the right contains options: VALIDATE PENDING, DELETE SHELTER, EDIT SHELTER, and RATE SHELTER. The main content area displays a white prefabricated shelter with the title "Gaptek prefab module". Below the image is an "OVERALL RATING" of five stars. Three sections follow: "PHISICAL CHARACTERISTICS" (rating five stars), "INSTALLATION" (rating five stars), and "TRANSPORT AND PRICING" (rating five stars). Each section has a text input field and a "SUBMIT" button. The "TRANSPORT AND PRICING" section also contains a placeholder text block with sample Lorem ipsum text.

VALIDATE PENDING
DELETE SHELTER
EDIT SHELTER
RATE SHELTER

Gaptek prefab module

OVERALL RATING ★★★★★

PHISICAL CHARACTERISTICS ★★★★★

INSTALLATION ★★★★★

TRANSPORT AND PRICING ★★★★★

LOREM IPSUM DOLOR SIT AMET, CONSECTETUR ADIPISCING ELIT, SED DO EIUSMOD TEMPOR INCIDIDUNT UT LABORE ET DOLORE MAGNA ALIQUA.
Ut enim ad minim veniam, quis nostrud.

SUBMIT

SUBMIT

SUBMIT


Level HQ
Actor Group MSF
Actor Role Administrator

PRODUCT MAINTENANCE

Level **HQ** > Actor Group **MSF** > Actor Role **Administrator**



LOG-IN




**MAKE A PRODUCT
ACTIVE OR INACTIVE**



**CLEAN UP
DATABASE**

PRODUCT MAINTENANCE

An administrator can make active or inactive a product and is responsible for the regular clean-up of the data base.



The screenshot shows a web-based application for managing shelter products. At the top, there is a logo for "MEDECINS SANS FRONTIERES" and a navigation bar with links for MANUFACTURERS, USERS, SHELTERS (highlighted in red), FEEDBACK, and LOGS. A red sidebar on the right contains four buttons: VALIDATE PENDING, DELETE SHELTER, EDIT SHELTER, and RATE SHELTER. The main content area displays a table with the following data:

HIDE	NAME	SUPPLIER	CONTACT
	Gaptek prefab module	Gaptek	info@gaptek.es +34 972 445 072 +34 674 258 572
<input type="checkbox"/>	Deltawood prefab module	Deltawood	info@deltawood.nl, +31 (0)548 - 539 539
<input checked="" type="checkbox"/>	Losberger Easyflex	Losberger	Jochen Kleh, jochenkleh@losberger-rds.com <phone number>
<input type="checkbox"/>	Hospitainer	Hospitainer	-
<input type="checkbox"/>	Dome family tent	NRS Internat	-
<input checked="" type="checkbox"/>	Polycotton Family Tent	NRS International /Alpinter	Ester Giger: esther.giger@nrs-international.com Chima Nzeakor: chima.nzeakor@nrs-international.com
<input type="checkbox"/>	Transhome	NRS International	-
<input type="checkbox"/>	Better Shelter	Better Shelter	-
<input checked="" type="checkbox"/>	Versatube HASS	Versatube	-
<input type="checkbox"/>	Life Shelter	Evershelter - BestnetEurope	-
<input type="checkbox"/>	Design Shelter MLH1950 Portable Shelter	Design Shelter Inc	-
<input checked="" type="checkbox"/>	Intershelter	Intershelter Inc	-
<input type="checkbox"/>	Giertsen Hall NG1	W. Giertsen HallSystem AS	-
<input checked="" type="checkbox"/>	NRSInternational MW10x12 Hospital tent	NRS International	-

Level HQ

Actor Group MSF

Actor Role Administrator

PRODUCT FEEDBACK

Level **HQ/FIELD** > Actor Group **MSF** > Actor Role **LogCo / MOI / Logcell / Field Log**



LOG-IN



VALIDATE OR NOT A PRODUCT

PRODUCT FEEDBACK

The field has a commitment to give feedback at appropriate time about the new product in order to validate it or not for other missions.

Level HQ/FIELD

Actor Group MSF

Actor Role LogCo/MOI/Logcell/Field Log



- MANUFACTURERS ▾
- USERS ▾
- SHELTERS ▾
- FEEDBACK ▾
- LOGS ▾

LOGGED IN AS: admin@msf.com

Gaptek prefab module

Description
Gaptek specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

ADD YOUR FEEDBACK

SUBMIT

USERS FEEDBACK

COMMENT BY user@msf.com

COMMENT BY user@msf.com

COMMENT BY user@msf.com

COMMENT BY user@msf.com

PRODUCT RESEARCH/DASHBOARD

Level **FIELD/HQ(MSF)** > Actor Group **MSF** > Actor Role **LogCo / MOI / Logcell / Field Log**



LOG-IN



CHANGE THE SEARCH/FILTER FORM

PRODUCT RESEARCH/DASHBOARD

An MSF user logs in to the portal and changes the search/filter form in order to locate the product best fit for their context.

Level FIELD/HQ(MSF)
Actor Group MSF
Actor Role LogCo/MOI/Logcell/Field Log



- MANUFACTURERS ▾
- USERS ▾
- SHELTERS ▾
- FEEDBACK ▾
- LOGS ▾
- LOGGED IN AS: admin@msf.com

Manufacturer	Shape	Price	Setup Time	Material	Deliver Time	Production Capacity	Overall Rating

PRODUCT ORDERING

Level **HQ** (MSF supply) > Actor Group **MSF** > Actor Role **Quality Assurance (QA)**



LOG-IN



QA INFORMATION
ON PRODUCT ORDERING

PRODUCT ORDERING

The QA gives and updates information on how to order the product (if already available).

Level HQ/FIELD

Actor Group MSF

Actor Role LogCo/MOI/Logcell/Field Log



MANUFACTURERS ▾

USERS ▾

SHELTERS ▾

FEEDBACK ▾

LOGS ▾

LOGGED IN AS: admin@msf.com



Gaptex prefab module

Description

Gaptex specialises in manufacturing hangars, industrial warehouses, modular buildings and large span singular structures. Also military infrastructure.

Order Information

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

SUBMIT

COMPANY REGISTRATION

Level **Global** > Actor Group **External** > Actor Role **Supplier/Manufacturer**



LOG-IN



USER COMPLETES COMPANY'S
GENERAL INFORMATION FORM

COMPANY REGISTRATION

A company representative use the invitation link to logon for the first time.

The user completes the general information (supplier/manufacturer information) form about the company.



EDIT PROFILE SHELTERS ▾

LOGGED IN AS: manufacturer@domain.com

COMPANY NAME

DESCRIPTION

E-MAIL PHONE PHONE

LOCATION

PRODUCTION CAPACITY/MONTH

LEAD TIME UNITS/MONTH

SUBMIT

Level Global

Actor Group External

Actor Role Supplier/Manufacturer



PRODUCT REGISTRATION (TECHNICAL CRITERIA)

Level **Global** > Actor Group **External** > Actor Role **Supplier/Manufacturer**



LOG-IN



PRODUCT REGISTRATION
AND CHARACTERISTICS

PRODUCT REGISTRATION (TECHNICAL CRITERIA)

A company representative logs in to the platform and selects new product registration.

The user enters the product characteristics based on the product type.

MEDECINS SANS FRONTIERES

EDIT PROFILE SHELTERS ▾ LOGGED IN AS: manufacturer@domain.com

ADD SHELTER EDIT SHELTER

PHOTO

BASIC INFORMATIONS

NAME PRODUCTION CAPACITY LEAD TIME

DIMENSIONS

SHAPE DIMENSIONS IN M COVERED SURFACE IN M² OUTHER STRUCTURE MATERIAL

ENVELOPE CHARACTERISTICS

TYPE MATERIAL STANDARD CONNECTING COMPONENTS EXTENDABILITY
WINDOWS FLOOR SURFACE OPENINGS/DOORS WASHABLE SURFACES

ADDITIONAL ADD-ONS AND THEIR FIXTURE

SHADOW NET, WINTERIZATION KIT, FLOORING, PARTITIONING FURNITURE INCLUDED COVERED SURFACE IN M² OUTHER STRUCTURE MATERIAL

INTERCHANGEABILITY (EASE OF CUSTOMIZATION)

Level Global

Actor Group External

Actor Role Supplier/Manufacturer

