

# SEO Report for <https://klaudchaser.github.io/projekat/index.html>

**72 / 100**  
SEO SCORE

**35 / 48**  
PASSED CHECKS

**13 / 48**  
FAILED CHECKS

**0 / 48**  
WARNINGS

## COMMON SEO ISSUES

### Meta Title Test

✓ The meta title of your page has a length of 20 characters. Most search engines will truncate meta titles to 70 characters.

→ Papir, Bure, Makaze!

### Meta Description Test

✗ The meta description tag is missing from your page. You should include this tag in order to provide a brief description of your page which can be used by search engines. Well-written and inviting meta descriptions may also help click-through rates to your site in search engine results.

#### HOW TO FIX

In order to pass this test you must include a meta-description tag in your page header (<head> section):





```
<head>
<meta name="description" content="type_your_description_here">
</head>
```

Note that in HTML the <meta> tag has no end tag but in XHTML this tag must be properly closed.

Meta description can have any length but a good practice is to keep this under 160 characters (search engines generally truncate snippets longer than this value).

### Google Search Results Preview Test

i [Papir, Bure, Makaze!](https://klaudchaser.github.io/projekat/index.html)  
<https://klaudchaser.github.io/projekat/index.html>

<b>Most Common Keywords Test</b>	<p> There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.</p> <hr/> <ul style="list-style-type: none"> <li>→ player - 1 times</li> <li>→ computer - 1 times</li> <li>→ papir - 1 times</li> <li>→ bure - 1 times</li> <li>→ makaze - 1 times</li> </ul>
<b>Keywords Usage Test</b>	<p> Your most common keywords are not appearing in one or more of the meta-tags above. Your primary keywords should appear in your meta-tags to help identify the topic of your webpage to search engines.</p> <hr/> <ul style="list-style-type: none"> <li>→ Keyword(s) included in Title tag</li> <li>→ Keyword(s) not included in Meta-Description tag</li> </ul> <hr/> <p><b>HOW TO FIX</b></p> <p>First of all, you must make sure that your page is using the title and meta-description tags.</p> <p>Second, you must adjust these tags content in order to include some of the primary keywords displayed above.</p>
<b>Keywords Cloud Test</b>	<p> bure computer izaberi kreni makaze paper papir player rock scissors</p>
<b>Heading Tags Test</b>	<p> Congratulations! Your webpage contains headings tags.</p> <hr/> <p><b>H1 headings</b></p> <hr/> <ul style="list-style-type: none"> <li>→ Papir, bure, makaze</li> </ul> <hr/> <p><b>H2 headings</b></p> <hr/> <ul style="list-style-type: none"> <li>→ Player</li> <li>→ Computer</li> <li>→ Izaberi</li> </ul>

## Robots.txt Test

- ✖ Your site lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load time on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one. Read more about the [robots.txt file](#), and how to create one for your site.

### HOW TO FIX

In order to pass this test you must create and properly install a **robots.txt** file.

For this, you can use any program that produces a text file or you can use an online tool (Google Webmaster Tools has this feature).

Remember to use all lower case for the filename: **robots.txt**, not **ROBOTS.TXT**.

A simple **robots.txt** file looks like this:





```
User-agent: *  
Disallow: /cgi-bin/  
Disallow: /images/  
Disallow: /pages/thankyou.html
```

This would block all search engine robots from visiting "cgi-bin" and "images" directories and the page "http://www.yoursite.com/pages/thankyou.html"

### TIPS:

- You need a separate **Disallow** line for every URL prefix you want to exclude
- You may not have blank lines in a record because they are used to delimit multiple records
- Notice that before the **Disallow** command, you have the command: **User-agent: \***. The **User-agent:** part specifies which robot you want to block. Major known crawlers are: Googlebot (Google), Googlebot-Image (Google Image Search), Baiduspider (Baidu), Bingbot (Bing)
- One important thing to know if you are creating your own **robots.txt** file is that although the wildcard (\*) is used in the **User-agent** line (meaning "any robot"), it is not allowed in the **Disallow** line.
- Regular expressions are not supported in either the **User-agent** or **Disallow** lines





Once you have your **robots.txt** file, you can upload it in the top-level directory of your web server. After that, make sure you set the permissions on the file so that visitors (like search engines) can read it.

<b>Sitemap Test</b>	<div><div> Your website lacks a sitemap file. Sitemaps can help robots index your content more thoroughly and quickly. Read more on Google's guidelines for <a href="#">implementing the sitemap protocol</a>.</div><div><b>HOW TO FIX</b></div><div>In order to pass this test you must create a sitemap.xml file for your website. Some of the best practices are listed below:</div><div><ul style="list-style-type: none"><li>• It is strongly recommended that you place your sitemap at the root directory of your website: <b>http://yourwebsite.com/sitemap.xml</b> But in some situations, you may want to produce different sitemaps for different paths on your site (e.g., security permission issues)</li><li>• Sitemaps should be no larger than 10MB (10,485,760 bytes) and can contain a maximum of 50,000 URLs. This means that if your site contains more than 50,000 URLs or your sitemap is bigger than 10MB, you must create multiple sitemap files and use a <b>Sitemap index file</b></li><li>• All URLs listed in the sitemap must reside on the same host as the sitemap. For instance, if the sitemap is located at <b>http://www.yourwebsite.com/sitemap.xml</b>, it can't include URLs from <b>http://subdomain.yourwebsite.com</b></li><li>• Once you have created your sitemap, let search engines know about it by submitting directly to them, ping them, or adding the sitemap location to your <b>robots.txt</b> file</li><li>• Sitemaps can be compressed using gzip, reducing bandwidth consumption</li></ul></div><div><b>sitemap.xml example:</b></div><div><pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"&gt; &lt;url&gt; &lt;loc&gt;http://www.yourwebsite.com&lt;/loc&gt; &lt;lastmod&gt;2013-01-01&lt;/lastmod&gt; &lt;changefreq&gt;weekly&lt;/changefreq&gt; &lt;priority&gt;0.9&lt;/priority&gt; &lt;/url&gt; &lt;url&gt; &lt;loc&gt;http://www.yourwebsite.com/articles/100&lt;/loc&gt; &lt;changefreq&gt;weekly&lt;/changefreq&gt; &lt;/url&gt; &lt;url&gt; &lt;loc&gt;http://www.yourwebsite.com/articles/101&lt;/loc&gt; &lt;lastmod&gt;2013-01-02&lt;/lastmod&gt; &lt;changefreq&gt;weekly&lt;/changefreq&gt; &lt;/url&gt; &lt;url&gt; &lt;loc&gt;http://www.yourwebsite.com/articles/102&lt;/loc&gt; &lt;lastmod&gt;2013-01-02T13:00:12+00:00&lt;/lastmod&gt; &lt;priority&gt;0.5&lt;/priority&gt; &lt;/url&gt; &lt;/urlset&gt;</pre></div></div>
<b>SEO Friendly URL Test</b>	<div> Congratulations! All links from your webpage are SEO friendly.</div>
<b>Image Alt Test</b>	<div> All of your webpage's "img" tags have the required "alt" attribute.</div>
<b>Inline CSS Test</b>	<div> Congratulations! Your webpage is not using any inline CSS styles.</div>





<b>Deprecated HTML Tags Test</b>	<p>✔ Congratulations! Your page does not use HTML deprecated tags.</p>
<b>Google Analytics Test</b>	<p>✘ A Google Analytics script is not detected on this page. While there are several tools available to monitor your site's visitors and traffic sources, Google Analytics is a free, commonly recommended program to help diagnose potential SEO issues.</p> <hr/> <p><b>HOW TO FIX</b></p> <p>In order to pass this test you must create an account on <a href="#">Google Analytics site</a> and insert into your page a small javascript tracking code.</p> <p><b>Example:</b></p> <pre> &lt;!-- Google Analytics --&gt; &lt;script&gt; (function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]  function(){ (i[r].q=i[r].q  []).push(arguments)},i[r].l=1*new Date();a=s.createElement(o), m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m) })(window,document,'script','//www.google-analytics.com/analytics.js','ga');  ga('create', 'UA-XXXX-Y', 'auto'); ga('send', 'pageview');  &lt;/script&gt; &lt;!-- End Google Analytics --&gt; </pre> <p>Note that you have to change the 'UA-XXXX-Y' with the proper id which you'll find in your analytics account.</p>
<b>Favicon Test</b>	<p>✘ Your site either doesn't have a favicon or this has not been referenced correctly.</p> <hr/> <p><b>HOW TO FIX</b></p> <p>To add a favicon to your site, you need to have your logo created in a 16x16 PNG, GIF or ICO image and uploaded to your web server. Then it's simply a matter of adding the following code into the header of your HTML code for your web pages:</p> <pre> &lt;head&gt; &lt;link rel="icon" type="image/x-icon" href="url_to_my_favicon" /&gt; &lt;title&gt;My Title&lt;/title&gt; &lt;/head&gt; </pre> <p>In the example above the "url_to_my_favicon" refers to the actual location of your favicon file.</p>
<b>JS Error Test</b>	<p>✔ Congratulations! There are no severe JavaScript errors on your webpage.</p>
<b>Social Media Test</b>	<p>✘ Your website is not connected with social media using the API's provided by Facebook, Google +, Twitter, Pinterest, or using <a href="#">addthis.com</a></p> <hr/> <p><b>HOW TO FIX</b></p> <p>In order to pass this test you must connect your website with at least one major social network. To do that, you must insert into your page some social networks plugins: <a href="#">Facebook Like Button</a>, <a href="#">Facebook Share Button</a>, <a href="#">Facebook Comments</a>, <a href="#">Twitter Button</a>, <a href="#">Google +1 Button</a>, <a href="#">Pinterest Button</a> or <a href="#">AddThis Widget</a></p>



## SPEED OPTIMIZATIONS

<b>HTML Page Size Test</b>	 Congratulations! The size of your webpage's HTML is <b>2.44 Kb</b> and is under the average webpage's HTML size of <b>33 Kb</b> . Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.
<b>HTML Compression/GZIP Test</b>	 Congratulations! Your webpage is successfully compressed using <b>gzip compression</b> on your code. Your HTML is compressed from <b>9.6 Kb</b> to <b>2.44 Kb (75% size savings)</b> . This helps ensure a faster loading webpage and improved user experience.
<b>Site Loading Speed Test</b>	 Your website loading time is around <b>0.28 seconds</b> and this is under the average loading speed which is <b>5 seconds</b> .
<b>Page Objects Test</b>	 Congratulations, your page has fewer than <b>20 http requests</b> . A higher number of http requests results in a user's browser needing to request a large number of objects from your server, which will ultimately slow down the loading of your web page.  <hr/> HTML Pages: 1; CSS Files: 0; Scripts: 0; Images: 1; Flash Files: 0;
<b>Page Cache Test (Server Side Caching)</b>	 Congratulations, you have a caching mechanism on your website. <a href="#">Caching</a> helps speed page loading times as well as reduces server load.
<b>Flash Test</b>	 Congratulations! Your website does not include flash objects (an outdated technology that was sometimes used to deliver rich multimedia content). Flash content does not work well on mobile devices, and is difficult for crawlers to interpret.
<b>CDN Usage Test</b>	 Your webpage is not serving resources (images, javascript and css) from CDNs.  <b>HOW TO FIX</b> In order to pass this test you are advised to use a CDN service. A Content Delivery Network (CDN) is a globally distributed network of web servers that allows a quick transfer of assets and provides high availability and high performance. The primary benefits of using a CDN service are: <ul style="list-style-type: none"> <li>• Improving website loading times</li> <li>• Reducing bandwidth costs</li> <li>• Increasing content availability and redundancy</li> <li>• Improving website security</li> </ul>
<b>Image Caching Test</b>	 Congratulations! Your website is using cache headers for your images and the browsers will display these images from the cache.
<b>JavaScript Caching Test</b>	 Your webpage is not using uncached JavaScript resources from your domain.
<b>CSS Caching Test</b>	 Your webpage is not using uncached CSS resources from your domain.
<b>JavaScript Minification Test</b>	 Your webpage is not using JavaScript resources from the same domain.
<b>CSS Minification Test</b>	 Your webpage is not using CSS resources from the same domain.


<b>Nested Tables Test</b>	 Congratulations, your page does not use nested tables. This speeds up page loading time and optimizes the user experience.
<b>Frameset Test</b>	 Congratulations! Your webpage does not use frames.
<b>Doctype Test</b>	 Congratulations! Your website has a doctype declaration: <div>→ &lt;!DOCTYPE html&gt;</div>
<b>URL Redirects Test</b>	 Congratulations! Your URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

## SERVER AND SECURITY

<b>URL Canonicalization Test</b>	 <a href="https://klaudchaser.github.io/projekat/index.html">https://klaudchaser.github.io/projekat/index.html</a> and <a href="https://www.klaudchaser.github.io/projekat/index.html">https://www.klaudchaser.github.io/projekat/index.html</a> should resolve to the same URL, but currently do not. <div> <b>HOW TO FIX</b> <p>In order to pass this test you must consider using a 301 re-write rule in your <b>.htaccess</b> file so that both addresses (<b><a href="http://example.com">http://example.com</a></b> and <b><a href="http://www.example.com">http://www.example.com</a></b>) resolve to the same URL.</p> <p>- If you want to redirect <b><a href="http://www.example.com">http://www.example.com</a></b> to <b><a href="http://example.com">http://example.com</a></b>, you can use this:</p> <pre>RewriteCond %{HTTP_HOST} ^www\.example\.com\$ RewriteRule ^/?\$ "http://example.com/" [R=301,L]</pre> <p>- If you want to redirect <b><a href="http://example.com">http://example.com</a></b> to <b><a href="http://www.example.com">http://www.example.com</a></b>, you can use this:</p> <pre>RewriteCond %{HTTP_HOST} !^www\.example\.com\$ [NC] RewriteRule ^(.*)\$ http://www.example.com/\$1 [L,R=301]</pre> <p>Note that you must put the above lines somewhere after <b>RewriteEngine On</b> line.</p> </div>
<b>HTTPS Test</b>	 Your website is successfully using HTTPS, a secure communication protocol over the Internet. <div> <div>→ Security state: secure</div> <div>→ Certificate issuer: DigiCert SHA2 High Assurance Server CA</div> <div>→ Valid until: Apr 14, 2022</div> </div>
<b>Safe Browsing Test</b>	 This site is not currently listed as suspicious (no malware or phishing activity found).
<b>Server Signature Test</b>	 Congratulations, your server signature is off.


<b>Directory Browsing Test</b>	 Congratulations! Your server has disabled directory browsing.
<b>Plaintext Emails Test</b>	 We've found 1 email addresses in your page code. We advise you <a href="#">to protect email links</a> in a way that hides them from the spam harvesters. <hr/> <p><b>HOW TO FIX</b></p> <p>In order to pass this test you must make your email addresses invisible to email spiders. Note that the best option is to replace your entire contact mechanism with a contact form and using the POST method while submitting the form.</p> <p>Other solutions are listed below:</p> <ul style="list-style-type: none"> <li>• replace the at (@) and dot (.) characters</li> <li>• replace text with images</li> <li>• use email obfuscators</li> <li>• hide email addresses using JavaScript or CSS trick</li> </ul>

## MOBILE USABILITY

<b>Media Query Responsive Test</b>	 Your website is not using media queries. You should consider using this technique in order to implement responsive design functionalities. <hr/> <p><b>HOW TO FIX</b></p> <p>Media queries allow you to style elements for specific devices (smartphones, tablets, desktop computers) by using attributes like width, height, resolution, aspect ratio, orientation or color. By using media queries, presentations can be tailored to a specific range of output devices without changing the content itself.</p> <p><b>Example:</b></p> <pre>&lt;link rel="stylesheet" media="screen and (min-width: 480px) and (max-width: 960px)" href="480-960.css" /&gt;  &lt;!-- OR --&gt; @media screen and (min-width: 480px) and (max-width: 960px) {   #header {     display: none;   } }</pre> <p>A <b>@media</b> rule specifies the target media types of a set of statements. In the example above, we are specifying the media type <b>screen</b>. The <b>max-width</b> and <b>min-width</b> features are telling the browser that at any screen size larger than 480px, but smaller than 960px, hide any elements with <b>id="header"</b>.</p>
------------------------------------	--



## Mobile Snapshot Test



## ADVANCED SEO

### Structured Data Test

- ✖ Your webpage doesn't take the advantages of HTML Microdata specifications in order to markup structured data. View Google's guide for [getting started with microdata](#).

#### HOW TO FIX

HTML5 Microdata is an easy way to add semantic markup to your web pages. Search engines rely on this markup to improve the display of search results, making it easier for people to find the right web pages.

Here is a simple example of how to use HTML5 microdata in your contact web page:

```
<div itemscope itemtype="http://schema.org/Person">
  <span itemprop="name">Joe Doe</span>
  <span itemprop="company">The Example Company</span>
  <span itemprop="tel">604-555-1234</span>
  <a itemprop="email" href="mailto:joe.doe@example.com">joe.doe@example.com</a>
</div>
```

### Custom 404 Error Page Test




- ✔ Congratulations, your website is using a custom 404 error page. By creating a custom 404 error page, you can improve your website's user experience by letting users know that only a specific page is missing/broken (and not your entire site), providing them helpful links, the opportunity to report bugs, and potentially [track the source of broken links in your site](#).

### Noindex Tag Test

- ✔ Your webpage does not use the noindex meta tag. This means that your webpage will be read and indexed by search engines.

### Canonical Tag Test

- ✔ Your webpage does not use the canonical link tag.

<b>Nofollow Tag Test</b>	 Your webpage does not use the nofollow meta tag. This means that search engines will crawl all links from your webpage.
<b>Disallow Directive Test</b>	 Your site lacks a "robots.txt" file. This file can protect private content from appearing online, save bandwidth, and lower load on your server. A missing "robots.txt" file also generates additional errors in your apache log whenever robots request one.
<b>SPF Records Test</b>	<div data-bbox="368 322 1528 465">  Your DNS server is not using an SPF record. SPF (Sender Policy Framework) allows administrators to specify which hosts are allowed to send mail from a given domain by creating a specific SPF record or TXT record in the Domain Name System (DNS). You can find more information about SPF records <a href="#">here</a>. </div> <hr/> <div data-bbox="424 501 587 535"> <b>HOW TO FIX</b> </div> <div data-bbox="424 560 1520 698"> <p>An <b>SPF record</b> is a type of <b>Domain Name Service (DNS)</b> record that allows email systems to check if the sender of a message comes from a legitimate source and refuse an email if the source is not legitimate. Adding an SPF record is as easy as adding CNAME, MX or A records in your DNS zone. You can find more information <a href="#">here</a>.</p> </div> <div data-bbox="424 721 1520 824"> <p>Before creating the SPF record for your domain, it is important to have access at your domain's DNS zone and to know what mail servers your domain is likely to use and plan how you want any non-authorized email to be handled.</p> </div> <div data-bbox="424 846 547 880"> <p><b>Example:</b></p> </div> <div data-bbox="424 902 1520 969"> <p>Let's say that you are planning to send emails using Google Apps and you also want to ensure that no other mail servers are authorized. You can use an SPF record like this:</p> </div> <div data-bbox="424 992 1528 1048"> <pre>v=spf1 include:_spf.google.com -all</pre> </div> <div data-bbox="424 1070 863 1104"> <p>"<b>v=spf1</b>" - This sets the SPF version</p> </div> <div data-bbox="424 1126 1520 1193"> <p>"<b>include:_spf.google.com</b>" - This includes Google mail servers in your list of authorized sending servers</p> </div> <div data-bbox="424 1216 1302 1249"> <p>"<b>-all</b>" - This means that any server not previously listed is not authorized</p> </div> <div data-bbox="424 1272 1520 1339"> <p>If you are using your own VPS to send email and not any other service like Mandrill, Google Apps, etc. then you can create an SPF record like this:</p> </div> <div data-bbox="424 1361 1528 1417"> <pre>v=spf1 mx -all</pre> </div> <div data-bbox="424 1440 496 1473"> <p><b>Note:</b></p> </div> <div data-bbox="424 1496 1520 1599"> <p>Setting an SPF record for your domain can help in reducing the chances of a spammer using your domain name in unsolicited emails. Research carefully what mail servers your domain is likely to use and plan how you want any non-authorized email to be handled.</p> </div>