


LAB 6-HOME-COMBINED TASKS

NAUMAN TASAWAR 19P-0073



[DATE]
[COMPANY NAME]
[Company address]


Topology:




Router Config:

```
Router(config) #interface FastEthernet0/0
Router(config-if) #ip address 192.168.2.1 255.255.255.0
Router(config-if)#
Router(config-if)#exit
Router(config)#interface FastEthernet0/1
Router(config-if) #ip address 192.168.1.1 255.255.255.0
Router(config-if)#
Router#config terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config) #ip dhcp pool pl
Router(dhcp-config) #network 192.168.1.0 255.255.255.0
Router(dhcp-config) #default-router 192.168.1.1
Router(dhcp-config) #dns-server 192.168.1.4
Router(dhcp-config)#ex
Router(config) #ip dhcp pool p2
Router(dhcp-config) #network 192.168.2.0 255.255.255.0
Router(dhcp-config) #default-router 192.168.2.1
Router(dhcp-config) #dns-server 192.168.1.4
Router (dhcp-config) #ex
```


DHCP CONFIG:




DNS CONFIG:




PWR.NU.EDU.PK WEB SERVER CONFIG:




FLEX WEB SERVER CONFIG:




SLATE WEB SERVER CONFIG:




DHCP POOL P1:




DHCP POOL 2:




DNS WEB IP ALLOCATION:




FLEX SERVER SITE INDEX:




SALTE SITE INDEX:




PC TO SLATE:





Pc to flex:




Mail server Configuration:










Sending mail to no1@mail.com , with subject : sd .. Mail Server: mail.com
DNS resolving. Resolving name: mail.com by querying to DNS Server: 192.168.1.4 DNS resolved ip
address: 192.168.1.8
Send Success.



Ftp server Config:







Modified Topology:

