ASH – Manual test plan, Phases 1, 2 and 3

Phase 1 – Reference data & administration (012–015, plus the design system and search) Phase 2 – Registration (016–022) Phase 3 – Assignment & case data (023–029)

Estimated time: 3–4 hours in total. You can split it: Phase 1 (~60 min), Phase 2 (~75 min), Phase 3 (~75 min). Follow the steps IN ORDER inside each phase – later steps use data created by earlier ones. Phase 2 needs the data from Phase 1, Phase 3 needs the cases from Phase 2.

Legend: [ ] = step to do => = expected result (CHECK) = behaviour we discussed but did not explicitly test yet – if it behaves differently, report it, it is not necessarily wrong.

---

0. PREPARATION (once)

0.1 Automated checks first

If these fail, do not start the manual test – fix them first.

```
cd G:\Avokatura\Avokatura_CMS
git status                        (=> "nothing to commit, working tree clean")
docker compose up -d
dotnet run --project src/backend/Database/Ash.Database -- --local
dotnet build
dotnet test
cd src\frontend
npm run lint
npm run build
npx vitest run
cd ..\..
```

=> 0 warnings, 0 failed everywhere.

0.2 Start the system (two PowerShell windows)

Window 1 – API:

```
cd G:\Avokatura\Avokatura_CMS
dotnet run --project src/backend/Host/Ash.Api
```

Wait for "Now listening on ...".

Window 2 – frontend:

```
cd G:\Avokatura\Avokatura_CMS\src\frontend
npm run dev
```

Open http://localhost:5173

Third window, while 1 and 2 run:

```
cd G:\Avokatura\Avokatura_CMS\src\frontend
npm run e2e
```

=> all end-to-end tests pass.

0.3 Seeded test users (dev login)

```
admin@ash.local        Administrator
protokoll@ash.local    Specialist / Protokoll        - office TR
kryetar@ash.local      Kryetari i Zyrës               - office TR
avokat1@ash.local      Avokat Shteti                  - office TR
avokat2@ash.local      Avokat Shteti                  - office TR
ndihmes@ash.local      Ndihmës Ligjor                 - office TR
monitor@ash.local      Monitoruesi                    - office TR
institucion@ash.local  Institucion                    - Ministria e Financave
dhe Ekonomisë
jurist@ash.local       Jurist i institucionit         - Ministria e Financave
dhe Ekonomisë
```

Tip: use a normal window for one user and an incognito window for a second user when a step needs two users at the same time.

0.4 Useful commands

MySQL container name (use it in every docker exec below):

```
docker ps --format "{{.Names}}"
```

Close a case /1 locally (there is no "close case" screen before task 036):

```
docker exec -it ash-mysql mysql -uash_dev -pash_dev_local ash_core -e "UPDATE
cases SET lifecycle_status='CLOSED', closed_at=UTC_TIMESTAMP(3), closed_by=
(SELECT id FROM users WHERE email='admin@ash.local') WHERE case_code='2026-
______/1';"
```

(If "UPDATE command denied": use -uroot -pash_local_root instead of -uash_dev -pash_dev_local.)

PHASE 1 – REFERENCE DATA & ADMINISTRATION

1A. Login, layout, design

[ ] 1A1 Open http://localhost:5173 (logged out) => login page on navy background with the emblem in the card and a large faint emblem in the background; no broken image

[ ] 1A2 Type an email that does not exist: nobody@ash.local -> "Hyr" => message "Përdoruesi nuk ekziston ose është çaktivizuar."

[ ] 1A3 Log in as admin@ash.local => header: white emblem, "AVOKATURA E SHTETIT", subtitle, search box, bell, avatar with initials, name and role; navy sidebar with the menus; page "Mirëdita, Admin" with today's date

[ ] 1A4 Avatar menu (top right) => "Profili" and "Dil"; "Dil" logs out and returns to the login page

[ ] 1A5 Log in as protokoll => menu has exactly: Dashboard, Çështje, Njoftime, Profili (no Chat, Agjenda, Raporte, Administrimi)

[ ] 1A6 Log in as kryetar => full menu except Administrimi

[ ] 1A7 Click a menu that is not built yet (e.g. Chat) => page "Kjo faqe do të ndërtohet së shpejti." (no blank page, no error)

[ ] 1A8 Type a non-existing address, e.g. http://localhost:5173/abc => "Faqja nuk u gjet."

[ ] 1A9 Browser width 390 px (F12 -> device toolbar) => sidebar becomes a drawer opened by a menu button; no horizontal scroll

[ ] 1A10 Header search: type a word and press Enter => goes to Çështje with the search filled in (?q=...)

1B. Users and roles (013)

User: admin -> Administrimi -> Përdoruesit

[ ] 1B1 Search "avokat" => avokat1 and avokat2 only

[ ] 1B2 Filter by role "Avokat Shteti" => avokat1 and avokat2 only (this was a bug fixed in UserDirectory)

[ ] 1B3 "Shto përdorues": test1@ash.local, Test / Avokat, office "Zyra Qendrore Tiranë" => user appears in the list, no roles yet

[ ] 1B4 Create a user with the same email avokat1@ash.local => refused with a clear Albanian message

[ ] 1B5 Create a user with NO office and NO institution => refused

[ ] 1B6 "Rolet" on test1 -> grant "Avokat Shteti" => chip appears

[ ] 1B7 "Rolet" on test1 -> look at the role list => only office roles are offered (no "Institucion", no "Jurist i institucionit")

[ ] 1B8 "Rolet" on "Institucion Dev" => only institution roles are offered

[ ] 1B9 Log out -> log in by TYPING test1@ash.local => lawyer menu; tab "Çështjet e mia" empty

[ ] 1B10 admin -> "Çaktivizo" on test1 => confirmation (with the number of active assignments) -> status inactive

[ ] 1B11 Log in as test1@ash.local => "Përdoruesi nuk ekziston ose është çaktivizuar."

[ ] 1B12 admin -> "Çaktivizo" on Admin Dev (yourself) => refused

[ ] 1B13 (CHECK) admin -> "Rolet" on Admin Dev -> remove your own "Administratori" role => should be refused (otherwise the last admin locks himself out) – report what happens

[ ] 1B14 Activate test1 again (needed later)

1C. Lookup lists (014)

User: admin -> Administrimi -> Listat

[ ] 1C1 List "Tipi i seancës": "Shto": code TEST_SEANCE, name "Seancë test" => appears

[ ] 1C2 Edit it: rename to "Seancë test 2" => saved; the code field is disabled in edit

[ ] 1C3 "Shto" again with code TEST_SEANCE => red message, duplicate code

[ ] 1C4 Code in lower case or with spaces ("test seance") => refused (codes are UPPER_SNAKE)

[ ] 1C5 "Çaktivizo" TEST_SEANCE => row stays visible, greyed out

[ ] 1C6 Later in Phase 4 / or now: open any case -> Seancat -> "Shto seancë" -> type list => TEST_SEANCE is NOT offered (inactive) – skip if you have no case yet

[ ] 1C7 List "Lloji i palës": "Shto" with a report group; then edit it => the report group is selectable on create, read-only on edit with "Nuk mund të ndryshohet pas krijimit."

[ ] 1C8 List "Rezultati": "Shto" with outcome group + "kthim për rigjykim"; then edit it => both fields read-only on edit

[ ] 1C9 List "Tipi i fletëthirrjes" => shows the 5 local test types (Seancë përgatitore, Seancë gjyqësore, Njoftim për vendimin, Njoftim për ankimin, Tjetër)

[ ] 1C10 Search box inside a list: type part of a name without ë/ç (e.g. "pergatit") => finds "përgatitore"

[ ] 1C11 List "Gjykatat": "Shto" a court with a name that already exists => refused

[ ] 1C12 "Gjykatat": search "durres" (without ë) => finds Durrës courts

[ ] 1C13 List "Gjyqtarët": search a surname; scroll / "Ngarko më shumë" => more judges load, no judge appears twice

[ ] 1C14 "Gjyqtarët" -> "Shto": the court picker => only ACTIVE courts are offered

[ ] 1C15 "Gjyqtarët": two judges with the same "external ref" => second one refused

1D. File types (014)

User: admin -> Administrimi -> Llojet e skedarëve

[ ] 1D1 "Shto" extension exe => refused (blocked extension)

[ ] 1D2 Also try: js, html, svg, bat => all refused

[ ] 1D3 Edit "pdf": change the size to 30 MB => saved; shown as 30 MB; extension and "applies to" are disabled in edit

[ ] 1D4 Size 150 MB => refused (maximum 100 MB)

[ ] 1D5 Set "pdf" back to its original size (write it down before 1D3!)

1E. Unique code format (014)

User: admin -> Administrimi -> Formati i kodit

[ ] 1E1 The list => {YYYY}-{RAND} with 6 digits is marked active

[ ] 1E2 "Shto": ASH-{YYYY}-{RAND}, 6 digits => live preview e.g. ASH-2026-483915; saved as INACTIVE

[ ] 1E3 "Shto": {YYYY}-{OFFICE}-{RAND} => refused: "Lejohen vetëm {YYYY} dhe {RAND}."

[ ] 1E4 "Shto": {YYYY}-{MM}-{RAND} => refused (unknown token)

[ ] 1E5 "Shto": a template without {RAND}, e.g. {YYYY}- => refused

[ ] 1E6 "Shto": a very long template + 12 digits (longer than 30 characters) => refused: "Kodi do të ishte më i gjatë se 30 karaktere."

[ ] 1E7 "Aktivizo" on ASH-{YYYY}-{RAND} => confirmation "Kodet ekzistuese nuk ndryshojnë…"; it becomes active, the old one inactive (exactly one active)

[ ] 1E8 IMPORTANT – set it back: "Aktivizo" on {YYYY}-{RAND} => {YYYY}-{RAND} is active again (the agreed format)

1F. Offices (015)

User: admin -> Administrimi -> Zyrat

[ ] 1F1 Search "tir", then "TR" => "Zyra Qendrore Tiranë" both times

[ ] 1F2 "Shto": code DR, "Zyra Vendore Durrës", type LOCAL, parent TR => appears

[ ] 1F3 "Shto" with code "dr 1" (lower case + space) => refused

[ ] 1F4 Edit DR => the code field is disabled

[ ] 1F5 Edit TR: set its parent to DR (TR is already DR's parent) => refused (cycle)

[ ] 1F6 "Cakto Kryetarin" on TR => only users with role Kryetar of TR are offered; avokat1 is NOT offered

[ ] 1F7 Set kryetar as head of TR (if not already) => shown in the table

[ ] 1F8 Create users for office DR (Përdoruesit -> Shto): kryetar.dr@ash.local (role Kryetari i Zyrës, office DR) avokat.dr@ash.local (role Avokat Shteti, office DR) protokoll.dr@ash.local (role Specialist / Protokoll, office DR) Then Zyrat -> DR -> "Cakto Kryetarin" -> kryetar.dr => DR has a head (needed for Phase 2 and 3 cross-office tests)

[ ] 1F9 Try to set kryetar.dr as head of TR as well => refused (one person heads only one office)

[ ] 1F10 Head protection – Përdoruesit: a) "Çaktivizo" kryetar b) "Rolet" -> remove "Kryetari i Zyrës" from kryetar c) edit kryetar -> move him to office DR => all three refused: "Ky përdorues është Kryetar i zyrës … Caktoni fillimisht një Kryetar tjetër."

[ ] 1F11 Zyrat -> "Çaktivizo" TR => refused, shows how many active users the office has

[ ] 1F12 log in as protokoll => no "Administrimi" menu

1G. Institutions (015)

User: admin -> Administrimi -> Institucionet

[ ] 1G1 Search "financ" => "Ministria e Financave dhe Ekonomisë"

[ ] 1G2 "Shto": "Ministria e Shëndetësisë dhe Mbrojtjes Sociale", type MINISTRY Then search "shendetesise" (without ë) => found

[ ] 1G3 "Shto" an agency "Agjencia Test", type AGENCY, parent the new ministry => saved; the parent picker shows ONLY ministries

[ ] 1G4 Type MINISTRY => the parent field is hidden

[ ] 1G5 NIPT "123" => refused (format: letter + 8 digits + letter, e.g. K12345678A)

[ ] 1G6 NIPT k12345678a (lower case) on one, then the same NIPT on another => first saved as K12345678A; the second refused (duplicate)

[ ] 1G7 Search "%" => does NOT return everything

[ ] 1G8 "Çaktivizo" Ministria e Financave dhe Ekonomisë => refused, it has active users (institucion, jurist)

PHASE 2 – REGISTRATION

Write the codes of the cases you create here:

```
Case R1 = 2026-______/1   (2 parties incl. Ministria e Financave)
Case R2 = 2026-______/1   (for parties tests)
Case R3 = 2026-______/1   (to close and continue to /2)
Case D1 = 2026-______/1   (registered in office DR)
```

2A. Register a new case (016 + 021)

User: protokoll -> Çështje -> "Regjistro çështje të re"

[ ] 2A1 Look at the form => fields in the order of the paper summons; "Data e hyrjes" pre-filled with today; required fields marked *

[ ] 2A2 Click INSIDE "Data e aktit" (on DD, MM or VVVV, not the icon) => the calendar opens

[ ] 2A3 Move with Tab into a date field => the calendar does NOT open; you can type 30.10.2026 directly

[ ] 2A4 "Data e hyrjes" -> tomorrow => not selectable / error (future date)

[ ] 2A5 "Data e aktit" after "Data e hyrjes" => not selectable / error

[ ] 2A6 Click "Gjykata" first (without choosing the level) => the list opens with ALL courts grouped by level; type "durres" -> Durrës courts

[ ] 2A7 Choose a court => "Shkalla e gjykimit" is filled in automatically

[ ] 2A8 Change the level to one that does not contain the chosen court => court and judge are cleared

[ ] 2A9 "Gjyqtari" => only judges of the chosen court; tick "Shfaq të gjithë gjyqtarët" -> search all

[ ] 2A10 "Ora e seancës": click the field => hour and minute lists, 24h, minutes in steps of 5 (00, 05, 10 ...)

[ ] 2A11 "Tipi i seancës" = Tjetër => an extra text field appears and is required

[ ] 2A12 KEYBOARD-ONLY REGISTRATION (time it): Fill everything with Tab / keyboard only, 2 parties: - Paditës, Person fizik, "Agim Hoxha" - I paditur, Institucion, "Ministria e Financave dhe Ekonomisë" hearing next week 10:30, submit with Ctrl+Enter => under 1 minute; success view with the code in LARGE letters Write it down as Case R1.

[ ] 2A13 "Kopjo" -> paste into Notepad => the code is pasted

[ ] 2A14 "Regjistro tjetër" => form empty BUT court level, court and "Data e hyrjes" kept

[ ] 2A15 Register Case R2 (1 natural person, 1 legal entity with NIPT K12345678A) and Case R3 (1 party). Write down the codes.

[ ] 2A16 Duplicate: register again with the SAME summons number + court as R1 => dialog with the matching case(s); buttons "Anulo" and "Regjistro gjithsesi"

[ ] 2A17 Same as 2A16 but also the same act number => extra button "Vazhdo si shkallë e radhës" -> goes to "Vazhdo çështje ekzistuese" with the act number in the search. Press "Anulo" (do not

register).

[ ] 2A18 Institution suggestion: add a party as "Person juridik", type "Ministria e Financave" => hint "Ky duket si institucion shtetëror… Ta zgjedhim nga lista?"; one click switches it to Institucion

[ ] 2A19 Errors: - "Objekti" empty -> submit - Person juridik with NIPT "123" - no parties at all => each error shown on its field; the page scrolls to the first one

[ ] 2A20 Warnings (save anyway): - hearing date in the past - a judge of another court (with "Shfaq të gjithë gjyqtarët") => saved; warnings shown in the success view (Do not keep these cases for later tests.)

[ ] 2A21 Fill half the form, then click another menu => warning about unsaved changes

[ ] 2A22 Click "Regjistro" twice very fast => only ONE case is created

[ ] 2A23 Success view -> "Hap çështjen" => opens the case page (protokoll can see it while it is REGISTERED)

[ ] 2A24 Office without a head: admin -> Zyrat -> DR -> "Cakto Kryetarin" -> clear it (none). protokoll.dr -> register a case => refused: "Zyra nuk ka Kryetar. Kontaktoni administratorin." admin -> set kryetar.dr as head of DR again. protokoll.dr -> register a case -> write it down as Case D1.

[ ] 2A25 avokat1 -> Çështje => no "Regjistro" and no "Vazhdo" buttons

2B. Parties of a registered case (017 + 022)

User: protokoll -> Case R2 -> tab "Palët"

[ ] 2B1 "Shto palë" (Person fizik) => added

[ ] 2B2 Edit a party: change the role and the name => saved; "Historiku" shows PARTY_UPDATED with old/new

[ ] 2B3 Edit a party: try to change the type (fizik -> institucion) => not possible (field disabled or message "…fshini palën dhe shtoni një të re.")

[ ] 2B4 Add "Ministria e Financave dhe Ekonomisë" as Institucion => added; the institution becomes linked to the case (monitoring)

[ ] 2B5 Delete that institution party (the only one of that institution) => question "Të hiqet edhe lidhja e institucionit me çështjen?" (Po / Jo)

[ ] 2B6 Add the same person twice with the same role => refused

2C. Case list (019 + 022)

[ ] 2C1 protokoll -> Çështje => tab "Të regjistruarat nga unë (N)"; R1, R2, R3 are there; filters Kategoria / Prioriteti / Pezulluar are NOT shown on this tab

[ ] 2C2 The table header => one row of column titles, aligned with the columns

[ ] 2C3 kryetar -> Çështje => default tab "Pa avokat (N)" with R1, R2, R3; D1 is NOT there

[ ] 2C4 kryetar.dr -> Çështje -> "Pa avokat" => only D1

[ ] 2C5 kryetar -> search box: - the unique code of R1 (e.g. 2026-48) - the act number of R2 - a word from R1's object - "agim" (party name prefix) => the right case each time

[ ] 2C6 Search without ë/ç (e.g. "hoxha" for "Hoxha", "ekonomise") => found

[ ] 2C7 "Filtra" button -> set a court -> chips appear under the bar -> remove one chip => filter removed; "Pastro filtrat" clears all

[ ] 2C8 Set a filter, scroll down, open a case, press the browser BACK button => same filter, same position in the list

[ ] 2C9 Ctrl+click a case => opens in a new browser tab

[ ] 2C10 Press F5 on a filtered list => filters stay (they are in the address)

[ ] 2C11 Status filter "Të mbyllura" => only closed cases (none yet – empty message with "Pastro")

[ ] 2C12 monitor -> Çështje => tab "Të gjitha"; sees TR and DR cases; office and lawyer filters available

[ ] 2C13 avokat1 -> Çështje => only "Çështjet e mia" (empty for now)

[ ] 2C14 390 px width => columns reduced (code, court, next hearing, status); no horizontal scroll

2D. Case page (020 + 022)

[ ] 2D1 kryetar -> open R1 => header with the code (Kopjo), status "Regjistruar", court, next hearing; tabs Të dhënat, Palët, Seancat, Dokumentet, Vendimi, Historiku

[ ] 2D2 "Të dhënat" => "Data e hyrjes" exactly as entered (e.g. 30.10.2026 – not one day earlier); hearing time exactly 10:30

[ ] 2D3 "Historiku" => DOSSIER_CREATED, CASE_REGISTERED, SENT_TO_HEAD (with the head's name), PARTY_ADDED, INSTITUTION_LINKED – readable Albanian labels, details expandable

[ ] 2D4 avokat1 -> type the address of D1 (office DR) => "Çështja nuk u gjet ose nuk keni akses."

[ ] 2D5 Tabs "Seancat", "Dokumentet", "Vendimi" (before Phase 4 is built) => counts / "do të ndërtohet" – no fake data (After Phase 4 these tabs work – see the Phase 4 test plan.)

2E. Continue a case at the next level (018 + 021)

User: protokoll -> Çështje -> "Vazhdo çështje ekzistuese"

[ ] 2E1 Search the code of R3 => found, status open, reason "E pambyllur në sistem", NO "Vazhdo" button

[ ] 2E2 "Njofto avokatin": summons number, court, hearing date + time -> send => "Avokati dhe Kryetari u njoftuan"

[ ] 2E3 Send again with the same summons number => "Janë njoftuar më {date}"

[ ] 2E4 Send again with a DIFFERENT summons number => allowed (another summons)

[ ] 2E5 Search by: act number, "agim", the NIPT K12345678A in lower case => the right dossier each time

[ ] 2E6 protokoll (TR) -> search the code of D1 (office DR) => found (search covers ALL offices)

[ ] 2E7 Search an unknown word => empty message with "Regjistro si çështje të re"

[ ] 2E8 F5 on the search page => search stays

[ ] 2E9 Close R3 locally (command in 0.4 with R3's code), then search R3 again => "Vazhdo në shkallën e radhës" appears

[ ] 2E10 Click it => above the form: the old code, the OBJECT and the parties that will be copied

[ ] 2E11 Fill: level "Apel", court, judge, hearing -> save => code R3 with /2 (e.g. 2026-xxxxxx/2)

[ ] 2E12 Try to continue R3 /1 again => "Kjo çështje ka vazhduar tashmë në …/2"

[ ] 2E13 monitor -> open R3 /2 => level switcher shows /1 and /2; "Historiku" shows events of both levels with the level label; switch to /1 works

[ ] 2E14 avokat1 -> Çështje -> Vazhdo button => not visible (no permission)

PHASE 3 – ASSIGNMENT & CASE DATA

3A. Assign lawyers (023 + 029)

User: kryetar -> Çështje -> "Pa avokat"

[ ] 3A1 "Cakto avokatin" on R1 => dialog: lawyers with workload ("N primare · N sekondare"), you marked "(Unë)"

[ ] 3A2 Choose avokat1 as primary => in the secondary picker avokat1 is disabled

[ ] 3A3 Secondary avokat2 -> Priority "E lartë" -> confirm => toast "Çështja iu caktua …"; R1 leaves "Pa avokat"; the tab count goes down by 1 (Assigning took: button -> pick -> confirm.)

[ ] 3A4 Open R1 => no "Cakto avokatin" button any more

[ ] 3A5 avokat1 and avokat2 -> "Çështjet e mia" => R1 is there for both

[ ] 3A6 kryetar -> assign R2: primary YOURSELF (kryetar) => works

[ ] 3A7 Lawyers of office DR in the picker of a TR case => not offered

[ ] 3A8 Concurrent assignment: kryetar in two windows (normal + incognito), open "Cakto avokatin" on the same unassigned case (e.g. R3 /2) in both; confirm in the first, then the second => second shows "Të dhënat u ndryshuan…" with "Rifresko" (Assign R3 /2 to avokat1 primary.)

[ ] 3A9 kryetar -> tab "Të zyrës" -> lawyer filter avokat2 => R1 appears

[ ] 3A10 avokat1 -> Çështje => tab counts; "Çështjet e mia" has R1 and R3/2

3B. Transfer (024)

User: kryetar -> R1 -> Ekipi card -> "Transfero"

[ ] 3B1 Choose "Avokati sekondar bëhet primar" + tick "Avokati aktual primar bëhet sekondar", reason "Ngarkesë pune" -> summary shows "avokat1 → avokat2" -> confirm => Ekipi: avokat2 primary, avokat1 secondary

[ ] 3B2 "Historiku" => "avokat1 → avokat2" with the reason

[ ] 3B3 Transfer again: primary = kryetar, secondary "Hiqe" => avokat1 and avokat2 no longer in the team

[ ] 3B4 avokat1 / avokat2 -> "Çështjet e mia"; then open R1 by its address => R1 not in the list; "Çështja nuk u gjet ose nuk keni akses."

[ ] 3B5 kryetar -> R1 -> Historiku => all events from before the transfers still visible

[ ] 3B6 Transfer R1 back: primary avokat1, secondary "Ndrysho" -> avokat2 => team restored (needed for the next steps)

[ ] 3B7 On a REGISTERED case (D1 as kryetar.dr) => no "Transfero" button

3C. Case data (025 + 029)

User: avokat1 (primary) -> R1 -> tab "Të dhënat"

[ ] 3C1 "Vlera e padisë" -> Ndrysho -> type 1250000,5 => shown as 1.250.000,50 ALL; save works

[ ] 3C2 Immediately after: "Kategoria" -> Ndjekje / KOD A AVSH -> save => works, no conflict message (chained saves)

[ ] 3C3 Amount with 3 decimals (12,345) => refused

[ ] 3C4 Very large amount 9.999.999.999.999.999,99 -> save -> reload page (F5) => exactly the same amount (no rounding)

[ ] 3C5 m² as a separate field: 250,5 => saved separately from the money amount

[ ] 3C6 "Statusi" -> Pezullo with reason "Pritet ekspertiza" => "Pezulluar që nga {date}"; case list shows the suspended icon Then resume -> the text disappears

[ ] 3C7 "Masa e sigurimit": set it (nr. vendimi, data, dispozitivi), then lift it, then "Historiku" => both events (SECURITY_MEASURE_SET / LIFTED) with details

[ ] 3C8 "Prioriteti" -> change => saved; history PRIORITY_CHANGED

[ ] 3C9 avokat2 (secondary) -> R1 -> Të dhënat => can change the amount; NO "Ndrysho" on Kategoria and Prioriteti

[ ] 3C10 kryetar -> R1 => can change the priority (header or data tab); not the category

[ ] 3C11 Concurrent edit: avokat1 (normal window) and avokat2 (incognito) on R1 -> both change the amount -> save => the second shows "Të dhënat u ndryshuan nga një përdorues tjetër." + "Rifresko";

the typed value stays visible to copy

3D. Judge and object (028)

[ ] 3D1 avokat1 -> R1 -> "Gjyqtari" -> Ndrysho -> another judge of the same court => saved; Historiku: "Gjyqtari u ndryshua: {old} → {new}"

[ ] 3D2 Choose a judge of another court ("Shfaq të gjithë gjyqtarët") => saved with a warning

[ ] 3D3 "Objekti" -> Ndrysho => editor with a character counter (4000); history "Objekti u ndryshua" with an expandable before/after view

[ ] 3D4 avokat2 (secondary) => can change the object, NOT the judge

[ ] 3D5 protokoll -> a case still REGISTERED (e.g. one from 2A20 or a new one) => can change judge and object (typo fix); after the case is assigned -> 404

3E. Legal assistant (026)

[ ] 3E1 avokat1 -> R1 -> Ekipi -> "Shto ndihmës" => ndihmes offered (with workload); avokat2 is NOT offered (already secondary)

[ ] 3E2 Add ndihmes -> log in as ndihmes -> "Çështjet e mia" => R1 is there; can edit the amount (case.edit_data)

[ ] 3E3 avokat1 removes ndihmes -> ndihmes opens R1 by address => "Çështja nuk u gjet ose nuk keni akses."

[ ] 3E4 avokat2 (secondary) -> Ekipi => no "Shto ndihmës" button

3F. Institution jurist and delegation (027)

R1 is at court level I and has "Ministria e Financave dhe Ekonomisë" as a party.

[ ] 3F1 institucion -> R1 -> "Institucionet" section -> "Cakto juristin" -> jurist => jurist shown next to the institution

[ ] 3F2 jurist -> "Çështjet e mia" => R1 is there (monitoring rights: view, add hearing, upload document)

[ ] 3F3 avokat1 -> R1 -> "Delego / Relato" -> the ministry, mode "Delegim" => institution chip "Delegim"; Të dhënat: category "Delegim" read-only

[ ] 3F4 Të dhënat -> try to change the category => not possible while delegated (hint: changes through delegation)

[ ] 3F5 jurist -> R1 => now has more rights (e.g. change judge); in task 036 also record the decision

[ ] 3F6 avokat1 -> "Anulo delegimin" with reason => chip "Monitorim"; category empty; avokat1 can set "Ndjekje" again

[ ] 3F7 A case at the High Court (Gjykata e Lartë) -> "Delego" => "Delegimi lejohet vetëm në shkallën e parë dhe të dytë."

[ ] 3F8 Delegate to an institution that is NOT a party of the case => not offered in the picker

[ ] 3F9 Next level from a delegated case: a) delegate R1 again; close R1 /1 locally (command 0.4); protokoll continues it at level Apel (II) -> kryetar assigns /2 => /2 has the ministry as "Delegim" and category "Delegim" b) (optional) do the same with level "Gjykata e Lartë" => link becomes "Monitorim", category empty, warning shown when continuing

3G. Permissions only from the server (029)

[ ] 3G1 Open the SAME case as each user: protokoll, avokat1 (primary), avokat2 (secondary), ndihmes, kryetar, monitor, institucion => each sees only the buttons for what they may do: - monitor: no action buttons at all - kryetar: Transfero, priority; no party/data editing - avokat2: no Kategoria, no Delego, no Shto ndihmës - protokoll: 404 once the case is ACTIVE

[ ] 3G2 On a REGISTERED case vs an ACTIVE case as kryetar => REGISTERED: "Cakto avokatin", no "Transfero"; ACTIVE: the opposite

[ ] 3G3 For any button you see: click it and complete the action => the server never refuses an action whose button was shown

---

WHEN SOMETHING FAILS

Write down:

- the step number (e.g. 2C8)
- the user you were logged in as
- a screenshot of the browser
- the red text from the API window, if any

Send them and get a precise fix prompt.

WHEN A PHASE PASSES

Set its tasks to "done" in docs/tasks/README.md, then:

```
git add -A
git commit -m "Phase N tested in browser; tasks done"
git push
```

CLEAN-UP AFTER TESTING (optional)

Test data stays in your LOCAL database only. To start from an empty database:

```
docker compose down -v
docker compose up -d
dotnet run --project src/backend/Database/Ash.Database -- --local
```

(This deletes ALL local data, including the cases you created.)