ASH – Phase 4 test plan (tasks 030–035)

Hearings (030), Agenda (031), File storage (032), Document upload (033), Documents list/download/delete (034), Documents UI (035).

Estimated time: 45–60 minutes. Follow the steps IN ORDER – later steps use data created by earlier ones.

Legend: [ ] = step to do => = expected result

---

0. PREPARATION (once)

0.1 Automated checks first

If these fail, do not start the browser test – fix them first.

```
cd G:\Avokatura\Avokatura_CMS
docker compose up -d
dotnet run --project src/backend/Database/Ash.Database -- --local
dotnet build
dotnet test
cd src\frontend
npm run lint
npm run build
npx vitest run
cd ..\..
```

=> 0 warnings, 0 failed everywhere.

0.2 Start the system (two PowerShell windows)

Window 1 – API:

```
cd G:\Avokatura\Avokatura_CMS
dotnet run --project src/backend/Host/Ash.Api
```

Wait for "Now listening on ...".

Window 2 – frontend:

```
cd G:\Avokatura\Avokatura_CMS\src\frontend
npm run dev
```

Open http://localhost:5173

0.3 End-to-end tests (third window, while windows 1 and 2 are running)

```
cd G:\Avokatura\Avokatura_CMS\src\frontend
npm run e2e
```

=> all pass.

0.4 Test files (created in Desktop\teste)

Copy all lines into PowerShell at once:

```
$d = "$env:USERPROFILE\Desktop\teste"; New-Item -ItemType Directory -Force $d |
Out-Null
# 1. Small valid PDF
Set-Content "$d\vendim.pdf" "%PDF-1.4`n% test`n%%EOF" -NoNewline
# 2. 40 MB PDF
$f=[IO.File]::Create("$d\i-madh.pdf"); $b=[Text.Encoding]::ASCII.GetBytes("%PDF-
1.4`n"); $f.Write($b,0,$b.Length); $f.SetLength(40MB); $f.Close()
# 3. "Exe" renamed to PDF (only the MZ header, harmless)
Set-Content "$d\fake.pdf" "MZ this is not a pdf" -NoNewline
# 4. ZIP renamed to DOCX (not a real Word document)
Set-Content "$d\shenim.txt" "test"; Compress-Archive "$d\shenim.txt"
"$d\fake.zip" -Force; Copy-Item "$d\fake.zip" "$d\fake.docx" -Force
# 5. File larger than the limit (60 MB, if the PDF limit is 50 MB)
$f=[IO.File]::Create("$d\shume-i-madh.pdf"); $f.Write($b,0,$b.Length);
$f.SetLength(60MB); $f.Close()
# 6. EICAR - the standard antivirus TEST file (harmless; every antivirus
recognises it)
Set-Content "$d\eicar.pdf" 'X5O!P%@AP[4\PZX54(P^)7CC)7}$EICAR-STANDARD-
ANTIVIRUS-TEST-FILE!$H+H*' -NoNewline
```

Also put one REAL Word document (.docx) and one file with Albanian letters in its name (e.g. copy vendim.pdf to "Vendim_gjykatë.pdf") in the same folder.

Note: Windows Defender may delete eicar.pdf immediately. That is fine – it only means Defender works. You need it only in section E (ClamAV).

0.5 Test data (in the browser)

[ ] protokoll -> register 2 cases at court level I: Case A – with "Ministria e Financave dhe Ekonomisë" as a party (Institucion) Case B – any party [ ] kryetar -> tab "Pa avokat": Case A -> avokat1 primary, avokat2 secondary Case B -> avokat1 primary [ ] Write down both codes: Case A = 2026-/**1 Case B = 2026-**/1

A. HEARINGS (030)

User: avokat1 -> Case A -> tab "Seancat"

[ ] A1 "Shto seancë": a date NEXT WEEK, 10:00, type "Seancë përgatitore" => appears in the list; the "Seanca e radhës" card on top shows that date and time

[ ] A2 "Shto seancë" with type "Tjetër" and the text field EMPTY => error "Plotësoni llojin e seancës."

[ ] A3 "Shto seancë" with a date in the PAST => saved, with a warning about the past date

[ ] A4 Look at the page and at the case list (Çështje) => red banner "Seanca kaloi më … – përditësoni statusin"; in the case list, Case A's next hearing is red with "kaloi"

[ ] A5 On the past hearing: "Përfundo seancën" -> "U zhvillua", description "Seanca u zhvillua, u paraqitën provat.", section "Seanca e radhës": a date in 2 weeks, 11:30 -> confirm once => old hearing "U zhvillua", a new SCHEDULED hearing exists, the red banner is gone

[ ] A6 "Shto seancë" again => the form is PRE-FILLED with the previous description

[ ] A7 "Përfundo seancën" -> "U zhvillua" with an EMPTY description => error, description is required

[ ] A8 On a hearing -> "U shty" WITHOUT a new date => saved, warning "Shtyrja zakonisht ka datë të re"

[ ] A9 Change the date of a SCHEDULED hearing (reschedule) => "Seanca e radhës" on top updates

[ ] A10 "U anulua" on one hearing => shown struck-through and grey; no longer counted as next hearing

[ ] A11 Try to set a "U zhvillua" hearing back to scheduled => not possible (no button / option)

[ ] A12 Tab "Historiku" => events HEARING_ADDED / HEARING_COMPLETED / HEARING_UPDATED with details

[ ] A13 Hearing vs. case data – no false conflict: open Case A in a second window as avokat2 (incognito window). Window 1 (avokat1): add a hearing. Window 2 (avokat2): change the claim amount in "Të dhënat" and save. => NO conflict error (a hearing does not change the case's row version)

[ ] A14 Edit THE SAME hearing in both windows and save both => the second one shows "Të dhënat u ndryshuan…" with "Rifresko"

[ ] A15 User institucion (monitoring institution) -> Case A -> Seancat => can ADD a hearing, but has NO edit / "Përfundo" buttons

[ ] A16 Time zone (summer/winter time): add a hearing on 29.03.2027 at 10:00 and one on 01.11.2026 at 10:00 => both show exactly 10:00 (not 09:00 or 11:00)

B. AGENDA (031)

[ ] B1 avokat1 -> Agjenda -> the week of the hearing from A5 => the Case A hearing is there, correct time, colour by status

[ ] B2 Case B: add a hearing 30 MINUTES after a Case A hearing on the same day. Back to Agjenda. => both hearings show a warning icon; tooltip "Përplasje me …" with the other case code

[ ] B3 Click a hearing in the agenda => opens the case on tab "Seancat"

[ ] B4 Switch Dita / Java / Muaji / Listë, then press F5 => view and date are kept (they are in the address)

[ ] B5 "Shfaq të anuluarat" => the cancelled hearing from A10 appears struck-through

[ ] B6 "Printo" => clean A4 list (date, time, court, code, type, lawyer), no menu/sidebar

[ ] B7 Phone width: F12 -> device toolbar -> 390 px => default view is "Listë", no horizontal scrolling

[ ] B8 avokat2 -> Agjenda => sees Case A hearings (secondary), NOT Case B

[ ] B9 kryetar -> Agjenda => sees all office hearings; lawyer filter -> avokat2 -> only Case A

[ ] B10 monitor -> Agjenda => sees everything; office filter and lawyer filter work

[ ] B11 institucion -> Agjenda => only hearings of Case A (the linked case)

[ ] B12 Transfer: kryetar transfers Case B to avokat2. Then avokat1 -> Agjenda => Case B hearings are NO LONGER there

[ ] B13 Month view: move forward/back quickly several months => no crash; at most a message about the period

---

C. DOCUMENT UPLOAD (033 + 035)

User: avokat1 -> Case A -> tab "Dokumentet"

[ ] C1 Drag vendim.pdf -> type "Vendim" -> "Ngarko" => progress bar -> "Në kontroll" -> "Gati" within a few seconds

[ ] C2 Drag 3 files at once (vendim.pdf, i-madh.pdf, the real Word document) => three rows in the queue, each with its own type and title; uploaded one after another, each with its own progress bar

[ ] C3 While i-madh.pdf (40 MB) uploads, open Task Manager and watch the API process => memory grows only a little (well below 100 MB)

[ ] C4 fake.pdf (renamed "exe") => refused: "Lloji i skedarit nuk lejohet"

[ ] C5 shume-i-madh.pdf (60 MB) => stopped immediately in the browser with a size message

[ ] C6 fake.docx (ZIP disguised as Word) => uploads, then after the scan becomes "Refuzuar" (invalid format)

[ ] C7 Upload vendim.pdf AGAIN => saved, with warning "Ky dokument është ngarkuar më parë më …"

[ ] C8 Type "Tjetër" without text => error before the upload starts

[ ] C9 Start uploading i-madh.pdf and press "Anulo" halfway => stops; nothing new appears in the list

[ ] C10 MinIO console: http://localhost:9001 (user ash_minio / password ash_minio_local_pw) bucket "ash-documents" => files stored under 2026/11/<uuid>, NOT under their real names; bucket "ash-uploads-quarantine" has no copies of the "Gati" files

[ ] C11 ACCEPTANCE: on one case page, add a hearing (Seancat) and upload a PDF (Dokumentet) without leaving the page => works; tab counts update

---

D. LIST, PREVIEW, DOWNLOAD, DELETE (034 + 035)

[ ] D1 "Shiko" on vendim.pdf => opens in a large dialog inside the system

[ ] D2 The Word document => no "Shiko" button (download only)

[ ] D3 "Shkarko" on the file with Albanian letters (Vendim_gjykatë.pdf) => downloaded with the ORIGINAL name, ë/ç correct

[ ] D4 Filter by type, then by level => list filters correctly

[ ] D5 Audit check in PowerShell: docker exec -it ash-mysql mysql -uroot -pash_local_root -e "SELECT action, occurred_at FROM ash_audit.audit_log WHERE action='DOCUMENT_DOWNLOAD' ORDER BY occurred_at DESC LIMIT 5;" (if the container has another name, check with: docker ps --format "{{.Names}}") => one row for EVERY "Shiko" and "Shkarko" from D1–D3

[ ] D6 Delete a document with reason "U ngarkua gabim" => disappears from the list; "Historiku" shows the event with the reason

[ ] D7 Delete with an EMPTY reason => not possible, reason is required

[ ] D8 avokat2 (secondary) -> Dokumentet => can upload and open; NO delete button

[ ] D9 institucion -> Case A -> Dokumentet => can upload and open; NO delete button

[ ] D10 Documents across levels: 1. Close Case A /1 locally (no screen closes cases before task 036): docker exec -it ash-mysql mysql -uash_dev -pash_dev_local ash_core -e "UPDATE cases SET lifecycle_status='CLOSED', closed_at=UTC_TIMESTAMP(3), closed_by=(SELECT id FROM users WHERE email='admin@ash.local') WHERE case_code='2026-_____/1';" (put Case A's code; if "UPDATE command denied", use -uroot -pash_local_root) 2. protokoll -> "Vazhdo çështje ekzistuese" -> Case A -> continue to /2 (level Apel) 3. kryetar -> assign /2 to avokat2 as PRIMARY 4. avokat2 -> Case A /2 -> Dokumentet => avokat2 sees ALL documents of /1 as well, grouped by level

[ ] D11 Any user -> type in the address bar the code of a case from ANOTHER office => "Çështja nuk u gjet ose nuk keni akses."

E. ANTIVIRUS WITH CLAMAV (optional, ~10 minutes)

Normal tests use the "NoOp" scanner (marks everything clean). To test the REAL antivirus:

```
cd G:\Avokatura\Avokatura_CMS
docker compose --profile av up -d clamav
docker ps --format "{{.Names}}"
docker logs -f <name-of-clamav-container>
```

Wait until the log says the signatures are loaded / clamd started (first time: several minutes), then Ctrl+C.

```
dotnet user-secrets --project src/backend/Host/Ash.Api set "Scanner:Mode"
"ClamAv"
```

Restart the API (window 1: Ctrl+C, then start again).

[ ] E1 Upload vendim.pdf => "Gati" (CLEAN)

[ ] E2 Upload eicar.pdf (if Defender deletes it: temporarily exclude the teste folder in Defender) => "Refuzuar" (INFECTED); "Historiku" shows DOCUMENT_REJECTED

[ ] E3 Stop ClamAV: docker compose --profile av stop clamav -> upload a file => stays "Në kontroll"; after ~2 min "Kontrolli po zgjat…"; after 5 attempts the status becomes FAILED

[ ] E4 Back to normal: dotnet user-secrets --project src/backend/Host/Ash.Api set "Scanner:Mode" "NoOp" Restart the API.

F. RIGHTS AND EDGE CASES

On Case A /1 (closed in D10) and Case B:

[ ] F1 protokoll -> open Case B by address => "Çështja nuk u gjet ose nuk keni akses." (no longer REGISTERED)

[ ] F2 monitor -> Case B => sees everything (hearings, documents); NO add/edit/delete buttons

[ ] F3 kryetar -> Case B => sees everything; NO hearing or document buttons (not in the case team)

[ ] F4 Closed case (Case A /1) => NO "Shto seancë", "Ngarko" or "Hiq" buttons; viewing and downloading still work

---

WHEN SOMETHING FAILS

Write down:

- the step number (e.g. C6)
- a screenshot of the browser
- the red text from the API window, if any

Send them and get a precise fix prompt.

WHEN EVERYTHING PASSES

Set 030–035 to "done" in docs/tasks/README.md, then:

```
git add -A
git commit -m "Phase 4 (030–035) tested in browser; tasks done"
git push
```