

Examples of executions

localhost:8080/h2/login.do?jsessionId=eb6ee0db2fc4271f733e9324826bda10

ube Maps Media Now - Hewle...

ommit Max rows: 1000 Auto complete Off Auto select On

10-577a-4b SQL statement:

SELECT * FROM USERS|

SCHEMA

13)

SELECT * FROM USERS;

ID	POINTS	YEAR_OF_BIRTH	EMAIL	FIRST_NAME	LAST_NAME	PASSWORD
1	500	2000	henry@henry.com	Henry	Henry	\$2a\$10\$HsY28F9c4PfIVIORxagBOFiyWJGb3EI3/y/dX.kS6TKqud.ymp1e
2	500	2000	henry@henry.com	John	John	\$2a\$10\$K.lrARubAvbn2Zz/IRcBZunGcFWJnapdIZb072EQeQh84UCVdh92a

(2 rows, 2 ms)

Edit

jdbc:h2:mem:05016a10-577a-4b SQL statement:

CHAT
 FRIENDS_LIST
 GAME
 USERS
 INFORMATION_SCHEMA
 Sequences
 Users
H2 2.1.214 (2022-06-13)

SELECT * FROM GAME|

SELECT * FROM GAME;

FRIEND_ID	ID	TIMER	USER_ID	GAME_NAME
2	1	10	1	FirstGame
2	2	10	1	SecondGame

(2 rows, 1 ms)

Edit

7a-4b

Run

Run Selected

Auto complete

Clear

SQL statement:

SELECT * FROM CHAT|

MA

SELECT * FROM CHAT;

ID	USER_THAT_READS	USER_THAT_WRITES	MESSAGE
1	2	1	Hello my friend!

(1 row, 1 ms)

Edit

POST http://localhost:8080/ POST http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ PUT http://localhost:8080/

http://localhost:8080/

GET http://localhost:8080/

Params Authorization Headers (6) Body Pre-request Script Tests Settings

Query Params

Key	Value
Key	Value

Body Cookies Headers (5) Test Results

Pretty Raw Preview Visualize JSON

```
1  {
2    {
3      "id": 1,
4      "firstName": "Henry",
5      "lastName": "Henry",
6      "email": "henry@henry.com",
7      "yearOfBirth": 2000,
8      "password": "$2a$10$HsY28F9c4fPfIViORxagB0FiyWJGb3EI3/y/dX.kS6TKqud.ymp1e",
9      "points": 500
10   },
11   {
12     "id": 2,
13     "firstName": "John",
14     "lastName": "John",
15     "email": "henry@henry.com",
16     "yearOfBirth": 2000,
17     "password": "$2a$10$K.1rARubAvbn2Zz/IRc8ZunGcFWJnapdlZb072EQeQh84UCVdh92a",
18     "points": 500
19   }
20 }
```

POST http://localhost:8080/ POST http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ PUT http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/ GET http://localhost:8080/

http://localhost:8080/game/save

POST http://localhost:8080/game/save

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 1
2 2 "gameName": "secondGame",
3 3 "userId": 2,
4 4 "friendId": 1,
5 5 "time": 10
6 6
```

Body Cookies Headers (4) Test Results

Pretty Raw Preview Visualize Text

1

Status: 200 OK Time:

http://localhost:8080/chat/save

POST http://localhost:8080/chat/save

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary JSON

```
1 1
2 2 "userThatWrites": 2,
3 3 "userThatReads": 1,
4 4 "message": "Nice Game!"
5 5
```

Body Cookies Headers (5) Test Results

Pretty Raw Preview Visualize Text

1 user with the id 2 sends to the user with Id:1 the message: Nice Game!

Status: 200 OK Time: