

A
Bifidobacterium breve
normalized VOB x10-5
arcsin-transformed abundance
B
Bifidobacterium longum
normalized VOB x10-5
arcsin-transformed abundance
C
Relative Importance for RF
-log(p) for LM coefficients
Absent from sample
Present in sample
Negative ass. with VOB
Positive ass. with VOB
Removed from LMs by abundance filter
> 60% ranked importance in RF and q < 0.2 in LM
> 60% ranked importance in RF
Not important or significant
D
Maternal Unpredictability
E
Infant VOB
F
Interaction term
Interaction models
Glutamate synthesis
Acetate synthesis
ClpB
Menaquinone synthesis
Tryptophan synthesis
GABA synthesis
Quinolinic acid degradation
z statistic
q < 0.2, set median < effect median
q < 0.2, set median > effect median
not significant
effect median z
G
Gene set abundance carried by select genera
H
Gene set abundance carried by select species
Gene set
Acetate synthesis
ClpB
GABA synthesis
Glutamate synthesis
Menaquinone synthesis
Quinolinic acid degradation
Tryptophan synthesis
Bifidobacterium
Escherichia
Klebsiella
Streptococcus
Other
Species
Bifidobacterium bifidum
Bifidobacterium breve
Bifidobacterium longum
Escherichia coli
Klebsiella pneumoniae
Streptococcus salivarius
Normalized carried abundance