

# AltOnline

Database design 1  
1DL301 - Group 35

Pavan Divi	<a href="mailto:pkd122470@gmail.com">pkd122470@gmail.com</a>
Rasmus Hammar	<a href="mailto:rasmus.hammar.1670@student.uu.se">rasmus.hammar.1670@student.uu.se</a>
Akshath Nair	<a href="mailto:akshathnair8@gmail.com">akshathnair8@gmail.com</a>
Yeswasri Sivarathri	<a href="mailto:yeswasri.sivarathri.4977@student.uu.se">yeswasri.sivarathri.4977@student.uu.se</a>
Somu Susmitha	<a href="mailto:somususmitha45@gmail.com">somususmitha45@gmail.com</a>

<b>ER diagram.....</b>	<b>3</b>
<b>Normalization.....</b>	<b>4</b>
1NF.....	4
2NF.....	5
3NF.....	5
<b>SQL code.....</b>	<b>6</b>
Tables.....	6
Populate database.....	7
Department.....	7
Products.....	9
Keywords.....	11
Customers.....	12
Orders.....	13
Products ordered.....	14
Reviews.....	15
Database schema.....	20
<b>Queries.....</b>	<b>20</b>
Homepage welcome text.....	20
List top level department.....	20
Featured products.....	21
Product keywords.....	21
Department products.....	21
Products on sale.....	22
Top ten best selling products.....	22
Indexes.....	22
EXPLAIN before.....	22
Index creation.....	23
EXPLAIN after.....	24
BTree and Hash indices.....	25
<b>Supplementary.....</b>	<b>26</b>
Program 1.....	26
Program 2.....	26

## ER diagram

In Milestone 1, we designed the ER diagram for the system by identifying all entities, their attributes, primary keys, derived attributes, multivalued attributes, and relationships. The main entities are DEPARTMENT, PRODUCT, CUSTOMER and ORDER. Unique attributes were underlined, multivalued attributes were shown with double ovals, and derived attributes with dashed ovals. The ER diagram (Figure 1) represents the complete conceptual structure of the system and shows how all entities are related before moving to normalization.




Figure 1: Entity relation diagram for the AltOnline database.

## Normalization

In Milestone 2, we converted the ER diagram into normalized tables following 1NF, 2NF, and 3NF steps.

- ❖ 1NF: Removed multivalued and derived attributes (e.g., Keywords, Rating\_Avg), and ensured all values were atomic. (Figure 2)
- ❖ 2NF: Checked composite keys (for e.g in Order\_Items) and made sure every attribute depends on the whole key. (Figure 3)
- ❖ 3NF: Removed transitive dependencies (as there were no transitive dependencies we didn't make any changes so the 3NF table remains same as 2NF) and ensured all attributes depend only on the primary key (e.g., replacing Dep\_Name as PK with Dep\_ID).(Figure 3)

### 1NF




Figure 2: First normal form.

## 2NF




Figure 3: Second normal form.

## 3NF




Figure 4: Third normal form.

## SQL code

### Tables

```
CREATE TABLE DEPARTMENT
(
    Dep_Name VARCHAR(25) NOT NULL,
    Dep_Description VARCHAR(10000),
    Dep_Desc_Short VARCHAR(500),
    Parent_Dep VARCHAR(25),
    PRIMARY KEY(Dep_Name),
    FOREIGN KEY(Parent_Dep) REFERENCES DEPARTMENT(Dep_Name)
);
CREATE TABLE PRODUCT
(
    Prod_ID INT NOT NULL,
    Prod_Name VARCHAR(100) NOT NULL,
    Prod_Description VARCHAR(10000),
    Prod_Desc_Short VARCHAR(200),
    Prod_Price DECIMAL(10, 2) NOT NULL,
    Tax_Percent INT NOT NULL,
    Discount_Percent INT NOT NULL,
    Stock INT NOT NULL,
    Featured BOOLEAN DEFAULT FALSE,
    Dep_Name VARCHAR(25),
    PRIMARY KEY(Prod_ID),
    FOREIGN KEY(Dep_Name) REFERENCES DEPARTMENT(Dep_Name)
);
CREATE TABLE KEYWORDS
(
    Prod_ID INT NOT NULL,
    Keyword VARCHAR(100) NOT NULL,
    PRIMARY KEY (Prod_ID, Keyword),
    FOREIGN KEY (Prod_ID) REFERENCES PRODUCT(Prod_ID) ON
    DELETE CASCADE
);
CREATE TABLE CUSTOMER
(
    Cust_ID CHAR(12) NOT NULL, -- Personnummer
    First_Name VARCHAR(100),
    Last_Name VARCHAR(100),
    Email VARCHAR(255) NOT NULL UNIQUE,
    Password VARCHAR(255) NOT NULL,
    Phone_nr VARCHAR(50),
```

```
Newsletter BOOLEAN DEFAULT FALSE,  
Address VARCHAR(200),  
PRIMARY KEY(Cust_ID)  
);  
CREATE TABLE REVIEW (  
    Prod_ID INT NOT NULL,  
    Cust_ID CHAR(12) NOT NULL,  
    Rating INT NOT NULL CHECK (Rating BETWEEN 1 AND 5),  
    Rev_Text VARCHAR(500),  
    Rev_Date DATE,  
    PRIMARY KEY(Prod_ID, Cust_ID),  
    FOREIGN KEY(Prod_ID) REFERENCES PRODUCT(Prod_ID) ON DELETE  
CASCADE,  
    FOREIGN KEY(Cust_ID) REFERENCES CUSTOMER(Cust_ID) ON  
DELETE CASCADE  
);  
CREATE TABLE ORDERS  
(  
    Order_ID INT NOT NULL,  
    Cust_ID CHAR(12) NOT NULL,  
    Date_Created DATE,  
    Date_Changed DATE,  
    Status VARCHAR(30), -- ENUM('new', 'open', 'dispatched')  
    DEFAULT 'new',  
    Payment_Ref CHAR(64),  
    Tracking_nr VARCHAR(255),  
    PRIMARY KEY(Order_ID),  
    FOREIGN KEY(Cust_ID) REFERENCES CUSTOMER(Cust_ID)  
);  
CREATE TABLE PROD_ORDERED  
(  
    Prod_ID INT NOT NULL,  
    Order_ID INT NOT NULL,  
    Prod_Quantity INT NOT NULL,  
    Price_Purchase DECIMAL(10,2) NOT NULL,  
    PRIMARY KEY (Order_ID, Prod_ID),  
    FOREIGN KEY(Prod_ID) REFERENCES PRODUCT(Prod_ID),  
    FOREIGN KEY(Order_ID) REFERENCES ORDERS(Order_ID)  
);
```

## Populate database

### Department

```
INSERT INTO DEPARTMENT
```

```
(Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Home', 'All departments', 'Homepage', NULL);
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Electronics', 'All electronic devices and gadgets',
'Electronics', Home);
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Mobile Phones', 'Smartphones and mobile accessories',
'Mobiles', 'Electronics');
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Laptops', 'All types of laptops and accessories',
'Laptops', 'Electronics');
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Gaming computers', 'All types of high-end PC hardware',
'Gaming stuff', 'Electronics');
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Home Appliances', 'Appliances for home use', 'Home
Appliances', Home);
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Heating', 'Appliances for heating your home', 'Radiators
and stuff', 'Home Appliances');
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Cleaning', 'Appliances for keeping your home clean',
'Cleaning supplies', 'Home Appliances');
INSERT INTO DEPARTMENT
    (Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Cooling', 'Appliances for staying cool in summer', 'AC
and stuff', 'Home Appliances');
```

```
(Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Groceries', 'Food and all other food related stuff',
'Groceries', Home);
INSERT INTO DEPARTMENT
(Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Crackers and Waffers', 'Munching Items', 'Snacks',
'Groceries');
INSERT INTO DEPARTMENT
(Dep_Name, Dep_Description, Dep_Desc_Short, Parent_Dep)
VALUES
    ('Hot and Cold Drinks', 'Drinking Stuff', 'Bevarages',
'Groceries');
```

## Products

```
INSERT INTO PRODUCT
(Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (1, 'iPhone 15', 'Apple iPhone 15, 128GB, Silver', 'iPhone
15 128GB', 999.99, 18, 5, 50, TRUE, 'Mobile Phones');
INSERT INTO PRODUCT
(Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (2, 'Samsung Galaxy S23', 'Samsung flagship phone, 256GB',
'Galaxy S23', 899.99, 18, 10, 30, TRUE, 'Mobile Phones');
INSERT INTO PRODUCT
(Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (3, 'Dell XPS 13', 'Dell XPS 13 Laptop, Intel i7, 16GB
RAM', 'XPS 13 Laptop', 1199.99, 18, 8, 20, FALSE, 'Laptops');
INSERT INTO PRODUCT
(Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (4, 'Dyson V15 Vacuum', 'Dyson cordless vacuum cleaner',
'Dyson Vacuum', 599.99, 18, 15, 15, FALSE, 'Cleaning');
```

```
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (7, 'Dyson Ultra AC', 'Dyson high capacity AC for large
spaces', 'Dyson AC', 599.99, 18, 15, 15, FALSE, 'Cooling');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (11, 'ASUS Zenbook 14', 'ASUS Zenbook 14 Laptop, Intel
core ultra 7, 32GB RAM', 'ASUS Zenbook 14 Laptop', 11990.99,
18, 15, 20, TRUE, 'Laptops');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (6, 'Sony WH-1000XM5', 'Sony WH-1000XM5 Wireless
Noise-Cancelling Headphones, 30h battery life', 'Sony
WH-1000XM5 Headphones', 399.99, 20, 12, 100, FALSE, 'Gaming
computers');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (8, 'LG UltraGear 34"', 'LG UltraGear 34-inch Curved
Gaming Monitor, 165Hz, QHD', 'LG UltraGear 34"', 899.00, 22,
10, 40, FALSE, 'Gaming computers');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (10, 'Oreo Biscuits', 'Delicious chocolate sandwich
cookies', 'Oreo', 3.99, 5, 10, 100, false, 'Groceries');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
```

```
(12, 'Lays Potato Chips', 'Crispy salted potato chips',
'Lays Chips', 2.49, 5, 5, 150, false, 'Crackers and Waffers');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (15, 'Coca Cola 500ml', 'Refreshing carbonated soft
drink', 'Coca Cola', 1.49, 5, 0, 200, true, 'Hot and Cold
Drinks');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (19, 'Pepsi 500ml', 'Popular cola beverage', 'Pepsi',
1.39, 5, 0, 180, true, 'Hot and Cold Drinks');
INSERT INTO PRODUCT
    (Prod_ID, Prod_Name, Prod_Description, Prod_Desc_Short,
Prod_Price, Tax_Percent, Discount_Percent, Stock, Featured,
Dep_Name)
VALUES
    (20, 'Sprite 500ml', 'Lemon-lime soft drink', 'Sprite',
1.29, 5, 0, 160, false, 'Hot and Cold Drinks');
```

## Keywords

```
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (1, 'Smartphone');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (1, 'Apple');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (2, 'Smartphone');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (2, 'Samsung');
```

```
VALUES
    (3, 'Laptop');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (3, 'Dell');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (4, 'Vacuum');
INSERT INTO KEYWORDS
    (Prod_ID, Keyword)
VALUES
    (4, 'Home Appliance');
```

## Customers

```
INSERT INTO CUSTOMER
    (Cust_ID, First_Name, Last_Name, Email, Password,
Phone_nr, Newsletter, Address)
VALUES
    ('100000000001', 'Alice', 'Smith', 'alice@example.com',
'password123', '5551234567', TRUE, '12 Elm Street');
INSERT INTO CUSTOMER
    (Cust_ID, First_Name, Last_Name, Email, Password,
Phone_nr, Newsletter, Address)
VALUES
    ('100000000002', 'Bob', 'Johnson', 'bob@example.com',
'pass456', '5559876543', FALSE, '34 Oak Avenue');

INSERT INTO CUSTOMER
    (Cust_ID, First_Name, Last_Name, Email, Password,
Phone_nr, Newsletter, Address)
VALUES
    ('100000000011', 'Charlie', 'Williams',
'charlie82@example.com', 'charliePass', '5551112233', TRUE,
'56 Maple Road');
INSERT INTO CUSTOMER
    (Cust_ID, First_Name, Last_Name, Email, Password,
Phone_nr, Newsletter, Address)
VALUES
    ('100000000012', 'Diana', 'Brown', 'diana@example.com',
'dianaSecure', '5552223344', FALSE, '78 Pine Lane');
INSERT INTO CUSTOMER
```

```
(Cust_ID, First_Name, Last_Name, Email, Password,  
Phone_nr, Newsletter, Address)  
VALUES  
    ('100000000005', 'Ethan', 'Davis', 'ethan@example.com',  
'ethanKey', '5553334455', TRUE, '90 Cedar Street');  
INSERT INTO CUSTOMER  
    (Cust_ID, First_Name, Last_Name, Email, Password,  
Phone_nr, Newsletter, Address)  
VALUES  
    ('100000000006', 'Fiona', 'Miller', 'fiona@example.com',  
'fionaLock', '5554445566', TRUE, '23 Birch Avenue');  
INSERT INTO CUSTOMER  
    (Cust_ID, First_Name, Last_Name, Email, Password,  
Phone_nr, Newsletter, Address)  
VALUES  
    ('100000000007', 'George', 'Wilson', 'george@example.com',  
'georgeSafe', '5555556677', FALSE, '45 Willow Drive');
```

## Orders

```
INSERT INTO ORDERS  
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,  
Payment_Ref, Tracking_nr)  
VALUES  
    (10001, '100000000001', DATE '2025-12-01',  
DATE '2025-12-02', 'new',  
'PAY0012454851515154555454545454XXXXXXXXXXXXXXXXXXXXXXXX',  
'TRACK123');  
INSERT INTO ORDERS  
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,  
Payment_Ref, Tracking_nr)  
VALUES  
    (10002, '100000000002', DATE '2025-12-02',  
DATE '2025-12-03', 'open',  
'PAY0022454851515154555454545454XXXXXXXXXXXXXXXXXXXXXXXX',  
'TRACK456');  
INSERT INTO Orders  
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,  
Payment_Ref, Tracking_nr)  
VALUES  
    (10001, '100000000001', DATE '2025-12-01', DATE  
'2025-12-02', 'new',  
'PAY0012454851515154555454545454XXXXXXXXXXXXXXXXXXXXXXXX',  
'TRACK123');  
INSERT INTO Orders
```

```
(Order_ID, Cust_ID, Date_Created, Date_Changed, Status,
Payment_Ref, Tracking_nr)
VALUES
    (10002, '100000000002', DATE '2025-12-02', DATE
'2025-12-03', 'open',
'PAY0022454851515154555454545454XXXXXXXXXXXXXXXXXX',
'TRACK456');
INSERT INTO Orders
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,
Payment_Ref, Tracking_nr)
VALUES
    (10003, '100000000003', DATE '2025-12-03', DATE
'2025-12-04', 'dispatched',
'PAY0032454851515154555454545454XXXXXXXXXXXXXXXXXX',
'TRACK789');
INSERT INTO Orders
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,
Payment_Ref, Tracking_nr)
VALUES
    (10004, '100000000004', DATE '2025-12-04', DATE
'2025-12-05', 'new',
'PAY0042454851515154555454545454XXXXXXXXXXXXXXXXXX',
'TRACK101');
INSERT INTO Orders
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,
Payment_Ref, Tracking_nr)
VALUES
    (10005, '100000000001', DATE '2025-12-05', DATE
'2025-12-06', 'open',
'PAY0052454851515154555454545454XXXXXXXXXXXXXXXXXX',
'TRACK102');
INSERT INTO Orders
    (Order_ID, Cust_ID, Date_Created, Date_Changed, Status,
Payment_Ref, Tracking_nr)
VALUES
    10006, '100000000002', DATE '2025-12-06', DATE
'2025-12-07', 'dispatched',
'PAY006245485151515455545454545454XXXXXXXXXXXXXXXXXX',
'TRACK103');
```

### Products ordered

```
INSERT INTO PROD_ORDERED
    (Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
```

```
(1, 10001, 1, 999.99);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(3, 10002, 1, 1199.99);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(2, 10001, 2, 899.99);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(12, 10004, 4, 1.49);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(10, 10001, 1, 3.99);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(15, 10003, 6, 1.49);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(11, 10005, 1, 3.99);
INSERT INTO PROD_ORDERED
(Prod_ID, Order_ID, Prod_Quantity, Price_Purchase)
VALUES
(3, 10006, 6, 1.49);
```

## Reviews

```
INSERT INTO REVIEW
(Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
(1, '100000000001', 5, 'Amazing iPhone, love it!', DATE'2025-12-02');
INSERT INTO Review
(Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
(2, '100000000002', 4, 'Great phone but battery could be better', DATE'2025-12-03');
INSERT INTO Review
(Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
```

```
(3, '100000000001', 5, 'Excellent laptop for work and
travel', DATE'2025-12-02');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (6, '100000000007', 5, 'Noise cancellation is unbeatable,
perfect for travel.', DATE'2025-12-08');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (6, '100000000002', 4, 'Great sound quality but a bit
pricey.', DATE'2025-12-09');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (1, '100000000002', 4, 'Great phone but battery drains
quicker than expected.', DATE'2025-12-03');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (1, '100000000011', 5, 'Super smooth performance, Face ID
works flawlessly.', DATE'2025-12-28');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (1, '100000000012', 3, 'Good phone but too pricey for the
features.', DATE'2025-12-29');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (2, '100000000001', 5, 'Fantastic display and smooth
performance!', DATE'2025-12-04');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (2, '100000000005', 5, 'Battery life is excellent, lasts
all day easily.', DATE'2025-12-30');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (2, '100000000006', 4, 'Camera is sharp but phone feels
heavy.', DATE'2025-12-31');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
```

```
VALUES
    (3, '100000000002', 4, 'Solid performance but fan noise is
noticeable.', DATE'2025-12-07');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (3, '100000000007', 5, 'Compact design, perfect for
business travel.', DATE'2026-01-01');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (3, '100000000011', 4, 'Fast performance but limited
ports.', DATE'2026-01-02');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (4, '100000000001', 5, 'Cleans carpets and hardwood floors
effortlessly!', DATE'2025-12-08');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (4, '100000000002', 3, 'Good suction but battery life is
shorter than expected.', DATE'2025-12-09');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (4, '1000000000012', 5, 'Lightweight and powerful, makes
cleaning easy.', DATE'2026-01-03');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (4, '100000000005', 4, 'Great suction but charging takes
too long.', DATE'2026-01-04');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (7, '100000000001', 5, 'Keeps the whole living room cool
even in summer heat.', DATE'2025-12-10');
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (7, '100000000002', 4, 'Strong cooling but a bit noisy at
night.', DATE'2025-12-11');
INSERT INTO REVIEW
```

```
(Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (7, '100000000006', 5, 'Cools the room quickly, very
effective.', DATE'2026-01-05');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (7, '100000000007', 3, 'Works fine but consumes a lot of
electricity.', DATE'2026-01-06');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (11, '100000000001', 5, 'Super fast laptop, handles
multitasking with ease.', DATE'2025-12-12');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (11, '100000000002', 4, 'Excellent build quality but quite
expensive.', DATE'2025-12-13');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (11, '100000000011', 5, 'Handles heavy software easily,
great productivity laptop.', DATE'2026-01-07');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (11, '100000000012', 4, 'Excellent keyboard but screen
brightness could be better.', DATE'2026-01-08');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (6, '100000000001', 5, 'Noise cancellation is incredible,
perfect for flights.', DATE'2025-12-14');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (6, '100000000005', 5, 'Crystal clear audio, perfect for
music lovers.', DATE'2026-01-09');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (6, '100000000006', 3, 'Good headphones but uncomfortable
after long use.', DATE'2026-01-10');
```

```
INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (8, '100000000001', 5, 'Immersive curved screen, gaming
feels amazing!', DATE'2025-12-16');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (8, '100000000002', 4, 'Beautiful visuals but takes up a
lot of desk space.', DATE'2025-12-17');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (8, '100000000007', 5, 'Amazing refresh rate, perfect for
competitive gaming.', DATE'2026-01-11');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (8, '100000000011', 4, 'Great visuals but expensive.', 
DATE'2026-01-12');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (10, '100000000001', 5, 'Classic taste, always delicious
with milk.', DATE'2025-12-18');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (10, '100000000002', 4, 'Great cookies but a bit too
sweet.', DATE'2025-12-19');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (10, '100000000012', 5, 'Classic cookies, my kids love
them.', DATE'2026-01-13');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
    (10, '100000000005', 4, 'Tasty but packaging could be
better.', DATE'2026-01-14');

INSERT INTO REVIEW
    (Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
```

```
(12, '100000000001', 5, 'Crispy and perfectly salted, my
favorite snack.', DATE'2025-12-20');

INSERT INTO REVIEW
(Prod_ID, Cust_ID, Rating, Rev_Text, Rev_Date)
VALUES
(12, '100000000002', 3, 'Good chips but too oily for my
taste.', DATE'2025-12-21');
```

## Database schema




Figure 5: Database schema from MIMER.

## Queries

### Homepage welcome text

```
SELECT Dep_Description
FROM Department
WHERE Parent_Dep IS NULL;
```

### List top level department

```
SELECT
    Dep_Name AS Title,
    Dep_Desc_Short AS Short_Description
FROM Department
WHERE Parent_Dep IS NULL
ORDER BY Dep_Name;
```

## Featured products

```
SELECT
    Prod_ID,
    Prod_Name AS Title,
    Prod_Desc_Short AS Short_Description,
    ROUND(Prod_Price * (1 + Tax_Percent / 100) * (1 -
Discount_Percent / 100), 2)
        AS Current_Retail_Price
FROM Product
WHERE Featured = true
ORDER BY Prod_Name;
```

## Product keywords

```
SELECT
    p.Prod_ID,
    p.Prod_Name AS Title,
    p.Prod_Desc_Short AS Short_Description,
    ROUND(p.Prod_Price * (1 + p.Tax_Percent/100) * (1 -
p.Discount_Percent/100), 2)
        AS Current_Retail_Price,
    ROUND(AVG(r.Rating), 2) AS Avg_Rating
FROM Product p
LEFT JOIN Review r ON r.Prod_ID = p.Prod_ID
WHERE p.Dep_Name = ?
GROUP BY p.Prod_ID, p.Prod_Name, p.Prod_Desc_Short,
    p.Prod_Price, p.Tax_Percent, p.Discount_Percent
ORDER BY p.Prod_Name;
```

## Department products

```
SELECT DISTINCT
    p2.Prod_ID,
    p2.Prod_Name,
    p2.Prod_Desc_Short,
    ROUND(p2.Prod_Price * (1 + p2.Tax_Percent/100) * (1 -
p2.Discount_Percent/100), 2)
        AS Retail_Price_With_Tax
FROM Keywords k1
JOIN Keywords k2 ON k1.Keyword = k2.Keyword
JOIN Product p2 ON p2.Prod_ID = k2.Prod_ID
WHERE k1.Prod_ID = ?
    AND k2.Prod_ID <> k1.Prod_ID
ORDER BY p2.Prod_Name;
```

### Products on sale

```

SELECT
    Prod_ID,
    Prod_Name,
    Prod_Desc_Short,
    Discount_Percent,
    ROUND(Prod_Price * (1 + Tax_Percent/100) * (1 -
Discount_Percent/100), 2)
        AS Current_Retail_Price
FROM Product
WHERE Discount_Percent > 0
ORDER BY Discount_Percent DESC, Prod_Name;

```

### Top ten best selling products

```

SELECT
    p.Prod_ID,
    p.Prod_Name,
    SUM(po.Prod_Quantity) AS Total_Sold
FROM Prod_Ordered po
JOIN Orders o ON po.Order_ID = o.Order_ID
JOIN Product p ON po.Prod_ID = p.Prod_ID
WHERE o.Date_Created >= CURRENT_DATE - INTERVAL '30' DAY
GROUP BY p.Prod_ID, p.Prod_Name
ORDER BY Total_Sold DESC
FETCH FIRST 10 ROWS ONLY;

```

## Indexes

### EXPLAIN before

Table 1: Homepage welcome text

ID	1	2
PARENT	0	1
OPERATION	select	index scan, table lookup
OPERATIONTYPE	(null)	leading keys
SCANORDER	(null)	1
ACC_COST	12	12
HITS	6	6
VISITS	12	12
TABLE	(null)	Department

ALIAS	(null)	(null)
INDEX	(null)	SQL_FOREIGN_KEY_0000049648
INDEXONLY	(null)	FALSE

Table 2: Featured products

ID	1	2	3
PARENT	0	1	2
OPERATION	select	sorting	full table scan
OPERATIONTYPE	(null)	temporary table order by	sequential
SCANORDER	(null)	(null)	1
ACC_COST	22	(null)	13
HITS	4	(null)	4
VISITS	17	4	13
TABLE	(null)	(null)	Product
ALIAS	(null)	(null)	(null)
INDEX	(null)	(null)	SQL_PRIMARY_KEY_0000049654
INDEXONLY	(null)	(null)	(null)

### Index creation

#### PRODUCT: common lookups, filters and joins.

```
CREATE INDEX idx_product_name      ON product (prod_name);
CREATE INDEX idx_product_dep       ON product (dep_name);
CREATE INDEX idx_product_price     ON product (prod_price);
CREATE INDEX idx_product_featured  ON product (featured);
```

If you often filter by department AND price together, use a composite.

```
CREATE INDEX idx_product_dep_price ON product (dep_name,
prod_price);
```

#### KEYWORDS: search keyword -> product.

```
CREATE INDEX idx_keywords_keyword   ON keywords (keyword);
```

#### REVIEW: lookups by product, by customer, by date.

```
CREATE INDEX idx_review_prod        ON review (prod_id);
CREATE INDEX idx_review_cust        ON review (cust_id);
CREATE INDEX idx_review_date        ON review (rev_date);
```

**CUSTOMER:** lookups by last name / phone (email is UNIQUE -> already indexed).

```
CREATE INDEX idx_customer_lastname    ON customer (last_name);
CREATE INDEX idx_customer_phone      ON customer (phone_nr);
```

**ORDERS:** find orders by customer and by status+date (useful for dashboards).

```
CREATE INDEX idx_orders_cust         ON orders (cust_id);
CREATE INDEX idx_orders_status_date ON orders (status,
date_created);
```

**PROD\_ORDERED:** primary key (order\_id, prod\_id) exists, add index to find orders for a product.

```
CREATE INDEX idx_prod_ordered_prodid ON prod_ordered
(prod_id);
```

**EXPLAIN after**

Table 3: Homepage welcome text with indices

ID	1	2
PARENT	0	1
OPERATION	select	index scan, table lookup
OPERATIONTYPE	(null)	leading keys
SCANORDER	(null)	1
ACC_COST	12	12
HITS	6	6
VISITS	12	12
TABLE	(null)	Department
ALIAS	(null)	(null)
INDEX	(null)	SQL_FOREIGN_KEY_0000049648
INDEXONLY	(null)	FALSE

Table 4: Featured products with indices.

ID	1	2	3
PARENT	0	1	2
OPERATION	select	sorting	index scan, table lookup
OPERATIONTYPE	(null)	temporary table order by	leading keys

SCANORDER	(null)	(null)	1
ACC_COST	18	(null)	9
HITS	4	(null)	4
VISITS	13	4	9
TABLE	(null)	(null)	Product
ALIAS	(null)	(null)	(null)
INDEX	(null)	(null)	idx_product_featured
INDEXONLY	(null)	(null)	FALSE

### BTree and Hash indices

- ❖ A B-tree index stores values in a balanced tree structure, allowing the DBMS to perform fast quality searches, range searches, sorting, and prefix matching. It is the default general-purpose index.
- ❖ A hash index uses a hash table optimized for equality comparisons. It is faster for lookups but does not support range queries or ordering, because hashed values are not stored in sorted order.
- ❖ B-tree supports '=', '<', '>', '<=', '>=' , 'BETWEEN', and 'ORDER BY'. Whereas Hash indexes only support '='
- ❖ B-tree indexes are used in most cases while hash indexes are chosen only when dealing with frequent, high-performance equality lookups.

## Supplementary

Program 1

[python code]

Program 2

[python code]