

# Dense adaptation controls | SCDD117 | ARTS





Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.

# Dense adaptation controls | SCDD117 | CFVS




Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.


# Dense adaptation controls | SCDD117 | CSIR




Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.

# Dense adaptation controls | SCDD117 | whole


| | Image AUROC | Image AP | Source-threshold recall | Source-threshold review rate | Source-threshold image FPR | Positive-image Dice | Positive-image IoU | Normal-structure pixel FPR | Whole-cohort pooled pixel AP |
|---|---|---|---|---|---|---|---|---|---|
| F223 -> F232 | +21.2 (+,+,+) | +18.9 (+,+,+) | -1.9 (-,-,+) | -13.7 (-,-,-) | -23.4 (-,-,-) | +9.2 (+,+,+) | +5.2 (+,+,+) | +0.3 (+,0,+) | +1.4 (-,+,+) |
| F230 -> F232 | +16.3 (+,+,+) | +15.7 (+,+,+) | +2.5 (+,-,+) | -4.8 (-,-,+) | -10.9 (-,-,+) | +7.7 (+,+,+) | +4.4 (+,+,+) | +0.1 (+,-,-) | +2.6 (+,-,+) |
| F231 -> F232 | +6.8 (+,+,-) | +10.4 (+,+,-) | -0.6 (0,-,0) | -6.3 (-,-,-) | -10.9 (-,-,-) | +1.9 (+,-,+) | +0.9 (+,-,+) | +0.3 (+,-,+) | +0.9 (-,+,+) |
| F233 -> F232 | +11.2 (+,+,+) | +12.1 (+,+,+) | +4.4 (+,0,+) | -2.3 (-,-,+) | -7.8 (-,-,+) | -0.2 (-,-,+) | -0.1 (-,-,+) | +0.2 (+,-,-) | +0.4 (-,+,+) |
| F259 -> F268 | +18.2 (+,+,+) | +16.5 (+,+,+) | +1.9 (-,-,+) | -9.1 (-,-,+) | -18.2 (-,-,+) | -6.7 (-,+,-) | -4.4 (-,+,-) | -0.0 (-,-,-) | -4.8 (-,+,-) |
| F266 -> F268 | +21.0 (+,+,+) | +22.0 (+,+,+) | +0.0 (-,-,+) | -10.8 (-,-,+) | -19.8 (-,-,-) | +3.8 (+,+,-) | +2.4 (+,+,-) | -0.1 (+,-,-) | +2.9 (+,+,-) |
| F267 -> F268 | +2.2 (+,+,-) | +2.1 (+,+,+) | -2.5 (-,-,+) | -7.4 (-,-,+) | -11.5 (-,-,+) | -0.5 (+,+,-) | -0.2 (+,+,-) | +0.0 (+,-,0) | +0.8 (+,+,-) |
| F269 -> F268 | +14.1 (+,+,+) | +14.6 (+,+,+) | +4.4 (+,-,+) | -6.8 (-,-,+) | -16.1 (-,-,-) | +1.9 (+,+,+) | +1.3 (+,+,+) | -0.0 (-,-,-) | +1.2 (+,+,-) |
| F295 -> F304 | +15.2 (+,+,+) | +13.2 (+,+,+) | +3.1 (-,+,+) | -17.4 (-,-,-) | -34.4 (-,-,-) | +0.6 (+,-,-) | +0.1 (+,-,-) | -0.0 (+,-,+) | -3.5 (-,-,-) |
| F302 -> F304 | +16.6 (+,+,+) | +16.7 (+,+,+) | +0.6 (0,+,0) | -15.1 (-,-,-) | -28.1 (-,-,-) | +5.9 (+,+,+) | +3.4 (+,+,+) | -0.0 (-,+,+) | +2.6 (-,+,+) |
| F303 -> F304 | +0.3 (+,-,-) | -0.4 (-,+,-) | -2.5 (-,-,-) | -9.7 (-,-,-) | -15.6 (-,0,-) | -0.2 (+,-,-) | -0.2 (+,-,-) | +0.1 (+,+,+) | -1.0 (-,-,-) |
| F305 -> F304 | +16.5 (+,+,+) | +17.1 (+,+,+) | -0.6 (-,0,0) | -17.1 (-,-,-) | -30.7 (-,-,-) | +2.4 (-,+,+) | +1.5 (-,+,+) | -0.1 (-,-,-) | -0.3 (-,+,-) |
| F336 -> F345 | +19.2 (+,+,+) | +16.9 (+,+,+) | +12.6 (+,+,+) | -4.8 (+,-,-) | -19.3 (-,-,-) | -2.8 (-,+,-) | -1.8 (-,-,-) | -0.1 (-,-,-) | -4.8 (-,-,-) |
| F343 -> F345 | +12.3 (+,+,+) | +14.7 (+,+,+) | +7.5 (+,+,+) | +0.9 (+,-,+) | -4.7 (+,-,-) | +1.0 (-,+,+) | +0.6 (-,+,+) | -0.1 (-,+,-) | +0.6 (-,+,+) |
| F344 -> F345 | +0.6 (+,-,+) | +0.6 (+,-,+) | +0.0 (+,0,-) | -2.8 (+,-,-) | -5.2 (+,-,-) | +0.2 (-,+,+) | +0.2 (-,+,+) | -0.0 (-,+,+) | +0.4 (-,+,+) |
| F346 -> F345 | +12.7 (+,+,+) | +14.5 (+,+,+) | +8.2 (+,+,+) | +0.0 (+,-,-) | -6.8 (+,-,-) | +0.0 (-,+,+) | +0.0 (-,+,+) | -0.0 (-,-,-) | -0.2 (-,+,+) |
| F389 -> F398 | +21.0 (+,+,+) | +21.8 (+,+,+) | -0.6 (0,0,-) | -9.4 (-,-,-) | -16.7 (-,-,-) | -0.0 (+,+,-) | +0.0 (+,+,-) | -9.3 (-,-,-) | -3.6 (-,-,-) |
| F396 -> F398 | +10.6 (+,+,+) | +9.8 (+,+,+) | +5.7 (+,+,+) | +3.7 (+,+,-) | +2.1 (+,+,-) | -1.6 (+,+,-) | -0.9 (+,+,-) | -3.7 (-,-,-) | -0.2 (+,-,-) |
| F397 -> F398 | +4.1 (+,+,+) | +3.3 (+,+,+) | +2.5 (+,0,-) | -0.9 (+,-,-) | -3.6 (+,-,-) | -3.7 (+,-,-) | -2.1 (+,-,-) | -1.0 (-,-,-) | -3.3 (+,-,-) |
| F427 -> F398 | +11.4 (+,+,+) | +10.3 (+,+,+) | +5.7 (+,+,+) | +2.8 (+,+,-) | +0.5 (+,+,-) | -1.3 (+,+,-) | -0.7 (+,+,-) | -4.1 (-,-,-) | -0.7 (+,+,-) |




Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.

# Dense adaptation controls | PVEL primary12292 (scored12326) | whole


| | Known-crack recall | Author-normal FPR | Crack-box point hit rate |
|---|---|---|---|
| F295 -> F304 | -0.4 (0,-,-) | -1.9 (0,-,-) | +11.6 (+,+,+) |
| F302 -> F304 | -0.1 (0,-,+) | -0.9 (0,-,+) | +10.6 (+,+,+) |
| F303 -> F304 | -0.4 (0,-,-) | -1.9 (0,-,-) | +12.9 (+,+,+) |
| F305 -> F304 | +0.5 (0,-,+) | +0.7 (0,-,+) | -0.4 (+,+,-) |
| F336 -> F345 | -4.8 (0,-,-) | -14.6 (-,-,-) | -18.3 (-,-,+) |
| F343 -> F345 | -4.8 (-,-,-) | -14.5 (-,-,-) | +10.3 (+,+,+) |
| F344 -> F345 | -4.8 (-,-,-) | -14.6 (-,-,-) | -5.5 (-,+,-) |
| F346 -> F345 | -4.7 (-,-,-) | -14.4 (-,-,-) | +12.4 (+,+,+) |
| F389 -> F398 | -5.5 (-,-,-) | -15.2 (-,-,-) | -9.7 (-,+,-) |
| F396 -> F398 | -1.0 (+,-,+) | -5.6 (+,-,+) | -2.7 (+,+,-) |
| F397 -> F398 | +2.8 (+,-,+) | +5.9 (+,-,+) | -2.7 (+,-,-) |
| F427 -> F398 | -3.0 (-,-,-) | -9.1 (-,-,+) | +0.1 (+,+,-) |




Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.

# Dense adaptation controls | UCF507 | whole

| | Image AUROC | Image AP | Source-threshold recall | Source-threshold review rate | Source-threshold image FPR | Positive-image Dice | Positive-image IoU | Whole-cohort pooled pixel AP |
|---|---|---|---|---|---|---|---|---|
| F295 -> F304 | +22.8 (+,+,+) | +37.1 (+,+,+) | +22.3 (+,+,-) | +4.7 (+,+,-) | -5.1 (+,+,-) | +24.9 (+,+,+) | +17.2 (+,+,+) | +28.2 (+,+,+) |
| F302 -> F304 | +5.1 (+,+,+) | +8.2 (+,+,+) | -2.6 (-,+,-) | -19.1 (-,+,-) | -28.2 (-,0,-) | +5.1 (-,+,+) | +4.4 (-,+,+) | +6.0 (-,+,+) |
| F303 -> F304 | +1.1 (+,+,+) | +0.8 (+,+,+) | -1.5 (-,+,-) | -13.7 (-,+,-) | -20.6 (-,+,-) | +6.7 (-,+,+) | +5.5 (-,+,+) | +2.0 (-,+,+) |
| F305 -> F304 | +4.5 (+,+,+) | +6.5 (+,+,+) | +0.4 (-,+,+) | -9.9 (-,-,+) | -15.6 (-,-,+) | +0.3 (-,+,+) | +1.0 (-,+,+) | +4.4 (-,+,+) |
| F336 -> F345 | +24.2 (+,+,+) | +32.7 (+,+,+) | -6.4 (-,0,-) | -47.8 (-,-,-) | -70.8 (-,-,-) | +16.1 (+,+,+) | +11.3 (+,+,+) | +36.8 (+,+,+) |
| F343 -> F345 | +0.8 (+,+,-) | +2.9 (+,+,+) | -6.6 (-,-,-) | -25.2 (-,-,-) | -35.6 (-,-,-) | -0.6 (-,+,-) | -0.3 (-,+,-) | +11.5 (+,+,+) |
| F344 -> F345 | -0.5 (-,-,-) | -0.4 (-,+,+) | -9.8 (-,-,-) | -49.0 (-,-,-) | -70.8 (-,-,-) | -7.8 (-,-,-) | -5.5 (-,-,-) | +1.4 (+,-,+) |
| F346 -> F345 | +0.4 (+,+,-) | +2.0 (+,+,+) | -7.4 (-,-,-) | -28.3 (-,-,-) | -40.0 (-,-,-) | -4.8 (-,-,-) | -3.2 (-,-,-) | +8.9 (+,+,+) |
| F389 -> F398 | +1.1 (+,+,-) | +1.2 (+,+,-) | -2.8 (0,-,-) | -16.0 (-,-,-) | -23.4 (-,-,-) | -2.0 (+,+,-) | -0.4 (+,+,-) | -3.0 (+,+,-) |
| F396 -> F398 | +1.6 (+,+,+) | +1.9 (+,+,+) | +0.0 (+,-,-) | -3.6 (+,-,-) | -5.5 (+,-,-) | -5.8 (+,+,-) | -4.2 (+,+,-) | +5.1 (+,+,+) |
| F397 -> F398 | -0.2 (+,+,-) | -0.3 (+,+,-) | +1.5 (+,-,-) | +7.0 (+,-,+) | +10.1 (+,-,+) | -7.2 (+,-,-) | -6.3 (-,-,-) | -6.8 (+,-,-) |
| F427 -> F398 | +2.2 (+,+,+) | +2.4 (+,+,+) | +0.7 (+,-,-) | -5.7 (+,-,-) | -9.3 (+,-,-) | -3.2 (+,+,-) | -2.1 (+,+,-) | +4.8 (+,+,-) |




Every contrast for the original dense-control question is retained. Parentheses show every fitted-pair direction.
ND: no such endpoint was declared for that pair. NE: declared but not estimable. Gray cells are never zeros.
Intervals remain in the complete forest atlas; no adjusted-significance claim. Recall and review/FPR must be read together.
PVEL boxes cannot support mask Dice; pooled native AP is whole-cohort point only. Family codes resolve in the companion ledger.