
KLYNTECH / NALLYHERMES

V2: Personal AI Operating System

Durable context. Proactive workflows. Safe, connected action.



Features and architecture built so far · November 2026

MANUS-WORK-NALLYHERMES-V2

From chatbot to operating system

V2 turns useful conversations into durable responsibilities.

V1 FOUNDATION

Answer and execute

CONVERSATION

Telegram-first requests with bounded tool use.

ORCHESTRATION

Planning, parallel read-only work, recovery.

SAFETY

Validation, workspace boundaries, SSRF protection.

→

V2 DIRECTION

Remember and act over time

DURABILITY

Conversation history and workflow state survive restarts.

PROACTIVITY

Reminders become recurring multi-step workflows.

CONNECTIVITY

Permissioned Calendar and future service connectors.

What Nally can do now

The V2 foundation is practical: it persists context, runs on schedule, and stays inside explicit boundaries.

01

Durable conversations

Neon-backed history scoped by Telegram user and chat.

02

Long-term memory

Structured records with optional semantic and graph retrieval.

03

Natural reminders

Due messages are phrased by Nally, with a safe fallback.

04

Recurring workflows

Daily, weekly, and monthly responsibilities with run history.

05

Bounded tools

Allowlisted tools, approval policy, retry limits, and no mutation replay.

06

Connected services

Provider-neutral connectors, beginning with Google Calendar.

V2 runtime architecture

A deterministic runtime surrounds the model with durable state, policy, and verified delivery.

INPUT

Telegram message or due workflow

STATE

Neon conversations, memory, schedules

1 · Interpret and plan

Nally selects the minimum sufficient tools and steps.

↓

2 · Enforce policy

Schema validation, user scope, allowlists, approvals, budgets.

↓

3 · Execute and recover

Read-only parallelism, sequential mutations, bounded retries.

↓

4 · Persist and deliver

Run history, natural response, Telegram delivery, honest failure.

CONNECTORS

Calendar now; GitHub, email, tasks next

OUTPUT

Telegram reports, reminders, confirmations

Durable proactive workflows

A workflow is a stored responsibility, not a reminder string.

01

Trigger

Run once at a future time, then daily, weekly, or monthly.

02

Bound

Instructions, tool allowlist, approval policy, destination.

03

Execute

Worker invokes the orchestra with the same Nally identity.

04

Record

Completed or failed run, output, error, attempt count.

Failure behavior: bounded retry with backoff → next occurrence after the maximum attempt count. No silent infinite loop.

Calendar-aware reminders


Nally checks the connected schedule before saving a reminder.

Google Calendar adapter

OAuth-backed access is optional, scoped to an explicit Telegram-user allowlist, and exposed through the provider-neutral Calendar connector.

When a reminder is requested, Nally checks a bounded window around the requested time. If events are found, it returns the conflict and asks before saving—no silent overlap.

> **Fail-closed by design**
>
> If Calendar is not configured or the user is not allowed, no calendar claim is made and no external action is taken.



Trust is a runtime feature

Nally's autonomy is bounded by evidence, scope, and explicit policy.

IDENTITY	One continuous NallyHermes entity across chat, tools, and scheduled runs.
SCOPE	User and chat isolation for conversations, memory, files, and schedules.
ACTIONS	Read-only work can parallelize; mutations remain sequential and confirmed.
FAILURES	Honest partial results, bounded retries, no automatic mutation replay.
CONNECTORS	Provider access is opt-in, allowlisted, and fail-closed.

Verified baseline

17
automated tests passing in the latest V2 validation

0
high-severity npm audit vulnerabilities

1
opt-in Neon integration test pending a test database

V2 roadmap

From durable foundations to a useful personal operating system.

BUILT NOW

01

Durable core

Conversation persistence, memory, workflows, natural reminders, retries, and run history.

NEXT

02

Daily briefing

Calendar-aware briefings that combine schedules, reminders, saved context, and permitted updates.

NEXT

03

Service mesh

GitHub, tasks, email, and CalDAV/Microsoft adapters behind the same connector policy.

NEXT

04

Control center

Telegram approvals, workflow history, observability, and clearer user-facing failure recovery.

NallyHermes · one identity, many bounded capabilities