

27 – M7 Customers & Payment Recording

Module design for the registered customer and the digitised khata: one global identity, a credit account per MPCs with limit, balance and ageing, account postings from till tenders and repayments, customer payment receipts, statements, the banking record of takings, and the privacy obligations that come with holding people's data.

Field	Value
Document	27 – M7 Customers & Payment Recording (Stage 2 module design; template of doc 20 §5)
Version	v0.1 – draft for design review; contract freeze targeted end of Stage 2 week 5
Date	9 September 2026
Owning developer	Module developer (full-stack); the till track renders the customer lookup, account tender and repayment screens from this module's specification
Inputs	05 SRS (FR-CUS-010–060, FR-PAY-010, 020, 060–090); 16 answers (I-01, I-02, I-04, I-05, K section, M-09); 09 ADR-15, ADR-16, ADR-27; 17 v0.2.1 §7.7; 18 v0.2; 19 v0.2; 20 v0.3 M7 and Appendix A (attributes); 21 (responsible officer), 24/24A (payment receipt base), 26/26A (tenders); 30 §5.7; 32; Personal Data Protection Act No. 9 of 2022
Depends on	M1 (MPCS scope, responsible officer, locations), M6 (receipt bundles with ACCOUNT tenders), kernel (document base, audit, events, snapshot, notifications)
Depended on by	M6 (customer snapshot, tender rules), M8 (receivables, ageing), M9 (statement notifications, journal export), M3 (phase 3 preferential price hook)

What this is and is not. A registered customer is a retail-credit concept – a person a society has agreed to trust for a khata – and has nothing to do with cooperative membership, shares or votes (ADR-16, K-01). The khata is frequently the largest receivable a society carries (I-02), so it gets the same discipline as the inter-entity ledger: postings are append-only, balances are sums, and nothing is edited. Because these are people's records, the module holds the minimum and knows how to give it back or take it away (ADR-27, PDPA).

1. Purpose and scope

In scope (phase 1)	Out of scope
Registered customer: one global identity (internal id); phone as a lookup attribute with audited change and reuse detection; name; optional NIC only where credit is granted; bounded attributes; tags (ADR-15, ADR-27)	Cooperative membership, shares, patronage, AGM records (K-01 to K-07); loyalty schemes
Consent and privacy: purpose-bound consent at registration, responsible officer per entity, data-access export, erasure by anonymisation subject to retention (M-09, PDPA)	Marketing consent management beyond the two purposes (credit account, statements/notifications)
Credit account per MPCS: limit, balance, ageing buckets, status, offline cap; limit warn by default with an entity-configurable hard block	Loans, interest on customer balances (K-06); credit scoring
Account postings (append-only): CHARGE from receipt ACCOUNT tenders, CREDIT from refunds, PAYMENT from repayments, ADJUSTMENT with approval, REVERSAL	–
Customer payment receipts: repayments recorded at the till or the office, allocated oldest-first by default with specific allocation online (DR-1); reversal; statements	Any processing of money; bank integration (ADR-01, R-05)
Banking record of takings: shop-to-office handover and bank deposit references against session cash; reconciliation automation later (I-04, FR-PAY-080)	Bank statement reconciliation (phase 3 with accounting)
Customer snapshot for tills (name, phone, balance, limit, cap, status, tags) for offline account tender and lookup	Registration or edits offline (master data, H-03)
Phase 3 hook: per-customer preferential price via M3's engine slot (FR-PRC-110)	Vouchers and subsidy instruments (later phases, I-01)

2. Requirements coverage

Identifier	Requirement (abridged)	Design section
FR-CUS-010	Global customer identity; phone lookup with audited change and reuse detection (ADR-15)	3.1, 4.1, 6.2
FR-CUS-020	Account per MPCS with limit and balance; ageing (I-02)	3.3, 3.4
FR-CUS-030	Repayments and statements	3.5, 3.6
FR-CUS-040	Minimal personal data; NIC only when credit granted (ADR-27, K-08)	3.1, 9.3
FR-CUS-050	Preferential price hook (P3)	3.8
FR-CUS-060	Privacy obligations: consent, access, erasure, responsible officer (M-09)	3.2, 4.4, 6.7
FR-PAY-010/020	Tender types recorded, none processed; customer credit tender	3.4, 6.3
FR-PAY-060	Customer payment receipts	3.5, 4.3
FR-PAY-070	Allocation of repayments to charges	3.5 (DR-1)
FR-PAY-080	Banking of takings recorded	3.7, 4.5
FR-PAY-090	Reconciliation follows accounting integration	3.7
I-04, I-05	Banking and settlement paths	3.7
H-02/H-03	Account tender offline within cap; registration online	3.4, 9.2
Doc 20 DR-3	Offline account tender cap and stale-balance behaviour	3.4, 6.3

3. Domain model

Schema customers. Customer payment receipts use the kernel document base with an M7 extension; they do not reuse M4's trading.doc_payment_receipt (rule R4: no cross-schema writes). Doc 24A's payer_kind = CUSTOMER branch is therefore withdrawn (change request CR-27-2).

3.1 Customer

Aspect	Design
Aggregate	customer(customer_id, display_name, nic_hash?, nic_last4?, language, attributes jsonb, status ACTIVE INACTIVE ANONYMISED, registered_by_entity, registered_at) plus customer_phone(customer_id, phone, is_primary, valid_from, valid_to, changed_by, reason) as history.
Identity	One global row per person (ADR-15); the phone is a lookup attribute, never the identity; a phone may move between customers with an audited change; reuse detection flags a phone that another ACTIVE customer held within the last 12 months and requires the operator to confirm the identity by name and, when an account exists, the NIC's last four digits.
Minimal data	Name, phone, language; NIC stored only as a salted hash plus last four digits, and only when an account with a limit above zero is opened (K-08); no address, no date of birth; attributes bounded and non-searchable (doc 20 Appendix A).
Registration	Online only (master data); at a till in online mode or in the back office; registration by a shop requires cus.customer.register; the customer is registered by an entity but the identity is federation-wide.

3.2 Consent and privacy

Aspect	Design
Consent	customer_consent(customer_id, purpose CREDIT_ACCOUNT STATEMENTS_NOTIFICATIONS, granted_at, granted_via TILL WEB PAPER, withdrawn_at, entity_id). Registration records the first; opening an account requires the first; SMS statements require the second (R-08).
Responsible officer	M1's per-entity officer (doc 21 CR-21-1) is the addressee of data-subject requests for customers registered by that entity.
Access request	data_subject_request(customer_id, kind ACCESS ERASURE, received_at, received_by, status, fulfilled_at, export_object_key?); ACCESS produces a rendered export of the customer's data and postings; ERASURE anonymises (name → 'Customer', phones removed, NIC hash removed, attributes cleared) while account postings and documents remain for the retention period, since they are also the society's accounting records (a documented limitation of erasure under the Act's exemptions; DR-4 asks Federation legal to confirm the wording).

3.3 Account

Aspect	Design
Aggregate	customer_account(account_id, customer_id, mpcs_entity_id, limit, balance (cached), offline_cap, status OPEN SUSPENDED CLOSED, opened_at, opened_by, terms_days, hard_block boolean); unique per (customer, MPCS). A customer of two societies has two independent accounts (ADR-15).
Balance and ageing	balance = Σ account_posting.amount (charges positive, credits and payments negative), cached on the account and recomputed by the same handlers; ageing buckets (current, 30, 60, 90+) computed from unpaid charge dates using the allocation records.
Limit policy	Warn by default (like ADR-12 for entities): a tender that takes the balance over the limit is allowed with a warning and a REVIEW event; an MPCS may set hard_block per account or entity-wide, in which case the till refuses the tender beyond the limit (config, not code).

3.4 Postings and the ACCOUNT tender

Aspect	Design
Ledger	account_posting(posting_id, account_id, kind CHARGE CREDIT PAYMENT ADJUSTMENT REVERSAL, amount, business_date, document_id, document_line_id?, receipt_number?, location_id, operator, offline boolean, allocated_amount). Insert-only; every posting cites a document (a receipt, a refund, a customer payment receipt, an adjustment document).

Aspect	Design
From the till	A receipt with an ACCOUNT tender (doc 26 §3.3) becomes a CHARGE on ingestion; a refund to account becomes a CREDIT. Offline tenders carry <code>offLine = true</code> and were allowed by the till only within <code>offLine_cap</code> per receipt and the cached available balance.
Reconciliation on ingestion	If the cached balance the till used was stale and the tender breached the limit, the CHARGE still posts (the sale happened) and a REVIEW ACCOUNT_LIMIT_BREACH_OFFLINE goes to the MPCs accounts role; the account may be suspended by the MPCs thereafter.

3.5 Customer payment receipts and allocation

Aspect	Design
Document	CPR (customer payment receipt) on the kernel base, fiscal, from the till-position series when recorded at a till and the MPCs ENTITY series when recorded in the office; extension <code>doc_customer_payment (document_id, account_id, method CASH TRANSFER DEPOSIT, reference, amount, allocation_mode OLDEST_FIRST SPECIFIC)</code> ; creates a PAYMENT posting and allocation (<code>payment_posting, charge_posting, amount</code>) rows.
Allocation	Default oldest-first (the khata convention; DR-1), which makes ageing meaningful without asking a cashier to pick charges; specific allocation is available online in the office for disputes. This deliberately differs from I-07's specific-invoice rule for entities.
Offline capture	Repayments at a shop are captured offline as till documents (cash received is a fact) and posted on ingestion (DR-2 extends the H-02 offline set for customer receipts only); the till shows the provisional balance.
Reversal	A recorded payment is reversed by a REVERSES-linked CPR (wrong customer, bounced deposit); allocations are undone; MFA; reason.

3.6 Statements

Aspect	Design
Content	Per account for a period: opening balance, charges by receipt, payments with allocations, adjustments, closing balance, ageing; rendered through the kernel A4 pipeline in the customer's language; sent by SMS summary and, where an address exists in attributes, printed at the shop on request (R-08, second consent purpose).

3.7 Banking record

Aspect	Design
Model	<code>banking_record (record_id, entity_id, location_id, session_ids[], amount, kind HANDOVER_TO_OFFICE BANK_DEPOSIT, deposited_by, received_by?, bank, reference, deposit_date, status RECORDED RECONCILED)</code> . A handover moves cash responsibility from a shop session to the MPCs office; a bank deposit records the slip. Expected banking per session is the blind-close cash; a shortfall between sessions and deposits is an exception item (I-04).
Reconciliation	Marking RECONCILED against a bank statement is manual in phase 1; automation follows the accounting integration (FR-PAY-090).

3.8 Preferential price hook (phase 3)

Aspect	Design
Design only	<code>customer_price (account_id, sku_id, price, valid_from, valid_to)</code> feeds M3's engine input slot (doc 23 §3.7); the till's customer snapshot row would carry the customer's prices. Not built in phase 1.

4. State machines

4.1 Customer

From	To	Trigger / command	Guard	Permission	Audit / offline
–	ACTIVE	RegisterCustomer(name, phone, language, consent)	online; phone valid; reuse detection passed or confirmed; consent CREDIT_ACCOUNT recorded	cus.customer.register	CUSTOMER_REGISTERED / online only
ACTIVE	ACTIVE	ChangePhone(new, reason)	reuse detection; confirmation when flagged; history row	cus.customer.manage	CUSTOMER_PHONE_CHANGED
ACTIVE	INACTIVE	DeactivateCustomer(reason)	no OPEN account with balance	cus.customer.manage	CUSTOMER_DEACTIVATED
ACTIVE / INACTIVE	ANONYMISED	FulfilErasure	DSAR ERASURE; no OPEN account with balance; retention rule applied	cus.privacy.fulfil (MFA)	CUSTOMER_ANONYMISED

4.2 Account

From	To	Trigger / command	Guard	Permission	Audit / offline
–	OPEN	OpenAccount(customer, limit, terms, offline cap)	MPCS scope; customer ACTIVE; consent; NIC captured when limit > 0; no existing account for the pair	cus.account.manage (MFA)	ACCOUNT_OPENED
OPEN	OPEN	AmendLimit / SetHardBlock / SetOfflineCap	reason; MFA for limit increases	cus.account.manage (MFA)	ACCOUNT_LIMIT_AMENDED
OPEN	SUSPENDED	SuspendAccount(reason)	reason	cus.account.manage	ACCOUNT_SUSPENDED (till refuses tenders)
SUSPENDED	OPEN	ReinstateAccount	reason	cus.account.manage (MFA)	ACCOUNT_REINSTATED
OPEN / SUSPENDED	CLOSED	CloseAccount	balance = 0; no unallocated payments	cus.account.manage	ACCOUNT_CLOSED

4.3 Customer payment receipt

From	To	Trigger / command	Guard	Permission	Audit / offline
–	RECORDED	RecordCustomerPayment(account, method, amount, reference, allocation)	account OPEN or SUSPENDED; amount > 0; issuance (till-position or ENTITY series); PAYMENT posting; allocations	cus.payment.record	CUSTOMER_PAYMENT_RECORDED / offline at till (posted on ingestion)
RECORDED	REVERSED	ReverseCustomerPayment(reason)	MFA; REVERSES-linked CPR; allocations undone	cus.payment.reverse (MFA)	CUSTOMER_PAYMENT_REVERSED / online

4.4 Data-subject request

From	To	Trigger / command	Guard	Permission	Audit / offline
–	RECEIVED	RecordDataSubjectRequest(kind)	customer identified; received by a named officer	cus.privacy.record	DSAR_RECEIVED
RECEIVED	FULFILLED	FulfilAccess / FulfilErasure	ACCESS: export rendered; ERASURE: anonymisation guard	cus.privacy.fulfil (MFA)	DSAR_FULFILLED
RECEIVED	REFUSED	RefuseRequest(reason)	legal ground recorded	cus.privacy.fulfil (MFA)	DSAR_REFUSED

4.5 Banking record

From	To	Trigger / command	Guard	Permission	Audit / offline
–	RECORDED	RecordBanking(kind, sessions, amount, reference)	sessions CLOSED and not yet banked; amount ≤ expected cash of the sessions (shortfall allowed with reason → REVIEW)	cus.banking.record	BANKING_REC ORDED
RECORDED	RECONCILED	MarkReconciled(statement reference)	MPCS accounts	cus.banking.reconcile	BANKING_REC ONCILED

5. Contract

5.1 Commands

Command	Input (essentials)	Permission	Events
RegisterCustomer	name, phone, language, consent purposes, via	cus.customer.register (online)	customer.registered.v1
ChangePhone / DeactivateCustomer / TagCustomer / UpdateAttributes	customer, new phone, reason; tags; attributes	cus.customer.manage	customer.phone_chang ed/deactivated/updat ed.v1
RecordConsent / WithdrawConsent	customer, purpose, via	cus.customer.manage	consent.recorded/withd rawn.v1
OpenAccount / AmendLimit / SetHardBlock / SetOfflineCap / SuspendAccount / ReinstateAccount / CloseAccount	customer, MPCS, limit, terms, cap; reason	cus.account.manage (MFA on open and limit increase)	account.opened/limit_a mended/suspended/rei nstated/closed.v1
PostCharge / PostCredit (internal, from receipt bundles)	receipt tender lines	system	account.charged/credit ed.v1
RecordCustomerPayment / ReverseCustomerPayment	account, method, amount, reference, allocation mode or specific charges; reason	cus.payment.record / reverse (MFA)	customer_payment.rec orded/reversed.v1
PostAdjustment	account, amount, reason	cus.account.adjust (MFA; SoD with approve)	account.adjusted.v1
IssueCustomerStatement	account, period, channel	cus.statement.issue	customer_statement.is sued.v1
RecordDataSubjectRequest / FulfilAccess / FulfilErasure / RefuseRequest	customer, kind; reason	cus.privacy.* (MFA on fulfil)	dsar.*.v1; customer.an onymised.v1
RecordBanking / MarkReconciled	kind, sessions, amount, bank, reference	cus.banking.record / reconcile	banking.recorded/reco nciled.v1

5.2 Queries

Query	Returns	Scope rule
LookupCustomer(phone id, mpcs)	Customer with the MPCS's account (balance, limit, cap, status, tags); the till uses the snapshot copy offline	OWN (MPCS and its shops); Federation view
GetAccount / ListAccounts(mpcs, filter)	Balance, limit, ageing, status, postings	OWN
ListOverdue(mpcs, bucket)	Accounts with aged charges	OWN; M8
GetStatementData(account, period)	Postings and allocations	OWN; M8, M9
GetCustomerSnapshot(location, since)	Customers with accounts at the owning MPCS, for tills	Snapshot builder
Receivables(mpcs, as_of) / Ageing(mpcs)	Totals and buckets for M8	OWN, FEDERATION_VIEW
ExpectedBanking(location, period) / UnbankedSessions(mpcs)	Sessions not yet in a banking record	OWN
ExportCustomerData(customer)	The access-request export	cus.privacy.fulfil

5.3 Events published

Event	Payload	Consumers
customer.registered/phone_changed/updated/deactivated/anonymised.v1	customer id, MPCS registering, tags (never the phone value in the payload: id only)	Snapshot change log (MPCS locations), M8, audit
consent.recorded/withdrawn.v1	customer, purpose	Notifications (M9), audit
account.opened/limit_amended/suspended/reinstated/closed.v1	account, MPCS, limit, hard block, cap	Snapshot (urgent on suspend), M8
account.charged/credited/adjusted.v1	account, amount, document, offline flag, breach flag	Snapshot (balance), M8, exception queues
customer_payment.recorded/reversed.v1	document, account, amount, allocations	Snapshot, M8, M9 (journal)
customer_statement.issued.v1	account, period, object key, channel	Notifications, M8
dsar.received/fulfilled/refused.v1	request, kind	Audit, M8
banking.recorded/reconciled.v1	record, sessions, amount	M8, M9

6. Key flows

Flow	Sequence	Failure paths
6.1 Registering a customer at the shop	Online till or web → name, phone, language → reuse detection (phone free) → consent for CREDIT_ACCOUNT and optionally STATEMENTS → customer ACTIVE → MPCs office opens an account with a limit (NIC last four and hash captured, MFA) → snapshot change-log to the MPCs's shops	Offline: refused with 'register when online'; phone held by another ACTIVE customer in the last 12 months: confirmation step with name and NIC last four
6.2 Phone number recycled	A new customer registers a phone last used by a customer deactivated 8 months ago → reuse flag → operator confirms it is a different person → history row on the old customer (valid_to), new primary phone on the new; audit on both	Same person changing phones: ChangePhone with reason; the old number is released
6.3 Buying on the khata offline	Cashier looks up the customer by phone in the cached snapshot → ACCOUNT tender within the offline cap and cached available balance → receipt issued with the tender flagged offline → on ingestion: CHARGE posting; if the cached balance was stale and the limit is now breached: posting stands, REVIEW to accounts, account may be suspended	Hard-block accounts: the till refuses beyond the cached limit; suspended accounts: refused with reason
6.4 Repayment at the shop	Customer pays Rs 2,000 cash against the khata → CPR from the till-position series (offline allowed) → on ingestion: PAYMENT posting allocated oldest-first → balance and ageing updated → provisional balance shown on the till immediately	Wrong customer: reversal online with MFA; allocations undone
6.5 Month-end statements	StatementJob: for each account with movement: render A4 in the customer's language; SMS summary where the STATEMENTS consent exists (balance, due amount, oldest charge date); printable at the shop on request	No consent: no SMS; statement still available in the office
6.6 Banking the takings	Sessions close with counted cash → shop hands cash to the MPCs office (HANDOVER record: sessions, amount, received by) → office deposits at the bank (BANK_DEPOSIT with slip reference) → expected versus recorded per session; shortfall raises a REVIEW with the reason keyed	Sessions banked twice refused; a handover exceeding expected cash refused
6.7 Access and erasure requests	Customer asks the shop for their data → officer records ACCESS → export rendered and handed over (audited) → later asks for erasure → guard: no open balance → anonymised; postings and documents retained for the retention period with the customer reference replaced by an opaque id	Open balance: erasure refused with the legal ground until settled; refusal recorded

7. Configuration

Item	Default	Scope	Who may change
customers.offline_account_cap (per receipt)	Rs 5,000	Entity; per account override	cus.account.manage
customers.limit_policy	WARN (hard_block off)	Entity; per account	cus.account.manage
customers.default_terms_days	30	Entity	cus.account.manage
customers.allocation_mode	OLDEST_FIRST	Entity	cus.payment.record
customers.phone_reuse_window_months	12	Federation	–
customers.nic_required_above_limit	Rs 0 (always when credit granted)	Federation	–
customers.statement_frequency / channel	MONTHLY / SMS summary + on request	Entity	cus.statement.issue
customers.retention_years (postings after closure)	7 (pending J-06 policy)	Federation	Federation legal
customers.banking_shortfall_review	any shortfall	Entity	cus.banking.record

8. Screens as paper

Screen	Paper mirrored	Surface	Roles	Notes
Khata index (customer lookup)	Khata index	T / W	Cashier, accounts	By phone or name; account balance, limit, status; offline from cache

Screen	Paper mirrored	Surface	Roles	Notes
Customer card	Customer card	W (T online for registration)	Accounts, shop (register)	Minimal fields; consent record; phone history; reuse confirmation step
Khata page (account)	Khata page	W	Accounts (MFA)	Limit, hard block, cap, terms; postings ledger; ageing; statements
Charge to account (tender)	Khata entry	T	Cashier	Tender path in the sales screen; cap and limit messages
Repayment (customer receipt)	Receipt	T / W	Cashier, accounts	Amount, method, reference; provisional balance; offline allowed at the till
Statement	Statement	W / print	Accounts	Period; SMS summary preview
Bank slip (banking record)	Bank slip / cash book	W	Accounts, shop	Handover and deposit; sessions picker; shortfall reason
Privacy requests	Request register	W	Responsible officer	Access export; erasure with guard and legal ground
Receivables and ageing	Debtors list	W	Accounts, Federation view	By bucket; overdue lists

9. Non-functional design

Aspect	Design
9.1 Capacity	Customers: hundreds of thousands federation-wide; accounts per MPCS: hundreds to a few thousand; postings: one per account tender or repayment, partitioned monthly. The customer snapshot for a shop carries the MPCS's accounts (a few thousand rows at most).
9.2 Offline	Lookup, account tender within cap, and repayment capture work from the snapshot; registration and account changes are online. Balance shown offline is the last synced balance minus local tenders plus local repayments (provisional).
9.3 Privacy	Minimal data; NIC as salted hash plus last four; phone values never in event payloads or logs (ids only); customer snapshot encrypted at rest on tills; access and erasure workflows; responsible officer per entity; every read of a customer record outside the sales path is audited (accounts screens).
9.4 Controls	Postings insert-only; limit increases MFA; adjustments SoD (request ≠ approve) and MFA; reversals MFA; banking shortfalls REVIEW; offline limit breaches REVIEW.
9.5 Visibility	A customer's data is visible to the registering MPCS and, for the account, to that MPCS only; another MPCS opening an account for the same person sees the identity (name, phone) but not the other society's balance (M-05 spirit); Federation view-only.

10. Test strategy

Layer	What is tested
Unit	Every guard of Section 4; reuse detection window; oldest-first allocation arithmetic incl. partial payments; ageing buckets; offline cap and stale-balance breach; erasure guard and anonymisation content; banking expected-versus-recorded
Contract	Every command and query; snapshot rows carry no NIC; event payloads carry no phone values
State machine	Customer, account, payment, DSAR, banking transitions
Property-based	Balance equals sum of postings under random interleavings incl. reversals; allocations never exceed charges; ageing consistent with allocations
Consumers	Receipt bundles with ACCOUNT tenders post charges; refunds post credits; offline breach raises REVIEW; CPR bundles from the till allocate
Scenario	Flows 6.1–6.7 end to end incl. the till simulator for offline tender and repayment
Privacy	Access export completeness; erasure leaves no personal data outside retained documents; audit on reads
Performance	Lookup by phone under 50 ms; month-end statements for 100,000 accounts under 30 minutes

11. Decision requests

#	Point	Proposed	Decider
DR-1	Repayment allocation	Oldest-first by default (khata convention); specific allocation online in the office	Federation accounts with MPCS treasurers
DR-2	Repayment capture offline at the till	Allowed as a till document (extends the H-02 offline set for customer receipts only)	Federation admins
DR-3	Limit policy default	Warn; hard block configurable per entity or account	Federation with MPCS treasurers
DR-4	Erasure wording and retention exemption	Anonymise; retain postings and documents for the retention period	Federation legal (PDPA)
DR-5	NIC capture	Hash plus last four, only when credit is granted	Federation legal
DR-6	Customer payment receipt as an M7 document (CR-27-1) and withdrawal of doc 24A's payer_kind CUSTOMER (CR-27-2)	Adopt	Architecture review
DR-7	Banking handover step (shop to office) recorded separately from bank deposit	Yes	Federation accounts

12. Traceability

Section	Identifiers
3.1–3.2	FR-CUS-010, 040, 060; K-02, K-08; M-09; ADR-15, ADR-27; PDPA No. 9 of 2022
3.3–3.5	FR-CUS-020, 030; FR-PAY-010, 020, 060, 070; I-01, I-02, I-05; H-02/H-03; doc 20 DR-3
3.6–3.7	FR-PAY-080, 090; I-04; R-08
3.8	FR-CUS-050; FR-PRC-110; doc 23 §3.7
4	Doc 03 conventions; N-05; N-07
9	NFR-CMP-010; NFR-SEC; M-05

End of document. Draft for design review; the contract freezes when M6 and M8 acknowledge it, targeted end of Stage 2 week 5. Implementation guide: 27A.